



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ

ಟಿಪ್ಪಣಿ ಹಾಳೆ

ವಿಷಯ Penimian for laying of OFC cable by

ಪುಟದ ಸಂಖ್ಯೆ -01-

ADP method to m/s Atria - ACT.

ಕಡತದ ಸಂಖ್ಯೆ EE/OFC/DR/1247/2019-20

| | |
|----------------|-------------------------|
| ಪಂಕ್ತಿಯ ಸಂಖ್ಯೆ | ಟಿಪ್ಪಣಿಗಳು ಮತ್ತು ಅಂಶಗಳು |
|----------------|-------------------------|

ನಲ್ಲಿದೆ.

ವಿಷಯ:- ಓ.ಎಫ್.ಸಿ ಕೇಬಲ್‌ನ್ನು ಹೆಚ್.ಡಿ.ಡಿ ಮೂಲಕ ಅಳವಡಿಸಲು ಅನುಮತಿ ನೀಡುವ ಬಗ್ಗೆ.

ಉಲ್ಲೇಖ:- ಮಾನ್ಯ ಆಯುಕ್ತರವರ ಆದೇಶ ಸಂಖ್ಯೆ: ಮು.ಅ(ಓ.ಎಫ್.ಸಿ ಕೋಶ) ಸಿಆರ್/255/2018-19, ದಿನಾಂಕ: 28-11-2018.

M/s. Atria Convergence Technologies Private Limited ಸಂಸ್ಥೆಯು ಅರ್ಜಿಸಂಖ್ಯೆ : 05-2019-1247 ರಲ್ಲಿ ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆಯ (ರಸ್ತೆ ಮೂಲಭೂತ ಸೌಕರ್ಯ-ದಾಸರಹಳ್ಳಿ) ವ್ಯಾಪ್ತಿಯಲ್ಲಿ ಓ.ಎಫ್.ಸಿ ಅಳವಡಿಕೆಗಾಗಿ ಅನುಮತಿ ಕೋರಿ Online ಮೂಲಕ ಈ ಕಛೇರಿಗೆ ಮನವಿ ಸಲ್ಲಿಸಿರುತ್ತದೆ. ಅದರಂತೆ Online ವಿವರಗಳನ್ನು ಈ ಕಛೇರಿಯಿಂದ ಪರಿಶೀಲಿಸಿ ಸಂಬಂಧಿತ ವಲಯದ ಅಭಿಯಂತರರ ಸ್ಥಳ ಪರಿವೀಕ್ಷಣೆ ಹಾಗೂ ಅಭಿಪ್ರಾಯಕ್ಕಾಗಿ ಕಳುಹಿಸಲಾಗಿದ್ದು, ಮುಖ್ಯ ಅಭಿಯಂತರರು (ರಸ್ತೆ ಮೂಲಭೂತ ಸೌಕರ್ಯ-ದಾಸರಹಳ್ಳಿ) ರವರು Online ನಲ್ಲಿ ದಿನಾಂಕ: 02-07-2019 ರಂದು ನೀಡಿರುವ ವರದಿಯಂತೆ ಮುಖ್ಯ ಅಭಿಯಂತರರು (ಓ.ಎಫ್.ಸಿ) ರವರ ದಿನಾಂಕ: 05-07-2019 ರಂದು Online ಮೂಲಕ ಅನುಮತಿಯನ್ನು ನೀಡಿರುತ್ತಾರೆ.

M/s. Atria Convergence Technologies Private Limited ಸಂಸ್ಥೆಯವರ ಓ.ಎಫ್.ಸಿ ಅಳವಡಿಕೆಯ ಮನವಿಗೆ ಜುಲಿಸ್‌ಡಿಕ್ಟನಲ್ ಇಂಜಿನಿಯರ್ ರವರು ಅನುಮೋದನೆ ನೀಡಿರುವುದರಿಂದ ಆನ್‌ಲೈನ್ ನಲ್ಲಿ ಪಡೆದ ಡಿಮ್ಯಾಂಡ್ ನೋಟನಂತೆ ಡಿಡಿ ಮೂಲಕ ಜಿ.ಎನ್.ಐ ಸೇರಿದಂತೆ, ಮೊತ್ತ ಪಾವತಿಸಬೇಕಾಗಿತ್ತು. ಆದರೆ, ಉಲ್ಲೇಖಿತ ಪತ್ರದಂತೆ ಕೇಂದ್ರ ಸರ್ಕಾರದ ಅಧಿಸೂಚನೆ 03/2018 Central Tax (Rate) ದಿನಾಂಕ: 25-01-2018 ರಂತೆ ಸಂಸ್ಥೆಯವರು Reverse Charges Mechanism ಮೂಲಕ GST ತೆರಿಗೆಯನ್ನು ಸಂಸ್ಥೆಯವರೇ ಖುದ್ದಾಗಿ ಪಾವತಿಸಲು ಅವಕಾಶ ಕಲ್ಪಿಸಲಾಗಿದೆ. ಈ ಹಿನ್ನೆಲೆಯಲ್ಲಿ ಸಂಸ್ಥೆಯವರು GST ಹೊರತುಪಡಿಸಿ ಒಟ್ಟು ಉದ್ದ 679.84 ಮೀಟರ್ ಉದ್ದಕ್ಕೆ ಪಾಲಿಕೆಗೆ ಪಾವತಿಸಬೇಕಾದ ಒಟ್ಟು ಮೊತ್ತ ಒಟ್ಟು ರೂ. **2,20,948/-** ಆಗಿರುತ್ತದೆ. ಶುಲ್ಕದ ವಿವರಗಳು ಈ ಕೆಳಕಂಡಂತೆ ಲೆಕ್ಕಾಚಾರ ಮಾಡಲಾಗಿದೆ.

Length of OFC proposed 679.84 Mtr (3 ducts)

| | | |
|----|------------------------------------------------------------------|-----------------------|
| 1. | Laying Charges: (679.84) Mtrs@ Rs 200/-Mtr | Rs. 1,35,968/- |
| 2. | Supervision Charges : (679.84) Mtrs@ Rs 75/Mtr | Rs.50,988/- |
| | Total | Rs.1,86,956 /- |
| 3. | Refundable Security Deposit : (679.84) Mtrs@ Rs 50/Mtr | Rs.33,992/- |
| | Grand Total | Rs. 2,20,948/- |

ವಿಷಯ :

ಪುಟದ ಸಂಖ್ಯೆ - 02 -

ಕಡತದ ಸಂಖ್ಯೆ

| ಪಂಕ್ತಿಯ ಸಂಖ್ಯೆ | ಟಿಪ್ಪಣಿಗಳು ಮತ್ತು ಆಜ್ಞೆಗಳು | | | | | | | | | | | | | | | | | | | | | |
|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|-----------------------------------------|---------------------------|---------|----------|------------------|--------------------------|---------------------------|----|-----------------------------------|------------------|-----------------------------------------|-------------|----|-------------|----------------|-----------------------------------------|--|-------------|------------------|--|
| 47 | <p>ಇದರಂತೆ ಒಟ್ಟು ಶುಲ್ಕ ರೂ. 2,20,948/- ಗಳನ್ನು ಸಂಸ್ಥೆಯವರು ದಿನಾಂಕ: 29-07-2019 ರಂದು ಡಿ.ಡಿ. ಮುಖಾಂತರ ಈ ಕಛೇರಿಗೆ ಪಾವತಿಸಿದ್ದು, ವಿವರಗಳು ಈ ಕೆಳಕಂಡಂತಿರುತ್ತದೆ.</p> <table border="1" data-bbox="256 723 1437 1136"> <thead> <tr> <th>ಕ್ರ. ಸಂ</th> <th>ಶುಲ್ಕಗಳು</th> <th>ಪಾವತಿಸಿರುವ ಮೊತ್ತ</th> <th>ಡಿಡಿ ಸಂಖ್ಯೆ ಮತ್ತು ದಿನಾಂಕ</th> <th>ಪಾವತಿಸಿರುವ ಬ್ಯಾಂಕಿನ ಹೆಸರು</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>ಅಳವಡಿಕೆ ಶುಲ್ಕ & ಮೇಲ್ವಿಚಾರಣೆ ಶುಲ್ಕ</td> <td>ರೂ. 1,86,956/- ✓</td> <td>ಡಿ.ಡಿಸಂಖ್ಯೆ: 013770 ದಿ: 19-07-2019 ✓</td> <td rowspan="3">HDFC BANK ✓</td> </tr> <tr> <td>2.</td> <td>ಭದ್ರತಾಲೇವಣಿ</td> <td>ರೂ. 33,992/- ✓</td> <td>ಡಿ.ಡಿಸಂಖ್ಯೆ: 013771 ದಿ: 19-07-2019 ✓</td> </tr> <tr> <td></td> <td>ಒಟ್ಟು ಮೊತ್ತ</td> <td>ರೂ. 2,20,948/- ✓</td> <td></td> </tr> </tbody> </table> | | | | ಕ್ರ. ಸಂ | ಶುಲ್ಕಗಳು | ಪಾವತಿಸಿರುವ ಮೊತ್ತ | ಡಿಡಿ ಸಂಖ್ಯೆ ಮತ್ತು ದಿನಾಂಕ | ಪಾವತಿಸಿರುವ ಬ್ಯಾಂಕಿನ ಹೆಸರು | 1. | ಅಳವಡಿಕೆ ಶುಲ್ಕ & ಮೇಲ್ವಿಚಾರಣೆ ಶುಲ್ಕ | ರೂ. 1,86,956/- ✓ | ಡಿ.ಡಿಸಂಖ್ಯೆ: 013770 ದಿ: 19-07-2019 ✓ | HDFC BANK ✓ | 2. | ಭದ್ರತಾಲೇವಣಿ | ರೂ. 33,992/- ✓ | ಡಿ.ಡಿಸಂಖ್ಯೆ: 013771 ದಿ: 19-07-2019 ✓ | | ಒಟ್ಟು ಮೊತ್ತ | ರೂ. 2,20,948/- ✓ | |
| ಕ್ರ. ಸಂ | ಶುಲ್ಕಗಳು | ಪಾವತಿಸಿರುವ ಮೊತ್ತ | ಡಿಡಿ ಸಂಖ್ಯೆ ಮತ್ತು ದಿನಾಂಕ | ಪಾವತಿಸಿರುವ ಬ್ಯಾಂಕಿನ ಹೆಸರು | | | | | | | | | | | | | | | | | | |
| 1. | ಅಳವಡಿಕೆ ಶುಲ್ಕ & ಮೇಲ್ವಿಚಾರಣೆ ಶುಲ್ಕ | ರೂ. 1,86,956/- ✓ | ಡಿ.ಡಿಸಂಖ್ಯೆ: 013770 ದಿ: 19-07-2019 ✓ | HDFC BANK ✓ | | | | | | | | | | | | | | | | | | |
| 2. | ಭದ್ರತಾಲೇವಣಿ | ರೂ. 33,992/- ✓ | ಡಿ.ಡಿಸಂಖ್ಯೆ: 013771 ದಿ: 19-07-2019 ✓ | | | | | | | | | | | | | | | | | | | |
| | ಒಟ್ಟು ಮೊತ್ತ | ರೂ. 2,20,948/- ✓ | | | | | | | | | | | | | | | | | | | | |
| 57 | <p>ಈ ಎಲ್ಲಾ ಅಂಶಗಳನ್ನು ತಮ್ಮ ಗಮನಕ್ಕೆ ತರುತ್ತಾ ಸದರಿ ಮೊತ್ತದ ರೂ. 2,20,948/- ಗಳನ್ನು ದಿನಾಂಕ: 31-07-2019 ರಂದು ಪಾಲಕಿಯ Canara Bank BCC Extension ಬ್ಯಾಂಕ್ ಖಾತೆಗೆ ಜಮಾ ಮಾಡಲಾಗಿದೆ. ಅದರ ಚಲನ್ ಜೆರಾಕ್ಸ್ ಪ್ರತಿಯನ್ನು ಕಡತದಲ್ಲಿ ಲಗತ್ತಿಸಿ ಮುಂದಿನ ಕ್ರಮಕ್ಕಾಗಿ ಸಲ್ಲಿಸಿದೆ.</p> <p style="text-align: right;"><i>[Signature]</i> ಸ್ವ.ದ.ಸ</p> | | | | | | | | | | | | | | | | | | | | | |
| 77 | <p>ಮಾನ್ಯ ಆಯುಕ್ತರವರ ಪತ್ರದ ಸಂಖ್ಯೆ: ಆ/ಪಿ.ಎಸ್.ಆರ್ (ಜಿ)2028/18-19, ದಿನಾಂಕ: 21-08-2018 ರಲ್ಲಿ ಓ.ಎಫ್.ಸಿ ಅಳವಡಿಕೆಗೆ ಏಕಗವಾಕ್ಷಿ ಆನ್‌ಲೈನ್ ನಲ್ಲಿ ರಸ್ತೆ ಕತ್ತರಿಸುವ ಪರವಾನಗಿ ನೀಡುವ ವ್ಯವಸ್ಥೆಯನ್ನು ಪುನರ್ ಸ್ಥಾಪಿಸಲು ಆದೇಶಿಸಿದ್ದು, ಅದರಂತೆ M/s. Atria Convergence Technologies Private Limited ರವರಿಗೆ 679.84 ಮೀಟರ್ ಉದ್ದಕ್ಕೆ ಓ.ಎಫ್.ಸಿ ಕೇಬಲ್ ಅಳವಡಿಕೆಗೆ ಅನುಮತಿ ಪತ್ರ ತಯಾರಿಸಿ ಅನುಮೋದನೆ ಹಾಗೂ ಸಹಿಗಾಗಿ ಮಂಡಿಸಿದೆ.</p> <p style="text-align: right;"><i>[Signature]</i> 11/8/2019 ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು ಓ.ಎಫ್.ಸಿ</p> <p>ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು ಓ.ಎಫ್.ಸಿ</p> <p>ಸಹಿ ಮಾಡಿದೆ. ಅನುಮತಿ ಪತ್ರಹೊರಡಿಸಿ ಸಂಬಂಧಪಟ್ಟ ಜುರಿಸ್‌ಡಿಕ್ಷನ್‌ಲ್ ಕಛೇರಿಗೆ ಪ್ರತಿ ಕಳುಹಿಸುವುದು ಮತ್ತು ಪಾಲಕೆ ಜಾಲತಾಣಕ್ಕೆ ಸ್ಕ್ಯಾನ್ ಪ್ರತಿಅಪ್-ಲೋಡ್ ಮಾಡುವುದು.</p> <p style="text-align: right;"><i>[Signature]</i> ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು ಓ.ಎಫ್.ಸಿ.</p> <p>ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು ಓ.ಎಫ್.ಸಿ.</p> | | | | | | | | | | | | | | | | | | | | | |



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rd Floor, Annex II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1247/2019-20

Date: 01-08-2019

92
Permission for laying of Optical Fiber Cable

To,

M/s. Atria Convergence Technologies Private Limited.
2nd and 3rd Floor, No-01, Indian Express
Building, Queens Road, Bangalore-01

Sir,

Sub :-

Permission for laying of O F C by HDD Method-regarding.

Ref :-

- 1) MOU of M/s. Atria Convergence Technologies Pvt Ltd Dated: 28-03-2014.
- 2) M/s Atria Convergence Technologies Pvt Ltd request letter Dated: 20-06-2019.
- 3) Opinion obtained in **Online** from Chief Engineer- Road Infrastructure Dasarahalli Division on Dated: 02-07-2019.
- 4) Approved by Chief Engineer (OFC-Cell) on Dated: 05-07-2019(**Online**).
- 5) Fee Demand Note Lt No: 05-2019-1247, Date: 05-07-2019.
- 6) Fee Paid by M/s. Atria Convergence Technologies Pvt Ltd vide letter Received Dated: 29-07-2019.
- 7) Commissioner order No-ಅ/ಪಿ.ಎಸ್/ಆರ್(ಜ)1080/16-17, Dated: 17-05-2017.
- 8) Commissioner order No-ಅ/ಪಿ.ಎಸ್/ಆರ್(ಜ)2028/18-19, Dated: 21-08-2018.
- 9) Commissioner order No-ಅ/ಪಿ.ಎಸ್/ಆರ್(ಜ)2971/18-19, Dated: 28-09-2018.

| Sl No | Name of the Road and Route | Length in Mtr |
|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|
| 01 | Permission for laying of OFC by HDD Method from the junction of 2 nd Cross Road via 80 feet Road, 1 st Main Road up to Chokkasandra Industrial Area, No of Pits 06 , No of Manholes 02 and No of Ducts 3 , in Road Infrastructure - Dasarahalli Zone. Ref: As per drawing enclosed. | 679.84 M |
| | Total | 679.84 M |

The work shall be strictly taken up and completed between **01/08/2019 to 30/11/2019** and in line with conditions enclosed.

Conditions for HDD Method OFC laying

1. This Permission is to be read along with the MOU signed with BBMP and as per the Conditions in the letter cited under ref (7)
2. **The concerned ward engineer shall supervise the work and ensure that the conditions imposed are complied with.**

No: EE/OFC/PR/1247/2019-20, Dt: 01-08-2019

Executive Engineer (OFC), BBMP

Received

1/8/19

3. **Before commencement of the work, the Agency must give prior written intimation to the jurisdictional Zonal, Road Infrastructure Engineers of BBMP and also keep the BBMP Engineers informed during Execution of work.**
4. **Laying of OFC in Newly asphalted Roads is strictly prohibited for a period of one year as per the Commissioner Circular No: ಆ/ಪಿಆರ್/ಜಿ-5012/2015-16, ದಿನಾಂಕ: 29-07-2015.**
5. Permission is valid only for the above sanctioned period. In case of expiry of the sanctioned period fresh requisition shall be submitted for Time Extension. which will be considered based on the reasons given and which will attract extra fees as applicable. Such requisition for extension of time should be submitted at least 15 days before the expiry of sanctioned period.
6. All HDD Pits must be restored on the same day itself. Any delay is liable for penalty as per Government order.
7. Excavation must be as per the instructions of the concerned BBMP Zonal/Road Infrastructure Engineers.
8. Any over burden debris/earth should be removed immediately and conveyed to the designated dumping yards failing which, a penalty of Rs: 10,000/- per day will be levied by the concerned ward engineer.
9. Strictly follow the procedure laid down in road opening and restoration protocol. Barricading sign boards and other precautionary signage, name and telephone numbers of the executing Agency, opening and closing dates should be displayed, also warning lights should be displayed for the road users and for easy flow of traffic during execution of work, failing which it would attract heavy penalty and cancellation of permission, etc and also entail blacklisting of the executing Agency.
10. During execution of work, care must be taken not to cause any damages to BBMP property like drains, Name boards, etc. In case of such damage, commensurate penalty to be paid.
11. **Absolutely no deviations from the permitted route is allowed. If deviation is found, not only penalty would be levied, the cable on the deviation portion would be confiscated /destroyed.**
12. After the completion of the rectified portion of the subject road, the same should be maintained for 2 (two) years.
13. After completion of the work, as per specification given by BBMP, the Agency must get a Satisfactory Work done Certificate from the jurisdictional BBMP Engineers along with 3rd party inspection reports. After the DLP (Defect Liability Period) of 2 years, a satisfactory completion and maintenance Report/Certificate by the jurisdictional BBMP Engineers should be furnished to this office to enable release of the Security Deposit.
14. During execution, any damage caused to the limb or life of public, damage caused to any Government / BESCO / BSNL / BWSSB / KPTCL / Gail India Limited etc, property, the responsibility lies solely with the executing Agency and any claims/compensation should be borne by the executing Agency alone.

15. Redoing of Road cut portion to be carried out as per the MORTH Specification, procedure for Redoing of Road cut portion, specification details and sketch enclosed.
16. If the restoration of pits is not done as per MORTH Specification, the cost of same will be recovered by forfeiting the Security Deposit.
17. If any HTUG/GAS PIPELINE by HDD/OPEN TRENCH Method work is executed on newly asphalted roads, the cost of the resurfacing of the entire length and width of the road will be recovered from the executing agency.
18. During Rainy season, extra care should be taken to ensure that the pits are properly barricaded keeping in mind the safety of pedestrian and vehicular traffic.
19. The Agency should not cause any inconvenience to public while executing the work.
20. The OFC Cable shall be laid along the berm or shoulder where ever possible in consultation with the jurisdictional Engineer.

Copy to:-

1. Copy to the Chief Engineer (**Road Infrastructure**) for information.
2. Copy to the Concerned Executive Engineer of (**Road Infrastructure - Dasarahalli Division**) for information.
3. Copy to the Concerned Assistant Executive Engineer of (**Road Infrastructure - Dasarahalli Sub Division**) for information.
4. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
5. Office Copy.

No: EE/OFC/PR/1247/2019-20, Dt: 01-08-2019

Executive Engineer (OFC), BBMP

[Handwritten Signature]
1/8/19



Bruhat Bengaluru Mahanagara Palike
Office of Executive Engineer OFC Cable and Rain Water Harvesting Cell
Central Zone

Receipt
(General Purpose)
[para 22(1)]

Receipt Number : RE-ifms665-Ofc / 000088 **DDO** : ddo665 Executive Engineer OFC Cable and Rain Water Harvesting Cell Central Zone
Receipt Date : 05-Aug-2019 **Ward** : 304 CE Major Roads
Reference : EE/OFC/PR/1247/2019-20 / 05-Jul-2019 **Credited to** : Canara Bank, Bangalore City Corpn. E.C. (Cor) (CNRB0008401) - 8401132000010 (OFC)

Received the sum of Rs. 220948.00 (Two Lakh Twenty Thousand Nine Hundred Forty Eight) from

S... Smt M/s. Atria Convergence Technologies Pvt, Ltd
2nd and 3rd Floor, No.1, Indian Express Building, Queen's Road, Bangalore
Bengaluru 560001

towards the following -

| SI No | Name | Misc. | Amount | Remarks |
|--------------|----------------------------------------|-------------------------|---------------|---------|
| 1 | R0009 Security Deposit (Receipt) (RCM) | | 33992.00 | |
| 2 | R1033 Duct Services (RCM) | Ofc Supervision Charges | 50988.00 | |
| 3 | R1033 Duct Services (RCM) | Ofc Laying Charges | 135968.00 | |
| Total | | | 220948 | |

Amount received as :

| SI No | Type | Bank | Chq/DD No. | Chq/DD Dt. | Amount |
|--------------|------|---------------------------------|------------|-------------|---------------|
| | DD | Hdfc Bank, Infantry Road Branch | 013771 | 19-Jul-2019 | 33992.00 |
| 2 | DD | Hdfc Bank, Infantry Road Branch | 013770 | 19-Jul-2019 | 186956.00 |
| Total | | | | | 220948 |

for Bruhat Bengaluru Mahanagara Palike
Executive Engineer OFC Cable and Rain Water Harvesting Cell Central Zone

05-2019 - 1247 ACT

केनरा बैंक CANARA BANK जमा पर्ची / DEPOSIT / PAY IN SLIP

शाखा/Branch Belgaon

दिनांक / Date

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 2 | 9 | 0 | 7 | 2 | 0 | 1 | 9 |
|---|---|---|---|---|---|---|---|

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

बचत/चालू खाता/ओडी/सीसी/आरडी/टीएल/डीएल खाता सं./क्रेडिट कार्ड सं.

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 8 | 4 | 0 | 1 | 1 | 3 | 2 | 0 | 0 | 0 | 1 | 0 |
|---|---|---|---|---|---|---|---|---|---|---|---|

नाम/Name Commitment SBMP

टेलिफोन/मोबाईल नं. CANARA BANK

Tel No. 09 948 001

राशि शब्दों में Three Thousand Two Lakh Ninety

Rupees in word Three Thousand Two Lakh Ninety

चेक सं./दिनांक 013776 19/7/19

Cheque No./Date 013776 19/7/19

| | | | | | | | |
|---|---|---|---|---|---|----|----|
| 1 | 8 | 6 | 9 | 5 | 6 | 00 | 00 |
|---|---|---|---|---|---|----|----|

| | | | | | | |
|---|---|---|---|---|----|----|
| 3 | 3 | 9 | 9 | 2 | 00 | 00 |
|---|---|---|---|---|----|----|

| | | | | | | |
|---|---|---|---|---|----|----|
| 2 | 9 | 9 | 4 | 8 | 00 | 00 |
|---|---|---|---|---|----|----|

अधिकारी OFF CELL केनरा बैंक टोल फ्री 24 घंटे कॉल सेंटर

Officer/Cashier/SWO 1800 425 0018

Brhat Bangashuru Mahanagra Palika

Brhat Bangashuru Mahanagra Palika

ACT

FIBERNET

Date: 19.07.2019

To,
Commissioner,
BBMP Bengaluru.

Dear Sir,

Sub: Deposit of of Right of Way charges and request for permission to complete the Underground Fiber Laying Work within the prescribed BBMP Limits.

Ref: Demand Notice No. BBMP/PR/05-2019- 1247

We M/s Atria Convergence Technologies Private Limited, a company registered under the provisions of companies Act 1956 and having its registered office at. 2nd and 3rd Floor, Indian Express Building, No.1, Queens Road, Bangalore - 560001.



With reference to the 'Right of Way' charges demanded by BBMP as per the demand note mentioned above, we are enclosing herewith the Demand Draft, with the particulars mentioned below, as payment towards the said charges.

| Sl No. | Particulars | DD No. | Date | Amount | In Favour of |
|--------|-------------------------------------------------------------|--------|-------------------------|----------------------------------------------------------------------------------------------------------------|------------------------------------|
| 1 | Laying Charges and Supervision Charges. (Non Refundable) | 13770 | 19-07-2019 | Rs. 1,86,956/- | "COMISSIONER BBMP BANGALORE" |
| 2. | Security Deposit (Refundable) | 13771 | 19-07-2019 | Rs. 33,992/- | "COMISSIONER BBMP BANGALORE" |
| | | | Total Amount | Rs.2,20,948/- (Rupee Two Lakhs Twenty two thousand nine hundred and forty eight only) | |

In furtherance to the demand note issued with regard to the subject matter, we would request your good office to grant us permission for completing the work within the prescribed BBMP limits.

Thanking You,
For Atria Convergence Technologies Ltd

Authorized Signatory



Atria Convergence Technologies Limited

Regional Office: Golden Heights, 59th 'C' Cross, 4th 'M' Block, Rajajinagar, Bangalore- 560 010, Karnataka, Ph: 080-67695555, Fax: 080-67695599
Registered Office : No.1, 2nd & 3rd Floor, Indian Express Building, Queen's Road, Bangalore-560001, Karnataka. Ph: 080-42884288, Fax: 080-42884200

www.actcorp.in CIN: U72900KA2000PLC027290



A/C PAYEE ONLY
NOT NEGOTIABLE

MANAGER'S CHEQUE
VALID FOR 3 MONTHS ONLY

1907201
D D M M Y Y

COMMISSIONER BBMP BANGALORE

Or

Pay

या उनके आदेश

अदा करे

Rupees

ONE LAKH EIGHTY SIX THOUSAND NINE HUNDRED FIFTY

रुपये

SIX ONLY.

₹ *1,86,956.00

FOR VALUE RECEIVED

ATRIA CONVERGENCE TECHNOLOGIES LIMITED

EMPIRE INFANTRY ROAD

BANGALORE - 560001

REF. No. 126812015419

1116
36245

AUTHORISED SIGNATORIES
Please sign above

⑈013770⑈ 560240043⑈ 999989⑈ 12



A/C PAYEE ONLY
NOT NEGOTIABLE

MANAGER'S CHEQUE
VALID FOR 3 MONTHS ONLY

1907201
D D M M Y Y

COMMISSIONER BBMP BANGALORE

Or

Pay

या उनके आदेश

अदा करे

Rupees

THIRTY THREE THOUSAND NINE HUNDRED NINETY TWO

रुपये

ONLY.

₹ *33,992.00

FOR VALUE RECEIVED

ATRIA CONVERGENCE TECHNOLOGIES LIMITED

EMPIRE INFANTRY ROAD

BANGALORE - 560001

REF. No. 126812015420

1116
36245

AUTHORISED SIGNATORIES
Please sign above

⑈013771⑈ 560240043⑈ 999989⑈ 12



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

OFC Form

General

Application No. 05-2019-1247

PR Number(To be Assigned by AE/JE-OFC, BBMP)

CE/OFC/PR/19-20/0001

General Information

Segment ID

Street ID

Street Name

RI-S147/200619/030856

RI-S147, RI-A32

1st Main, Peenya Industrial Area Rd, Lake Road
(80 FT Road)

Zone

DASARAHALLI

Service Provider Category

Internet

Organization

M/s.Atria
Convergence
Technologies
Private Limited

Year of Incorporation

2000

Registered Office Address

No. 1, 2nd floor, Indian Express Building, Queens Road, Bangalore 560001

Pin Code

560001

Official Phone No.

42884288

Previous Relevant Exp.

Fax

080-42884200

Website

www.acttv.in

Penalized Details

Vat Reg No

560001

Tin

29090126887

Turnover for Last 3 Years

Tan

BLRA02014F

Application
Submission Date

20/06/2019

Name of the Authorized Person

SUKHBIR BHATIA

Designation

VICE PRESIDENT SERVICE
DELIVERY

Email ID

Khandoba.Bawagi@actcorp.in

Local Address

No. 1, 2nd floor, Indian Express Building, Queens Road, Bangalore 560001

Purpose

ROW

Pin Code

560001

Phone No.

42884288

Mobile No

8884133270

Authorization Letter

MOU with BBMP

OFC/Cable Related
Information

Laying

OFC

Total No.of Pits (Points marked on map)

6

Likely Date of Commencement

2019-07-05

Total Length (m)

679.84

No. of Cables

3

Laying Method

HDD

No.of Ducts


3

No. of Manhole

2

Segment Details

| Sr No. | Length (m) | From Landmark | To Landmark | Start X Coordinate | Start Y Coordinate | End X Coordinate | End Y Coordinate | Passing Through |
|--------|------------|---------------|-------------|--------------------|--------------------|-------------------|-------------------|-----------------|
| 1 | 679.84 | | | 77.51455525 25 | 13.0264025 887 | 77.5095365 111 | 13.02513967 41 | NTTF Circle |



Declaration

I hereby accept the following terms and conditions specified by BBMP

- Maintenance of the cable and road for next 2 years Yes
- Refundable Security Deposit (Rs. 150/Mtr.) will be kept with BBMP. Yes
- Security deposit will be refunded after 2 years after field verification from BBMP Yes
- BBMP will retain the security deposit ,if service provider fails to maintain the OFC road cut portions for 2 years Yes

Name of the Attachments

Show Attachments

Authorized Signatory Letter

attachment

Status of My Application

| Approver Name | Designation | Date |
|--------------------|-------------|------------|
| ceofc01 ceofc01 | CE-OFC | 24/06/2019 |
| Executive Engineer | EE-RI | 26/06/2019 |
| CE-RI | CE-RI | 02/07/2019 |
| ceofc01 ceofc01 | CE-OFC | 05/07/2019 |

Date: 19/07/2019

Time: 19:17:46

20190719191746



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bengaluru Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R.
Square,Bangalore-560002

No: CE(OFC)/PR/05-2019-1247

Date: 05/07/2019

DEMAND NOTE

GST No.:29AAALB1608F1ZK

To,

VICE PRESIDENT SERVICE DELIVERY

M/s.Atria Convergence Technologies Private Limited

No. 1, 2nd floor, Indian Express Building, Queens Road, Bangalore 560001 560001

Sir,

Sub:- Permission to lay OFC by HDD Method regarding


Ref:- 1) MOU of M/S M/s.Atria Convergence Technologies Private Limited, Dated 11/04/2014.
2) Your Request letter No., Dated 20/06/2019.

As, per the requisition shown in the below table for laying of OFC by HDD method to a length of 679.84 Mtr has been approved by the commissioner.

Details of Segments drawn on BBMP GIS Map

(Segment Id :-RI-S147/200619/030856)

| Sr No | Segment Length (mts) | From Landmark | To Landmark | Start Coordinates | End Coordinates |
|-------|----------------------|---------------|-------------|---------------------|---------------------|
| 1 | 679.84 | | | 77.514555,13.026403 | 77.509537,13.025140 |



In view of the above you are hereby informed to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(07) days.Then only your request can be processed further.

Length of OFC proposed 679.84 Mtrs.

1. Laying Charges Rs. 160,442.24/- (@200.00/Mtr)

2. Supervision Charges Rs. 60,165.84 /- (@75.00/Mtr)

3. Total No's of Junction Box is 0 charge Rs.0.00/- (@3000.00/Junction Box)

4. Total No's of Junction Box is 0 charge Rs.0.00/- (@1500.00/Pole)

5. Refundable Rs.: Security Deposit 33,992.00 /- (It include 25% of junction box, Pole fee if any and installation fee which is mentioned below, as security deposit)

(i) 0.25 * (Rate Per Minimum Ducts + (No. Of Additional Ducts * Rate Per Additional Ducts))

Installation Fee= Length Of Road in meter * (i)

***18% GST(9% CGST+ 9%SGST=18% GST) is included in the charges (Not Applicable for Security deposit.)
Effective from 23 Sep 2017**

**The excavated road cut portion should be brought to its original condition by you as per the
MORTH
Specification and directions of the BBMP Engineer within 15 days from the date of excavation.**

**Total Amount Payable (1+2+3+4+5)Rs. 254,600.08 In words (Rupees Two Lakh Fifty Four Thousand Six
Hundred Only)**

**Permission will be accorded with all applicable, only conditions after submission of the Demand Draft drawn
from Nationalized Banks, for the above mentioned amount to this office.**

Yours faithfully,

CEOFC

Bruhat Bangalore Mahanagara Palike

Copy to

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

Select Area : [Dropdown] [Dropdown] [Dropdown] [Dropdown]

Search [Input] [Icon]

Clear All [Icon]



Welcome SUKHBIR

OFC

Select the drawing tools to indicate pits and select road where OFC laying activity will be carried out.

OFC DECLARATION TYPE

- OFC New Application
- Voluntary Declaration
 - Ward Road
 - Major Road



No Of Pits : 0
Total Length : 0 m

Upload KML File

Fill Application Form

- Enable/Disable Major Road Layer
- Download Zone-Ward-StreetID Mapping


My Desk Manager

Desk Manager Voluntary Declaration


05-2019-1247 [Search Icon]

Options

View Details View on Map [Icons]



Basemap [Icon]



[Signature]
 Assistant Executive Engineer,
 OFC CELL
 ruhat Bengaluru Mahanagra Palik
 Bangalore

[Signature]
 Executive Engineer,
 OFC CELL
 ruhat Bengaluru Mahanagra Palike
 Bangalore