



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ

ಟಿಪ್ಪಣಿ ಹಾಳೆ




ವಿಷಯ Permission for laying of OFC Cable by ಪುಟದ ಸಂಖ್ಯೆ
HDD method to m/s JIO Digital Fiber Pvt ಕಡತದ ಸಂಖ್ಯೆ EE/OFC/DR/2725/2019-20

ಪಂಕ್ತಿಯ ಸಂಖ್ಯೆ	ಟಿಪ್ಪಣಿಗಳು ಮತ್ತು ಆಜ್ಞೆಗಳು															
	<p>ನಲ್ಲನಿವೆ.</p> <p>ವಿಷಯ:- ಓ.ಎಫ್.ಸಿ ಕೇಬಲ್‌ನ್ನು ಹೆಚ್.ಡಿ.ಡಿ ಮೂಲಕ ಅಳವಡಿಸಲು ಅನುಮತಿ ನೀಡುವ ಬಗ್ಗೆ</p> <p>ಉಲ್ಲೇಖ:- ಮಾನ್ಯ ಆಯುಕ್ತರವರ ಆದೇಶ ಸಂಖ್ಯೆ: ಮು.ಅ(ಓ.ಎಫ್.ಸಿ ಕೋಶ) ಸಿಆರ್/255/2018-19, ದಿನಾಂಕ: 28-11-2018.</p> <p>M/s. JIO Digital Fiber Pvt Ltd, ಸಂಸ್ಥೆಯು ಅರ್ಜಿಸಂಖ್ಯೆ : 05-2019-2725ರಲ್ಲಿ ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆಯ (ರಸ್ತೆ ಮೂಲಭೂತ ಸೌಕರ್ಯ-ದಕ್ಷಿಣ) ವ್ಯಾಪ್ತಿಯಲ್ಲಿ ವ್ಯಾಪ್ತಿಯಲ್ಲಿ ಓ.ಎಫ್.ಸಿ ಅಳವಡಿಕೆಗಾಗಿ ಅನುಮತಿ ಕೋರಿ Online ಮೂಲಕ ಈ ಕಛೇರಿಗೆ ಮನವಿ ನಲ್ಲನಿರುತ್ತದೆ. ಅದರಂತೆ Online ವಿವರಗಳನ್ನು ಈ ಕಛೇರಿಯಿಂದ ಪರಿಶೀಲಿಸಿ ಸಂಬಂಧಿತ ವಲಯದ ಅಭಿಯಂತರರ ಸ್ಥಳ ಪರಿವೀಕ್ಷಣೆ ಹಾಗೂ ಅಭಿಪ್ರಾಯಕ್ಕಾಗಿ ಕಳುಹಿಸಲಾಗಿದ್ದು, ಮುಖ್ಯ ಅಭಿಯಂತರರು, (ರಸ್ತೆ ಮೂಲಭೂತ ಸೌಕರ್ಯ-ದಕ್ಷಿಣ) ರವರು Online ನಲ್ಲಿ ದಿನಾಂಕ: 15-08-2019 ರಂದು ನೀಡಿರುವ ವರದಿಯಂತೆ ಮುಖ್ಯ ಅಭಿಯಂತರರು (ಓ.ಎಫ್.ಸಿ) ರವರ ದಿನಾಂಕ: 21-08-2019 ರಂದು Online ಮೂಲಕ ಅನುಮತಿಯನ್ನು ನೀಡಿರುತ್ತಾರೆ.</p> <p>M/s. JIO Digital Fiber Pvt Ltd ಸಂಸ್ಥೆಯವರ ಓ.ಎಫ್.ಸಿ ಅಳವಡಿಕೆಯ ಮನವಿಗೆ ಜುಲಿಸ್‌ಡಿಕ್ಟನಲ್ ಇಂಜಿನಿಯರ್ ರವರು ಅನುಮೋದನೆ ನೀಡಿರುವುದರಿಂದ ಆನ್‌ಲೈನ್ ನಲ್ಲಿ ಪಡೆದ ಡಿಮ್ಯಾಂಡ್ ನೋಟ್‌ನಂತೆ ಡಿಡಿ ಮೂಲಕ ಜಿ.ಎಸ್.ಟಿ ಸೇರಿದಂತೆ, ಮೊತ್ತ ಪಾವತಿಸಬೇಕಾಗಿತ್ತು. ಆದರೆ, ಉಲ್ಲೇಖಿತ ಪತ್ರದಂತೆ ಕೇಂದ್ರ ಸರ್ಕಾರದ ಅಧಿಸೂಚನೆ 03/2018 Central Tax (Rate) ದಿನಾಂಕ: 25-01-2018 ರಂತೆ ಸಂಸ್ಥೆಯವರು Reverse Charges Mechanism ಮೂಲಕ GST ತೆರಿಗೆಯನ್ನು ಸಂಸ್ಥೆಯವರೇ ಖುದ್ದಾಗಿ ಪಾವತಿಸಲು ಅವಕಾಶ ಕಲ್ಪಿಸಲಾಗಿದೆ. ಈ ಹಿನ್ನೆಲೆಯಲ್ಲಿ ಸಂಸ್ಥೆಯವರು GST ಹೊರತುಪಡಿಸಿ ಒಟ್ಟು ಉದ್ದ 1241.50 ಮೀಟರ್ ಉದ್ದಕ್ಕೆ ಪಾಲಿಕೆಗೆ ಪಾವತಿಸಬೇಕಾದ ಒಟ್ಟು ಮೊತ್ತ ಒಟ್ಟು ರೂ. 12,10,462=00 ಆಗಿರುತ್ತದೆ. ಶುಲ್ಕದ ವಿವರಗಳು ಈ ಕೆಳಕಂಡಂತೆ ಲೆಕ್ಕಾಚಾರ ಮಾಡಲಾಗಿದೆ.</p> <p>Length of OFC proposed 1241.50Mtr (4 Ducts)</p> <table border="1"> <tr> <td>1.</td> <td>Laying Charges: (1241.50) Mtrs@ Rs 600/-Mtr + (Extra 1 duct)=Rs.700/-</td> <td>Rs. 8,69,050=00</td> </tr> <tr> <td>2.</td> <td>Supervision Charges : (1241.50) Mtrs@ Rs 100/Mtr</td> <td>Rs 1,24,150=00</td> </tr> <tr> <td></td> <td style="text-align: right;">Total</td> <td>Rs. 9,93,200=00</td> </tr> <tr> <td>3.</td> <td>Refundable Security Deposit : (1241.50) Mtrs 25% of LC - Rs. 8,69,050/-</td> <td>Rs. 2,17,263=00</td> </tr> <tr> <td></td> <td style="text-align: right;">Grand Total</td> <td>Rs 12,10,462=00</td> </tr> </table>	1.	Laying Charges: (1241.50) Mtrs@ Rs 600/-Mtr + (Extra 1 duct)=Rs.700/-	Rs. 8,69,050=00	2.	Supervision Charges : (1241.50) Mtrs@ Rs 100/Mtr	Rs 1,24,150=00		Total	Rs. 9,93,200=00	3.	Refundable Security Deposit : (1241.50) Mtrs 25% of LC - Rs. 8,69,050/-	Rs. 2,17,263=00		Grand Total	Rs 12,10,462=00
1.	Laying Charges: (1241.50) Mtrs@ Rs 600/-Mtr + (Extra 1 duct)=Rs.700/-	Rs. 8,69,050=00														
2.	Supervision Charges : (1241.50) Mtrs@ Rs 100/Mtr	Rs 1,24,150=00														
	Total	Rs. 9,93,200=00														
3.	Refundable Security Deposit : (1241.50) Mtrs 25% of LC - Rs. 8,69,050/-	Rs. 2,17,263=00														
	Grand Total	Rs 12,10,462=00														

ವಿಷಯ :

ಪುಟದ ಸಂಖ್ಯೆ-02-.....

ಕಡತದ ಸಂಖ್ಯೆ

ಪಂಕ್ತಿಯ ಸಂಖ್ಯೆ	ಟಿಪ್ಪಣಿಗಳು ಮತ್ತು ಆಜ್ಞೆಗಳು				
	<p>ಇದರಂತೆ ಒಟ್ಟು ಶುಲ್ಕ ರೂ. 12,10,462=00ಗಳನ್ನು ಸಂಸ್ಥೆಯವರು ದಿನಾಂಕ 29-08-2019 ರಂದು ಡಿ.ಡಿ. ಮುಖಾಂತರ ಈ ಕಛೇರಿಗೆ ಪಾವತಿಸಿದ್ದು, ವಿವರಗಳು ಈ ಕೆಳಕಂಡಂತಿರುತ್ತವೆ.</p>				
	ಕ್ರ. ಸಂ	ಶುಲ್ಕಗಳು	ಪಾವತಿಸಿರುವ ಮೊತ್ತ	ಡಿಡಿ ಸಂಖ್ಯೆ ಮತ್ತು ದಿನಾಂಕ	ಪಾವತಿಸಿರುವ ಬ್ಯಾಂಕಿನ ಹೆಸರು
4/	1.	ಅಳವಡಿಕೆ ಶುಲ್ಕ & ಮೇಲ್ವಿಚಾರಣೆ ಶುಲ್ಕ	ರೂ. 9,93,200=00	ಡಿ.ಡಿಸಂಖ್ಯೆ: 628657 ದಿ: 26-08-2019	HDFC Bank Ltd With (SBI)
	2.	ಭದ್ರತಾಲೇವಣಿ	ರೂ. 2,17,263=00	ಡಿ.ಡಿಸಂಖ್ಯೆ: 638713 ದಿ: 26-08-2019	
		ಒಟ್ಟು ಮೊತ್ತ	ರೂ. 12,10,462=00		
5/	<p>ಈ ಎಲ್ಲಾ ಅಂಶಗಳನ್ನು ತಮ್ಮ ಗಮನಕ್ಕೆ ತರುತ್ತಾ ನದಲಿ ಮೊತ್ತದ ರೂ. 12,10,462=00 ಗಳನ್ನು ದಿನಾಂಕ: 30-08-2019 ರಂದು ಪಾಲಕೆಯ Canara Bank BCC Extension ಬ್ಯಾಂಕ್ ಖಾತೆಗೆ ಜಮಾ ಮಾಡಲಾಗಿದೆ. ಅದರ ಚಲನ್ ಜೆರಾಕ್ಸ್ ಪ್ರತಿಯನ್ನು ಕಡತದಲ್ಲಿ ಲಗತ್ತಿಸಿ ಮುಂದಿನ ಕ್ರಮಕ್ಕಾಗಿ ಸಲ್ಲಿಸಿದೆ.</p> <p style="text-align: right;"> ಡಿ.ವಿ.ಸಿ</p>				
6/	<p>ಮಾನ್ಯ ಆಯುಕ್ತರವರ ಪತ್ರದ ಸಂಖ್ಯೆ: ಆ/ಪಿ.ಎಸ್.ಆರ್ (ಜಿ)2028/18-19, ದಿನಾಂಕ: 21-08-2018 ರಲ್ಲಿ ಓ.ಎಫ್.ಸಿ ಅಳವಡಿಕೆಗೆ ಏಕಗವಾಕ್ಷಿ ಆನ್‌ಲೈನ್ ನಲ್ಲಿ ರಸ್ತೆ ಕತ್ತರಿಸುವ ಪರವಾನಗಿ ನೀಡುವ ವ್ಯವಸ್ಥೆಯನ್ನು ಪುನರ್ ಸ್ಥಾಪಿಸಲು ಆದೇಶಿಸಿದ್ದು, ಅದರಂತೆ M/s. JIO Digital Fiber Pvt Ltd ರವರಿಗೆ 1241.50 ಮೀಟರ್ ಉದ್ದಕ್ಕೆ ಓ.ಎಫ್.ಸಿ ಕೇಬಲ್ ಅಳವಡಿಕೆಗೆ ಅನುಮತಿ ಪತ್ರ ತಯಾರಿಸಿ ಅನುಮೋದನೆ ಹಾಗೂ ಸಹಿಗಾಗಿ ಮಂಡಿಸಿದೆ.</p> <p style="text-align: right;"> 30/8/19 ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು ಓ.ಎಫ್.ಸಿ</p>				
7/	<p>ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು ಓ.ಎಫ್.ಸಿ</p> <p>ಸಹಿ ಮಾಡಿದೆ.</p> <p>ಅನುಮತಿ ಪತ್ರಹೊರಡಿಸಿ ಸಂಬಂಧಪಟ್ಟ ಜುರಿಸ್‌ಡಿಕ್ಷನ್‌ಲ್ ಕಛೇರಿಗೆ ಪ್ರತಿ ಕಳುಹಿಸುವುದು ಮತ್ತು ಪಾಲಕೆ ಜಾಲತಾಣಕ್ಕೆ ಸ್ಕ್ಯಾನ್ ಪ್ರತಿಅಪ್-ಲೋಡ್ ಮಾಡುವುದು.</p> <p style="text-align: right;"> ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು ಓ.ಎಫ್.ಸಿ.</p>				
8/	<p>ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು ಓ.ಎಫ್.ಸಿ.</p>				



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/2725/2019-20

Date: 30-08-2019

Permission for laying of Optical Fiber Cable

To,

M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for laying of O F C by HDD Method-regarding

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited request letter Dated: 30-07-2019. ✓
 - 3) Opinion obtained in **Online** from Chief Engineer- Road Infrastructure **South** Division on Dated: 15-08-2019. ✓
 - 4) Approved by Chief Engineer (OFC) on Dated: 21-08-2019 (**Online**). ✓
 - 5) Fee Demand Note Lt No: 05-2019-2725, Date: 21-08-2019.
 - 6) Fee Paid by M/s. Jio Digital Fibre Private Limited vide letter received Dated: 29-08-2019.
 - 7) Commissioner order No-ಅ/ಪಿ.ಎಸ್/ಆರ್(ಇ)1080/16-17, Dated: 17-05-2017.
 - 8) Commissioner order No-ಅ/ಪಿ.ಎಸ್/ಆರ್(ಇ)2028/18-19, Dated: 21-08-2018.
 - 9) Commissioner order No-ಅ/ಪಿ.ಎಸ್/ಆರ್(ಇ)2971/18-19, Dated: 28-09-2018.

Sl No	Name of the Road and Route	Length in Mtr
01	Permission for laying of OFC by HDD Method from Hosur Main Road via street ID No-W0399, Kormangala Ring Road, 7 th Cross road up to junction of Street ID No-W0249.	1117.18 M
02	From Kormangala - Sarjapur Service Road via & 80 Feet Road for a length of 124.32Mtr, No of Pits 12 , No of Manhole 04 and No of Ducts 4 , in Road Infrastructure- South Division Ref: As per drawing enclosed	124.32 M
	Total	1241.50 M

The work shall be strictly taken up and completed between **30-08-2019 to 29-02-2020** and in line with conditions enclosed.

Conditions for HDD Method OFC laying

1. This Permission is to be read along with the MOU signed with BBMP and as per the Conditions in the letter cited under ref (7)

No: EE/OFC/PR/2725/2019-20, Dt: 30-08-2019

Executive Engineer (OFC), BBMP

*Received
In*

[Signature]

29/8/19

2. **The concerned ward engineer shall supervise the work and ensure that the conditions imposed are complied with.**
3. **Before commencement of the work, the Agency must give prior written intimation to the jurisdictional Zonal, Road Infrastructure Engineers of BBMP and also keep the BBMP Engineers informed during Execution of work.**
4. **Laying of OFC in Newly asphalted Roads is strictly prohibited for a period of one year as per the Commissioner Circular No: ಆ/ಪಿಆರ್/ಜಿ-5012/2015-16, ದಿನಾಂಕ: 29-07-2015.**
5. Permission is valid only for the above sanctioned period. In case of expiry of the sanctioned period fresh requisition shall be submitted for Time Extension. which will be considered based on the reasons given and which will attract extra fees as applicable. Such requisition for extension of time should be submitted at least 15 days before the expiry of sanctioned period.
6. All HDD Pits must be restored on the same day itself. Any delay is liable for penalty as per Government order.
7. Excavation must be as per the instructions of the concerned BBMP Zonal/Road Infrastructure Engineers.
8. Any over burden debris/earth should be removed immediately and conveyed to the designated dumping yards failing which, a penalty of Rs: 10,000/- per day will be levied by the concerned ward engineer.
9. Strictly follow the procedure laid down in road opening and restoration protocol. Barricading sign boards and other precautionary signage, name and telephone numbers of the executing Agency, opening and closing dates should be displayed, also warning lights should be displayed for the road users and for easy flow of traffic during execution of work, failing which it would attract heavy penalty and cancellation of permission, etc and also entail blacklisting of the executing Agency.
10. During execution of work, care must be taken not to cause any damages to BBMP property like drains, Name boards, etc. In case of such damage, commensurate penalty to be paid.
11. **Absolutely no deviations from the permitted route is allowed. If deviation is found, not only penalty would be levied, the cable on the deviation portion would be confiscated /destroyed.**
12. After the completion of the rectified portion of the subject road, the same should be maintained for 2 (two) years.
13. After completion of the work, as per specification given by BBMP, the Agency must get a Satisfactory Work done Certificate from the jurisdictional BBMP Engineers along with 3rd party inspection reports. After the DLP (Defect Liability Period) of 2 years, a satisfactory completion and maintenance Report/Certificate by the jurisdictional BBMP Engineers should be furnished to this office to enable release of the Security Deposit.

14. During execution, any damage caused to the limb or life of public, damage caused to any Government / BESCOM / BSNL / BWSSB / KPTCL / Gail India Limited etc, property, the responsibility lies solely with the executing Agency and any claims/compensation should be borne by the executing Agency alone.
15. Redoing of Road cut portion to be carried out as per the MORTH Specification, procedure for Redoing of Road cut portion, specification details and sketch enclosed.
16. If the restoration of pits is not done as per MORTH Specification, the cost of same will be recovered by forfeiting the Security Deposit.
17. If any HTUG/GAS PIPELINE by HDD/OPEN TRENCH Method work is executed on newly asphalted roads, the cost of the resurfacing of the entire length and width of the road will be recovered from the executing agency.
18. During Rainy season, extra care should be taken to ensure that the pits are properly barricaded keeping in mind the safety of pedestrian and vehicular traffic.
19. The Agency should not cause any inconvenience to public while executing the work.
20. The OFC Cable shall be laid along the berm or shoulder where ever possible in consultation with the jurisdictional Engineer.
21. If preinstalled OFC Utility ducts are available in any stretch OFC shall be installed in only those ducts and related additional permission fee shall be paid to BBMP.

Copy to:-

1. Copy to the Chief Engineer (**Road Infrastructure**) for information.
2. Copy to the Concerned Executive Engineer of (**Road Infrastructure - South Division**) for information.
3. Copy to the Concerned Assistant Executive Engineer of (**Road Infrastructure - South Sub Division**) for information.
4. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
5. Office Copy.



Handwritten date: 30/8/19



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/²²⁸2725/2019-20

Date: 30-08-2019

Permission for laying of Optical Fiber Cable

To,

M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for laying of O F C by HDD Method-regarding

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited request letter Dated: 30-07-2019.
 - 3) Opinion obtained in **Online** from Chief Engineer- Road Infrastructure **South** Division on Dated: 15-08-2019.
 - 4) Approved by Chief Engineer (OFC) on Dated: 21-08-2019 (**Online**).
 - 5) Fee Demand Note Lt No: 05-2019-2725, Date: 21-08-2019.
 - 6) Fee Paid by M/s. Jio Digital Fibre Private Limited vide letter received Dated: 29-08-2019.
 - 7) Commissioner order No-ಆ/ಪಿ.ಎಸ್/ಆರ್(ಜ)1080/16-17, Dated: 17-05-2017.
 - 8) Commissioner order No-ಆ/ಪಿ.ಎಸ್/ಆರ್(ಜ)2028/18-19, Dated: 21-08-2018.
 - 9) Commissioner order No-ಆ/ಪಿ.ಎಸ್/ಆರ್(ಜ)2971/18-19, Dated: 28-09-2018.

Sl No	Name of the Road and Route	Length in Mtr
01	Permission for laying of OFC by HDD Method from Hosur Main Road via street ID No-W0399, Kormangala Ring Road, 7 th Cross road up to junction of Street ID No-W0249.	1117.18 M
02	From Kormangala – Sarjapur Service Road via & 80 Feet Road for a length of 124.32Mtr, No of Pits 12 , No of Manhole 04 and No of Ducts 4 , in Road Infrastructure- South Division Ref: As per drawing enclosed	124.32 M
	Total	1241.50 M

The work shall be strictly taken up and completed between **30-08-2019 to 29-02-2020** and in line with conditions enclosed.

Conditions for HDD Method OFC laying

1. This Permission is to be read along with the MOU signed with BBMP and as per the Conditions in the letter cited under ref (7)

No: EE/OFC/PR/2725/2019-20, Dt: 30-08-2019

Executive Engineer (OFC), BBMP

JW
 30/8/19

2. **The concerned ward engineer shall supervise the work and ensure that the conditions imposed are complied with.**
3. **Before commencement of the work, the Agency must give prior written intimation to the jurisdictional Zonal, Road Infrastructure Engineers of BBMP and also keep the BBMP Engineers informed during Execution of work.**
4. **Laying of OFC in Newly asphalted Roads is strictly prohibited for a period of one year as per the Commissioner Circular No: ಆ/ಪಿಆರ್/ಜಿ-5012/2015-16, ದಿನಾಂಕ: 29-07-2015.**
5. Permission is valid only for the above sanctioned period. In case of expiry of the sanctioned period fresh requisition shall be submitted for Time Extension. which will be considered based on the reasons given and which will attract extra fees as applicable. Such requisition for extension of time should be submitted at least 15 days before the expiry of sanctioned period.
6. All HDD Pits must be restored on the same day itself. Any delay is liable for penalty as per Government order.
7. Excavation must be as per the instructions of the concerned BBMP Zonal/Road Infrastructure Engineers.
8. Any over burden debris/earth should be removed immediately and conveyed to the designated dumping yards failing which, a penalty of Rs: 10,000/- per day will be levied by the concerned ward engineer.
9. Strictly follow the procedure laid down in road opening and restoration protocol. Barricading sign boards and other precautionary signage, name and telephone numbers of the executing Agency, opening and closing dates should be displayed, also warning lights should be displayed for the road users and for easy flow of traffic during execution of work, failing which it would attract heavy penalty and cancellation of permission, etc and also entail blacklisting of the executing Agency.
10. During execution of work, care must be taken not to cause any damages to BBMP property like drains, Name boards, etc. In case of such damage, commensurate penalty to be paid.
11. **Absolutely no deviations from the permitted route is allowed. If deviation is found, not only penalty would be levied, the cable on the deviation portion would be confiscated /destroyed.**
12. After the completion of the rectified portion of the subject road, the same should be maintained for 2 (two) years.
13. After completion of the work, as per specification given by BBMP, the Agency must get a Satisfactory Work done Certificate from the jurisdictional BBMP Engineers along with 3rd party inspection reports. After the DLP (Defect Liability Period) of 2 years, a satisfactory completion and maintenance Report/Certificate by the jurisdictional BBMP Engineers should be furnished to this office to enable release of the Security Deposit.

14. During execution, any damage caused to the limb or life of public, damage caused to any Government / BESCOM / BSNL / BWSSB / KPTCL / Gail India Limited etc, property, the responsibility lies solely with the executing Agency and any claims/compensation should be borne by the executing Agency alone.
15. Redoing of Road cut portion to be carried out as per the MORTH Specification, procedure for Redoing of Road cut portion, specification details and sketch enclosed.
16. If the restoration of pits is not done as per MORTH Specification, the cost of same will be recovered by forfeiting the Security Deposit.
17. If any HTUG/GAS PIPELINE by HDD/OPEN TRENCH Method work is executed on newly asphalted roads, the cost of the resurfacing of the entire length and width of the road will be recovered from the executing agency.
18. During Rainy season, extra care should be taken to ensure that the pits are properly barricaded keeping in mind the safety of pedestrian and vehicular traffic.
19. The Agency should not cause any inconvenience to public while executing the work.
20. The OFC Cable shall be laid along the berm or shoulder where ever possible in consultation with the jurisdictional Engineer.
21. If preinstalled OFC Utility ducts are available in any stretch OFC shall be installed in only those ducts and related additional permission fee shall be paid to BBMP.

Copy to:-

1. Copy to the Chief Engineer (**Road Infrastructure**) for information.
2. Copy to the Concerned Executive Engineer of (**Road Infrastructure - South Division**) for information.
3. Copy to the Concerned Assistant Executive Engineer of (**Road Infrastructure - South Sub Division**) for information.
4. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
5. Office Copy.

OS

2725 P.O

केन्द्रीय बैंक
श.स.स.स.

BANK जमा पर्ची / DEPOSIT / PAY IN SLIP
BCC Exch

विकास

2908 2019

SB/CD/...

L/DL A/c. No. Credit Card No.

विकास

3200001101

नम
टेल

091350088 BOMP

रुशि
Rui

12 10 163.00

there

Thru

26/08/17

600
600

9/13	6000	000
5/7	663	000
Total	1263	000

26/08/17

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. BBMP/OFC/ 05-2019-2725 /DD

Date: 27-08-19

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note

No.CE(OFC)PR/05-2019-2725

With reference to your Demand Note bearing No.CE(OFC)PR/05-2019-2725 ,Please find mentioned below the details of Demand Draft drawn on HDFC Bank, payable at Bangalore towards payment to get permission to lay OFC on 05-2019-2725 by HDD method:

Application No.	Length in Mtr.	No. of Ducts	Laying & Supervision Charges (Rs.)	DD No. for Laying & Supervision charges	Security Deposit (Rs.)	DD No. for Security Deposit	GST (through RCM) Rs.
05-2019-2725	1241.5	4	993200	628657 Dated 26-08-19	217263	628713 Dated : 26-08-19	178776


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.





Cash Management Services - Payments

MAIL TO

COMMISSIONER, BBMP, BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PRIVATE LIMITED

WS, 269, A WING 5TH FLR TC 22RCP
GHANSOLI NAVI MUMBAI -400701.

Instrument Date : 26/08/2019 Instrument No.: 628657

Amount Rs. ****9,93,200.00

Bank Ref No : FT908264119012

BANGALORE

4200003658



Cash Management Services - Payments

MAIL TO

COMMISSIONER, BBMP, BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PRIVATE LIMITED

WS,269,A WING 5TH FLR TC 22RCP
GHANSOLI NAVI MUMBAI -400701.

Instrument Date : 26/08/2019 Instrument No.: 628713

Amount Rs. ****2,17,263.00

Bank Ref No : FT908264119246

BANGALORE

4200003658

2725 LC



Cash Management Services - Payments

MAIL TO

COMMISSIONER, BBMP, BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PRIVATE LIMITED
WS, 269, A WING 5TH FLR TC 22RCP
GHANSOLI NAVI MUMBAI -400701.

Instrument Date : 26/08/2019 Instrument No.: 628657 Amount Rs. ****9,93,200.00

Bank Ref No : FT908264119012

BANGALORE

4200003658



Issued in arrangement with SBI, Mumbai Main Branch

VALID FOR THREE MONTHS FROM THE DATE OF ISSUE

2 6 0 8 2 0 1 9

COMMISSIONER, BBMP, BANGALORE

PAY

RUPEES ₹ NINE LAKH NINETY-THREE THOUSAND TWO HUNDRED ONLY

OR ORDER

JIO DIGITAL FIBRE PRIVATE LIMITED

FOR HDFC BANK LTD.

Ref. No. 19082600014W00003

State Bank of India A/c No. 35291432481

Mumbai Main Branch, Mumbai Sanachar Marg
Payable at all CBS Branches. No charges to be levied. Paying Brl
CBS MENU: Service Branch: Dividend Warrant Menu
Payment through fund transfer Screen No. 51084
Inward Clg. (Manual) Screen No. 51071

[Signature]
[Signature]

ISSUING BRANCH: Centralised Clearing
Bangalore

BEFORE RETURNING Please contact on 022-22691246/22654955

AUTHORISED SIGNATORIES

⑈ 6 286 57 ⑈ 40000 20 10 ⑈ 0000 30 ⑈ 14



Cash Management Services - Payments

MAIL TO

COMMISSIONER, BBMP, BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PRIVATE LIMITED
WS,269,A WING 5TH FLR TC 22RCP
GHANSOLI NAVI MUMBAI -400701.

Instrument Date : 26/08/2019 Instrument No.: 628713 Amount Rs. ****2,17,263.00

Bank Ref No : FT908264119246

BANGALORE

4200003658



Issued in arrangement with SBI, Mumbai Main Branch

VALID FOR THREE MONTHS FROM THE DATE OF ISSUE

2 6 0 8 2 0 1 9

COMMISSIONER, BBMP, BANGALORE

PAY

RUPEES ₹ TWO LAKH SEVENTEEN THOUSAND TWO HUNDRED SIXTY THREE ONLY

OR ORDER / या उजवे आदेशाने

₹ 2,17,263.00

JIO DIGITAL FIBRE PRIVATE LIMITED

FOR HDFC BANK LTD

Ref. No. 19082600014W00059

3529143246

628713

State Bank of India A/c No. 3529143246
Mumbai Main Branch, Mumbai, Samachar Marg
Payable at all CBS branches. No charge to be levied. Paying Unit
CBS MENU: Service Branch: Dividend Warrant Menu
Payment through fund transfer - Screen No: 51084

ISSUING BRANCH: Centralised Clearing
Bangalore

Inward Clg. (Manual) - Screen No: 51071
BEFORE RETURNING Please contact on : 022-22681146/22651955

UNIMISED SIGNATURE



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bengaluru Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R.
Square,Bangalore-560002

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R.

No: CE(OFC)/PR/05-2019-2725

Date: 21/08/2019

DEMAND NOTE

GST No.:29AAALB1608F1ZK

To,

Circle Head

Jio Digital Fibre Pvt Ltd

No. 8, Nitesh Time Square, 2nd Floor, Besige Trinity Metro Railway Station, M G Road,
Bangalore 560001

Sir,

Sub:- Permission to lay OFC by HDD Method regarding


Ref:- 1) MOU of M/S Jio Digital Fibre Pvt Ltd, Dated 16/02/2014.
2) Your Request letter No., Dated 30/07/2019.

As, per the requisition shown in the below table for laying of OFC by HDD method to a length of 1241.50 Mtr has been approved by the commissioner.

Details of Segments drawn on BBMP GIS Map

(Segment Id :-RI-A43/250719/053736)

Sr No	Segment Length (mts)	From Landmark	To Landmark	Start Coordinates	End Coordinates
1	1117.18			77.617146,12.926284	77.623159,12.931277
2	124.32			77.633473,12.926040	77.633545,12.924919



In view of the above you are hereby informed to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(07) days. Then only your request can be processed further.

Length of OFC proposed 1241.50 Mtrs.

1. Laying Charges Rs. 1,025,479.00/- (@600.00/Mtr)

2. Supervision Charges Rs. 146,497.00 /- (@100.00/Mtr)

3. Total No's of Junction Box is 0 charge Rs.0.00/- (@3000.00/Junction Box)

4. Total No's of Junction Box is 0 charge Rs.0.00/- (@1500.00/Pole)

5. Refundable Rs.: Security Deposit 217,262.50 /- (It include 25% of junction box, Pole fee if any and installation fee which is mentioned below, as security deposit)

(i) $0.25 * (\text{Rate Per Minimum Ducts} + (\text{No. Of Additional Ducts} * \text{Rate Per Additional Ducts}))$

Installation Fee= Length Of Road in meter * (i)

*18% GST(9% CGST+ 9%SGST=18% GST) is included in the charges (Not Applicable for Security deposit.)
Effective from 23 Sep 2017

The excavated road cut portion should be brought to its original condition by you as per the MORTH

Specification and directions of the BBMP Engineer within 15 days from the date of excavation.

Total Amount Payable (1+2+3+4+5)Rs: 1,389,238.50 In words (Rupees Thirteen Lakh Eighty Nine Thousand Two Hundred Thirty Eight Only)

Permission will be accorded with all applicable, only conditions after submission of the Demand Draft drawn from Nationalized Banks, for the above mentioned amount to this office.

Yours faithfully,

CEOFC

Bruhat Bangalore Mahanagara Palike

Copy to

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

OFC Form

General

Application No. 05-2019-2725 PR Number(To be Assigned by AE/JE-OFC, BBMP) CE/OFC/PR/19-20/0001

General Information

Segment ID RI-A43/250719/053736
Street ID RI-A66, W0264, W0262, W0300
Street Name NA, 80 Feet Rd, Shinivagalu Main Rd, 4th Crs Lakshmi Sagar Lyt

Zone

SOUTH

Service Provider Category

Telecom

Organization

Jio Digital Fibre Pvt Ltd

Year of Incorporation

0

Registered Office Address

No. 8, Nitesh Time Square, 2nd Floor, Besige Trinity Metro Railway Station, M G Road, Bangalore

Pin Code

560001

Official Phone No.

0804922602

Previous Relevant Exp.

Fax

08025588030

Website

Penalized Details

Vat Reg No

560001

Tin

Turnover for Last 3 Years

Tan

Application Submission Date

30/07/2019

Name of the Authorized Person

S Narasimhan

Designation

Circle Head

Email ID

babu.veerabhadre@ril.com

Local Address

No. 8, Nitesh Time Square, 2nd Floor, Besige Trinity Metro Railway Station, M G Road, Bangalore

Purpose

OFC

Pin Code

560001

Phone No.

0804922602

Mobile No

9845117017

Authorization Letter

MOU with BBMP

OFC/Cable Related Information

Laying

OFC

Total No.of Pits (Points marked on map)

12

Likely Date of Commencement

2019-09-10

Total Length (m)

1,241.50

No. of Cables

3

Laying Method

HDD

No.of Ducts


4

No. of Manhole

4

Segment Details

Sr No.	Length (m)	From Landmark	To Landmark	Start X Coordinate	Start Y Coordinate	End X Coordinate	End Y Coordinate	Passing Through
1	1117.18			77.61714597 65	12.9262835 778	77.6231594 891	12.93127672 30	0252
2	124.32			77.63347259 83	12.9260404 695	77.6335450 180	12.92491895 77	0252



Declaration

I hereby accept the following terms and conditions specified by BBMP

- Maintenance of the cable and road for next 2 years Yes
- Refundable Security Deposit (Rs. 150/Mtr.) will be kept with BBMP. Yes
- Security deposit will be refunded after 2 years, after field verification from BBMP Yes
- BBMP will retain the security deposit, if service provider fails to maintain the OFC road cut portions for 2 years Yes

Name of the Attachments	Show Attachments
Authorized Signatory Letter	attachment

Status of My Application

Approver Name	Designation	Date
ceofc01 ceofc01	CE-OFC	05/08/2019
Executive Engineer	EE-RI	09/08/2019
CE-RI	CE-RI	15/08/2019
ceofc01 ceofc01	CE-OFC	21/08/2019

OFC

Select the drawing tools to indicate pits and select road where OFC laying activity will be carried out.

OFC DECLARATION TYPE

- OFC New Application
- Voluntary Declaration
- Ward Road Major Road



No Of Pits : 0
Total Length : 0 m

[Upload KML File](#)

[Fill Application Form](#)


- Enable/Disable Major Road Layer
- [Download Zone-Ward-StreetID Mapping](#)

05-2019-2725

marks

Options

[View Details](#) [View on Map](#)



Assistant Executive Engineer
OFC CELL
Bruhat Bangalore Mahanagra Palike
Bangalore

Executive Engineer
OFC CELL
Bruhat Bangalore Mahanagra Palike
Bangalore

Select Area :

Search

Clear All

OFC


Select the drawing tools to indicate pits and select road where OFC laying activity will be carried out.

OFC DECLARATION TYPE

OFC New Application
 Voluntary Declaration
 Ward Road Major Road

No Of Pits : 0
 Total Length : 0 m

Enable/Disable Major Road Layer



05-2019-2725

marks **Options**

[Signature]
 Assistant Executive Engineer
 OFC CELL
 Bruhat Bangaluru Mahanagra Palike

[Signature]
 Executive Engineer
 OFC CELL
 Bruhat Bangaluru Mahanagra Palike
 Rannaluru