



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rd Floor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/3107/2021-22

Date: 19-07-2021

224

Permission for laying of Optical Fiber Cable

To,

M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for laying of O F C by HDD Method-regarding

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 07-06-2021.
 - 3) Opinion obtained in **Online from Assistant Executive Engineer -Byatarayanapura Sub Division, Yelahanka Zone on Dated: 01-07-2021.**
 - 4) Approved by Chief Engineer (OFC-Cell) on Dated: **01-07-2021 (Online).**
 - 5) Fee Demand Note letter No: 05-2021-3107, Date: **02-07-2021.**
 - 6) Fee Paid by M/s. Jio Digital Fibre Private Limited DD submitted letter Dated:15-07-2021

*_*_*_*

With reference to your application for permission, we have pleasure to inform you that permission has been given for laying of OFC cables by HDD method on roads mentioned below subject to the terms and conditions of MOU and the conditions mentioned below:

SI No	Name of the Road and Route	Length in Mtr
01	Permission for laying of OFC by HDD Method from Thanisandra Main Road via Street ID No-W0484, W0759 for a length of 413.80 Mtr.	413.80 M
02	From Street ID No-W0490 via Rachanahalli Main Road, Street ID No-W0759, W1413, Abubakkar Masjid Road, Street ID No-W1403 up to 2nd Cross Road.	951.56 M
03	From Tahnisandra Main Road via 2nd Cross Road, Street ID No-W1407 up to Road end.	495.04 M
No of Pits-10, No of Manhole-10 and No of Ducts 3, in Ward No-06, Yelahanka Zone.		
Ref: As per drawing enclosed.		
Total		1860.4 M

The work shall be strictly taken up and completed between **19-07-2021 to 17-09-2021** and in line with conditions cited below:

No: EE/OFC/PR/3107/2021-22, Dt:19-07-2021

Executive Engineer (OFC), BBMP


19-07-21



Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for HDD Method OFC laying

1. This Permission is to be read along with the MOU signed with BBMP and as per the Conditions in the letter cited under ref (1)
2. The concerned ward engineer/Jurisdictional Engineer shall supervise the work and ensure that the conditions imposed are complied with.
3. Before commencement of the work, the Agency must give prior written intimation to the Jurisdictional Engineers; Zonal or Road Infrastructure Engineers of BBMP as the case may be and also keep the BBMP Engineers informed of the schedule of Execution of work.
4. Laying of OFC in Newly asphalted Roads is strictly prohibited for a period of Three year as per the Commissioner Circular No: PSR(G)5879, Date:29-11-2019.
5. Permission is valid only for the above sanctioned period. In case of expiry of the sanctioned period fresh requisition shall be submitted for Time Extension. which will be considered based on the reasons given and which will attract extra fees as applicable. Such requisition for extension of time should be submitted at least 15 days before the expiry of sanctioned period.
6. All HDD Pits will be restored by BBMP as per Hon'ble Commissioner BBMP order no. - PSR(G)/5870/2019-20, Dated : 19/11/2019. However the agency must restored the pits on the same day itself so has to make the road motorable for moving traffic. Any delay in this regard is liable for penalty as per order of Hon'ble Commissioner, BBMP.
7. Excavation must be as per the instructions of the concerned BBMP Zonal/Road Infrastructure Engineers.
8. Any over burden debris/earth should be removed immediately and conveyed to the designated dumping yards failing which, a penalty of Rs: 10,000/- per day will be levied by the concerned ward engineer.
9. Strictly follow the procedure laid down in road opening and restoration protocol. Barricading sign boards and other precautionary signage, name and telephone numbers of the executing Agency, opening and closing dates should be displayed, also warning lights should be displayed for the road users and for easy flow of traffic during execution of work, failing which it would attract heavy penalty and cancellation of permission, etc and also entail blacklisting of the executing Agency.

10. During execution of work, care must be taken not to cause any damages to BBMP property like drains, Name boards, etc. In case of such damage, commensurate penalty to be paid.
11. **Absolutely no deviations from the permitted route is allowed. If deviation is found, not only penalty would be levied, the cable on the deviation portion would be confiscated /destroyed.**
12. After completion of the work, as per specification given by BBMP, the Agency must get a Satisfactory Work done Certificate from the jurisdictional BBMP Engineers within a period of 30days after completion of the work failing which the security deposit will be forfeited by the BBMP.
13. During execution, any damage caused to the limb or life of public, damage caused to any Government / BESCO / BSNL / BWSSB / KPTCL / Gail India Limited etc, property, the responsibility lies solely with the executing Agency and any claims/compensation should be borne by the executing Agency alone.
14. Redoing of Road cut portion to be carried out as per the MORTH Specification, procedure for Redoing of Road cut portion, specification details and sketch enclosed.
15. If any HTUG/GAS PIPELINE by HDD/OPEN TRENCH Method work is executed on newly asphalted roads, the cost of the resurfacing of the entire length and width of the road will be recovered from the executing agency.
16. During Rainy season, extra care should be taken to ensure that the pits are properly barricaded keeping in mind the safety of pedestrian and vehicular traffic.
17. The Agency should not cause any inconvenience to public while executing the work.
18. The OFC Cable shall be laid along the berm or shoulder where ever possible in consultation with the jurisdictional Engineer.
19. If preinstalled OFC Utility ducts are available in any stretch OFC shall be installed in only those ducts and related additional permission fee shall be paid to BBMP.
20. This permission is valid only after this permission is submitted to the jurisdictional engineers by the agencies before commencing of work, and their consent is obtained. This permission is null and void if the works are not carried out without notifying the concerned Jurisdictional Engineers and the work is carried out in the absence of concerned Jurisdictional Engineers.

Copy to:-

1. Copy to the **Special Commissioner (Project)** for kind information.
2. Copy to the Zonal Additional/Joint Commissioner (**Yelahanka Zone**) for information.
3. Copy to Zonal Chief Engineer (**Yelahanka Zone**) and to instruct the concerned EEs, AEEs and AEs to supervise the work.
4. Copy to the Chief Engineer (Road Infrastructure) for information.
5. Copy to the Concerned Executive Engineer of (**Byatarayanapura Division**) for information.
6. Copy to the Concerned Assistant Executive Engineer of (**Byatarayanapura Sub Division**) for information.
7. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
8. Office Copy



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/3107/2021-22

Date: 19-07-2021

224

Permission for laying of Optical Fiber Cable

To,

M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for laying of O F C by HDD Method-regarding

Ref :- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.

2) M/s. Jio Digital Fibre Private Limited online application Dated: 07-06-2021.

3) Opinion obtained in **Online from Assistant Executive Engineer -Byatarayanapura Sub Division, Yelahanka Zone on Dated: 01-07-2021.**

4) Approved by Chief Engineer (OFC-Cell) on Dated: **01-07-2021 (Online).**

5) Fee Demand Note letter No: 05-2021-3107, Date: **02-07-2021.**

6) Fee Paid by M/s. Jio Digital Fibre Private Limited DD submitted letter Dated:15-07-2021

*_*_*_*

With reference to your application for permission, we have pleasure to inform you that permission has been given for laying of OFC cables by HDD method on roads mentioned below subject to the terms and conditions of MOU and the conditions mentioned below:

Sl No	Name of the Road and Route	Length in Mtr
01	Permission for laying of OFC by HDD Method from Thanisandra Main Road via Street ID No-W0484, W0759 for a length of 413.80 Mtr.	413.80 M
02	From Street ID No-W0490 via Rachanahalli Main Road, Street ID No-W0759, W1413, Abubakkar Masjid Road, Street ID No-W1403 up to 2nd Cross Road.	951.56 M
03	From Tahnisandra Main Road via 2nd Cross Road, Street ID No-W1407 up to Road end.	495.04 M
No of Pits-10, No of Manhole-10 and No of Ducts 3, in Ward No-06, Yelahanka Zone.		
Ref: As per drawing enclosed.		
Total		1860.4 M

The work shall be strictly taken up and completed between **19-07-2021 to 17-09-2021** and in line with conditions cited below:

No: EE/OFC/PR/3107/2021-22, Dt:19-07-2021

Executive Engineer (OFC), BBMP

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for HDD Method OFC laying


1. This Permission is to be read along with the MOU signed with BBMP and as per the Conditions in the letter cited under ref (1)
2. The concerned ward engineer/Jurisdictional Engineer shall supervise the work and ensure that the conditions imposed are complied with.
3. Before commencement of the work, the Agency must give prior written intimation to the Jurisdictional Engineers; Zonal or Road Infrastructure Engineers of BBMP as the case may be and also keep the BBMP Engineers informed of the schedule of Execution of work.
4. Laying of OFC in Newly asphalted Roads is strictly prohibited for a period of Three year as per the Commissioner Circular No: PSR(G)5879, Date:29-11-2019.
5. Permission is valid only for the above sanctioned period. In case of expiry of the sanctioned period fresh requisition shall be submitted for Time Extension. which will be considered based on the reasons given and which will attract extra fees as applicable. Such requisition for extension of time should be submitted at least 15 days before the expiry of sanctioned period.
6. All HDD Pits will be restored by BBMP as per Hon'ble Commissioner BBMP order no. - PSR(G)/5870/2019-20, Dated : 19/11/2019. However the agency must restored the pits on the same day itself so has to make the road motorable for moving traffic. Any delay in this regard is liable for penalty as per order of Hon'ble Commissioner, BBMP.
7. Excavation must be as per the instructions of the concerned BBMP Zonal/Road Infrastructure Engineers.
8. Any over burden debris/earth should be removed immediately and conveyed to the designated dumping yards failing which, a penalty of Rs: 10,000/- per day will be levied by the concerned ward engineer.
9. Strictly follow the procedure laid down in road opening and restoration protocol. Barricading sign boards and other precautionary signage, name and telephone numbers of the executing Agency, opening and closing dates should be displayed, also warning lights should be displayed for the road users and for easy flow of traffic during execution of work, failing which it would attract heavy penalty and cancellation of permission, etc and also entail blacklisting of the executing Agency.

10. During execution of work, care must be taken not to cause any damages to BBMP property like drains, Name boards, etc. In case of such damage, commensurate penalty to be paid.
11. **Absolutely no deviations from the permitted route is allowed. If deviation is found, not only penalty would be levied, the cable on the deviation portion would be confiscated /destroyed.**
12. After completion of the work, as per specification given by BBMP, the Agency must get a Satisfactory Work done Certificate from the jurisdictional BBMP Engineers within a period of 30days after completion of the work failing which the security deposit will be forfeited by the BBMP.
13. During execution, any damage caused to the limb or life of public, damage caused to any Government / BESCOM / BSNL / BWSSB / KPTCL / Gail India Limited etc, property, the responsibility lies solely with the executing Agency and any claims/compensation should be borne by the executing Agency alone.
14. Redoing of Road cut portion to be carried out as per the MORTH Specification, procedure for Redoing of Road cut portion, specification details and sketch enclosed.
15. If any HTUG/GAS PIPELINE by HDD/OPEN TRENCH Method work is executed on newly asphalted roads, the cost of the resurfacing of the entire length and width of the road will be recovered from the executing agency.
16. During Rainy season, extra care should be taken to ensure that the pits are properly barricaded keeping in mind the safety of pedestrian and vehicular traffic.
17. The Agency should not cause any inconvenience to public while executing the work.
18. The OFC Cable shall be laid along the berm or shoulder where ever possible in consultation with the jurisdictional Engineer.
19. If preinstalled OFC Utility ducts are available in any stretch OFC shall be installed in only those ducts and related additional permission fee shall be paid to BBMP.
20. This permission is valid only after this permission is submitted to the jurisdictional engineers by the agencies before commencing of work, and their consent is obtained. This permission is null and void if the works are not carried out without notifying the concerned Jurisdictional Engineers and the work is carried out in the absence of concerned Jurisdictional Engineers.

Copy to:-

1. Copy to the **Special Commissioner (Project)** for kind information.
2. Copy to the Zonal Additional/Joint Commissioner (**Yelahanka Zone**) for information.
3. Copy to Zonal Chief Engineer (**Yelahanka Zone**) and to instruct the concerned EEs, AEEs and AEs to supervise the work.
4. Copy to the Chief Engineer (Road Infrastructure) for information.
5. Copy to the Concerned Executive Engineer of (**Byatarayanapura Division**) for information.
6. Copy to the Concerned Assistant Executive Engineer of (**Byatarayanapura Sub Division**) for information.
7. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
8. Office Copy

04-2021 - 3107 J:0

केनरा बँक  Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP

शाखा / Branch Sec Exch. 02

दिनांक / Date

1	7	0	7	2	0	2	1
---	---	---	---	---	---	---	---

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

वचन / चालू खाता / ओडी / सीमी / आरटी / डीएस / डीएसएल खाता सं. / क्रेडिट कार्ड सं.

8	4	0	1	1	3	2	8	0	0	0	1	0
---	---	---	---	---	---	---	---	---	---	---	---	---

नाम / Name CO. Sec Exch. 02

वेबसाइट / Website No.

राशि / Amount 16,50,900.00

राशि शब्दों में / Rupees in words 16,50,900.00

16,50,900.00

चेक नं. / चेक दिनांक / चेक व शाखा का नाम Cheque No./Date / Name of Bank & Branch	₹	₹/P.
<u>04893021:13/12/21</u>	<u>15,57,880.00</u>	<u>1/-</u>
<u>04890701:17/10/21</u>	<u>9,3,020.00</u>	<u>1/-</u>
कुल / Total	16,50,900.00	

अधिकारी / अधिकारी का नाम / अधिकारी का पता
Executive Engineer टोल फ्री 24 घंटे कॉल सेंटर
CALL CELL Canara Bank Toll Free No.
 एस डब्ल्यू ओ 1800 425 0018
Pruthi Bangaluru Mahanagara Palike
 Bangalore

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. BBMP/OFC/ 04-2021-3107 /DD

Date: 15-07-2021

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: *Permission to lay the OFC by HDD method.*

Ref: *Demand Note* CE-OFC-04-2021-3107

With reference to your Demand Note bearing CE-OFC-04-2021-3107, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission to lay OFC on 04-2021-3107 by HDD method:

Application No.	Length in Mtr.	No. of Ducts	Laying & Supervision Charges (Rs.)	DD No. for Laying & Supervision	Security Deposit (Rs.)	DD No. for Security Deposit	GST (through RCM) Rs.
04-2021-3107	1860.4	3	1557880 ✓	48930 ✓ Dated 13-07-21	93020 ✓	48907 ✓ Dated : 13-07-21	234410


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.





MAIL TO

COMMISSIONER, BBMP, BANGALORE

63107

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

048930

13/07/2021
dated

PAYMENT REFERENCE



AXIS BANK LTD

SD3107

MAIL TO

COMMISSIONER, BBMP, BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLI THANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

048907

13/07/2021
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC104852

No 51, RMZ Icon, Palace Cross Road, Vasanthnagar, Bangalore 560052

No. RBMP/OFC/ 04-2021-3107 /JED

(To)

15-07-2021

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note.

CE-OFC-04-2021-3107

With reference to your Demand Note bearing CE-OFC-04-2021-3107, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission to lay OFC on 04-2021-3107 by HDD method:

Application No.	Length in Mtr.	No. of Ducts	Laying & Supervision Charges (Rs.)	DD No. for Laying & Supervision	Security Deposit (Rs.)	DD No. for Security Deposit	GST (through RCM) Rs.
04-2021-3107	1860.4	3	1557880 ✓	48930 ✓ Dated 13-07-21	93020 ✓	48907 ✓ Dated : 13-07-21	234410


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



MAIL TO

BY ORDER OF

COMMISSIONER, BBMP, BANGALORE

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

048930

13/07/2021
dated

PAYMENT REFERENCE



AXIS BANK LTD

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 13/10/2021

IFS CODE - UT16000274

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE
दिनांक

--	--	--	--	--	--	--	--	--	--

COMMISSIONER, BBMP, BANGALORE

OR ORDER / या रकमे आदेश पर

ON DEMAND PAY

पैसे जाने पर
Fifteen Lacs Fifty Seven Thousand Eight Hundred Eighty Only

RUPEES

पर

₹ 1,557,880.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr No 048930

Client Reference 4200002273 28

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd
[Signature]
55/06/2021
Regional Manager

Please sign above

⑈048930⑈ 400211071⑈ 999984⑈ 16

MAIL TO

BY ORDER OF

COMMISSIONER, BBMP, BANGALORE

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

048907

13/07/2021
dated

PAYMENT REFERENCE



AXIS BANK LTD

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 13102021

IFSC CODE - UTIB000274

DATE
दिनांक

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

IN DEMAND PAY

COMMISSIONER, BBMP, BANGALORE

ON ORDER / या उनके आदेश पर

को जाने पर

Ninety Three Thousand Twenty Only

RUPEES

₹

93,020.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sf. No.

048907

Client
Reference

4200002273 18

Under CMS Arrangement
Centralised Collection & Payment Hub
Mumbai.

CODE NO.

Signature and Stamp of JIO Digital Fibre Pvt Ltd
Date: 13/07/2021

Please sign above

⑈048907⑈ 4002110710 999984⑈ 16



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mananagara Palike

BBMP ENGINEERING DEPARTMENT

OFC Form

Application No. :04-2021-3107

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-OFC-04-2021-3107

General Information

Segment ID

OFC/2021-22/Z7-358/W6-49/3107

Street ID

NA

Street Name

NA

Zone

Yelahanka

Ward No.

6

Ward Name

Thanisandra

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

50

TAN

AHMJ08610A

Application Submission Date

07/06/2021

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC Laying

Phone No.

9845117017

Mobile No.

9845117017

Attachments

OFC/Cable Related Information

Laying

OFC

Total No.of Pits(Points marked on map)

10

Laying Method

HDD


Likely Date of Commencement**Total Length (m)****No. of Cables**

No.of Ducts

3

No. of Manhole

10

**Declaration**

I hereby accept the following terms and conditions specified by BBMP

- Maintenance of the cable and road for next 2 years **Yes**
- Refundable Security Deposit (Rs. 150/Mtr.) will be kept with BBMP. **Yes**
- Security deposit will be refunded after 2 years,after field verification from BBMP **Yes**
- BBMP will retain the security deposit ,if service provider fails to maintain the OFC road cut portions for 2 years **Yes**

Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	23/06/2021
aey601(aey601)	AE	29/06/2021
aey02(aey02)	AEE	01/07/2021
ceofc01(ceofc01)	CE	01/07/2021
ceofc01(ceofc01)	CE	02/07/2021

Date : 05/07/2021

Time : 12:29:52

20210705122952

No: 04-2021-3107



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : CE-OFC-04-2021-3107

Date: 02/07/2021

Demand Notice
GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission to lay OFC by HDD Method regarding

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).
2)Your request letter No. : 04-2021-3107, dated : 07/06/2021

As per requisition shown in below table for laying of OFC by HDD method to a length of 1860.4 mtr. has been approved by the competent authority.

Details of Segments drawn on BBMP GIS Map

(Segment Id:-OFC/2021-22/Z7-358/W6-49/3107)

Sr No.	Segment Length (mts)	From Landmark	To Landmark	Start Coordinates	End Coordinates	Passing Through
1	495.04	1244	thanisandra ward no6	13.049290-77.629762	13.049408-77.629279	hoto
2	156.26	1244	thanisandra 6	13.050074-77.626522	13.050814-77.626626	hoto
3	400.63	1244	thanisandra 6	13.056486-77.629700	13.056141-77.629577	hoto
4	275.54	1244	thanisandra 6	13.053011-77.628326	13.052725-77.628197	hoto
5	325.43	1244	thanisandra 6	13.057293-77.632962	13.057260-77.632605	hoto
6	119.13	1244	thanisandra 6	13.056585-77.629786	13.056387-77.630508	hoto
7	88.37	1244	thanisandra 6	13.057970-77.630127	13.057803-77.630095	hoto



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Length of OFC proposed 1860.4 Mtrs.

Laying Charge @ 600/- Mtr	11,16,240.00	Road Restoration Charges Rs. 10000/ (Pits+ Manholes) or Rs.130/ Per Mtr, Whichever is higher	2,41,852.00
Supervision Charge @ 100/- Mtr	1,86,040.00	Cess Amount @ 7.39/- Mtr	13,748.36
Sub Total (A)	13,02,280.00	Security Deposit @ Rs.50/- Mtr	93,020.00
GST @ 18% (B)	2,34,410.40	Total (C)	3,48,620.00
Grand Total (A + B + C)	18,85,310.00		

Total Amount Payable Rs: 18,85,310.00 In words (Rupees Eighteen Lakh Eighty-Five Thousand Three Hundred and Ten Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself so as to make the road motorable for moving traffic. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded with all applicable, necessary conditions after submission of the Demand Draft drawn from Nationalized Banks, for the above mentioned amount to this office.

Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to


No.: 04-2021-3107

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

BABU VEERABHADRE@RIL.COM

RF/OP/2021-	04-2021-	Pending	Execu	Execution	For opinion	Demand	Update	Payment	Permission	View/Submit
20-78-175-3110	3110					Station	Status	Letter	Letter	



[Handwritten Signature]

Assistant Executive Engineer
OFC CELL
 Bruhat Bengaluru Mahanagara Palike
 Bengaluru


Executive Engineer
OFC CELL
 Bruhat Bengaluru Mahanagara Palike
 Bengaluru

BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

BABU.VEERABHADRE@RIL.COM

Pending Execut: eeezzc0* For op on Demand Update Payment Permission View Submit

OFC Details



OFC 2021-

[Signature]
Assistant Executive Engineer
OFC CELL
Bruhat Bangaluru Mahanagra Palike
Bangaluru

Executive Engineer
OFC CELL
Bruhat Bangaluru Mahanagra Palike
Bangaluru