



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/3399/2021-22

Date: 22-07-2021

271

Permission for laying of Optical Fiber Cable

To,

M/s. Dinesh Engineers Limited,
DEPL House, Neighbourhood Shopping
Complex, Sec-4, Nerul-West
Navi Mumbai-400706.

Sir,

Sub :- Permission for laying of O F C by HDD Method-regarding

- Ref :-**
- 1) MOU of M/s. M/s. Dinesh Engineers Limited, Dated:09-06-2021
 - 2) M/s. M/s. Dinesh Engineers Limited online application Dated: 17-06-2021.
 - 3) Opinion obtained in Online from Chief Engineer -Road Infrastructure South Division on Dated: 29-06-2021.
 - 4) Approved by Chief Engineer (OFC-Cell) on Dated: 08-07-2021 (Online).
 - 5) Fee Demand Note letter No: 05-2021-3399, Date: 17-07-2021.
 - 6) Fee Paid by M/s. Dinesh Engineers Limited DD submitted letter Dated:19-07-2021

*_*_*_*

With reference to your application for permission, we have pleasure to inform you that permission has been given for laying of OFC cables by HDD method on roads mentioned below subject to the terms and conditions of MOU and the conditions mentioned below:

Sl No	Name of the Road and Route	Length in Mtr
01	Permission for laying of OFC by HDD Method from Ramakrishna Ashrama Circle via Gandhi Bazar Main Road up to Govindappa Road, No of Pits-02, No of Manhole-02 and No of Ducts 3, in Ward No-142, Road Infrastructure -South Division. Ref: As per drawing enclosed.	231.25 M
Total		231.25 M

The work shall be strictly taken up and completed between **22-07-2021 to 20-09-2021** and in line with conditions cited below:

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

No: EE/OFC/PR/3399/2021-22, Dt: 22-07-2021

Executive Engineer (OFC), BBMP

Conditions for HDD Method OFC laying

1. This Permission is to be read along with the MOU signed with BBMP and as per the Conditions in the letter cited under ref (1)
2. **The concerned ward engineer/Jurisdictional Engineer shall supervise the work and ensure that the conditions imposed are complied with.**
3. **Before commencement of the work, the Agency must give prior written intimation to the Jurisdictional Engineers; Zonal or Road Infrastructure Engineers of BBMP as the case may be and also keep the BBMP Engineers informed of the schedule of Execution of work.**
4. **Laying of OFC in Newly asphalted Roads is strictly prohibited for a period of Three year as per the Commissioner Circular No: PSR(G)5879, Date:29-11-2019.**
5. Permission is valid only for the above sanctioned period. In case of expiry of the sanctioned period fresh requisition shall be submitted for Time Extension. which will be considered based on the reasons given and which will attract extra fees as applicable. Such requisition for extension of time should be submitted at least 15 days before the expiry of sanctioned period.
6. All HDD Pits will be restored by BBMP as per Hon'ble Commissioner BBMP order no. - PSR(G)/5870/2019-20, Dated : 19/11/2019. However the agency must restored the pits on the same day itself so has to make the road motorable for moving traffic. Any delay in this regard is liable for penalty as per order of Hon'ble Commissioner, BBMP.
7. Excavation must be as per the instructions of the concerned BBMP Zonal/Road Infrastructure Engineers.
8. Any over burden debris/earth should be removed immediately and conveyed to the designated dumping yards failing which, a penalty of Rs: 10,000/- per day will be levied by the concerned ward engineer.
9. Strictly follow the procedure laid down in road opening and restoration protocol. Barricading sign boards and other precautionary signage, name and telephone numbers of the executing Agency, opening and closing dates should be displayed, also warning lights should be displayed for the road users and for easy flow of traffic during execution of work, failing which it would attract heavy penalty and cancellation of permission, etc and also entail blacklisting of the executing Agency.
10. During execution of work, care must be taken not to cause any damages to BBMP property like drains, Name boards, etc. In case of such damage, commensurate penalty to be paid.

11. **Absolutely no deviations from the permitted route is allowed. If deviation is found, not only penalty would be levied, the cable on the deviation portion would be confiscated/destroyed.**
12. After completion of the work, as per specification given by BBMP, the Agency must get a Satisfactory Work done Certificate from the jurisdictional BBMP Engineers within a period of 30days after completion of the work failing which the security deposit will be forfeited by the BBMP.
13. During execution, any damage caused to the limb or life of public, damage caused to any Government / BESCO / BSNL / BWSSB / KPTCL / Gail India Limited etc, property, the responsibility lies solely with the executing Agency and any claims/compensation should be borne by the executing Agency alone.
14. Redoing of Road cut portion to be carried out as per the MORTH Specification, procedure for Redoing of Road cut portion, specification details and sketch enclosed.
15. If any HTUG/GAS PIPELINE by HDD/OPEN TRENCH Method work is executed on newly asphalted roads, the cost of the resurfacing of the entire length and width of the road will be recovered from the executing agency.
16. During Rainy season, extra care should be taken to ensure that the pits are properly barricaded keeping in mind the safety of pedestrian and vehicular traffic.
17. The Agency should not cause any inconvenience to public while executing the work.
18. The OFC Cable shall be laid along the berm or shoulder where ever possible in consultation with the jurisdictional Engineer.
19. If preinstalled OFC Utility ducts are available in any stretch OFC shall be installed in only those ducts and related additional permission fee shall be paid to BBMP.
20. This permission is valid only after this permission is submitted to the jurisdictional engineers by the agencies before commencing of work, and their consent is obtained. This permission is null and void if the works are not carried out without notifying the concerned Jurisdictional Engineers and the work is carried out in the absence of concerned Jurisdictional Engineers.

Copy to:-

1. Copy to the Special Commissioner (Project) for kind information.
2. Copy to the Chief Engineer (Road Infrastructure) for information.
3. Copy to the Concerned Executive Engineer of (**Road Infrastructure -South Division**) for information.
4. Copy to the Concerned Assistant Executive Engineer of (**Road Infrastructure - South Sub Division**) for information.
5. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
6. Office Copy.

OK

Wagon Electricals 4-1 2577

केनरा बँक Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP

शाखा/ Branch Sec. Bldg. on

दिनांक/ Date 20 07 20 21

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

बचत / बाल खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

8401132000010

नाम/Name Comm. P. U. B. M. P.

टेलिफोन / मोबाइल नं. / Tel No. / Mobile No.

राशि / Amount 9484.00/-

राशि शब्दों में Rupees in words Fourty Four

Handwritten signature and stamp

चेक नं. / दिनांक / बैंक शाखा का नाम / चेक नं. / दिनांक / बैंक शाखा का नाम

159789 284.00/-

अधिकारी / सिक्रेटरी / अधिकारी / सिक्रेटरी

अधिकारी / सिक्रेटरी / अधिकारी / सिक्रेटरी

अधिकारी / सिक्रेटरी / अधिकारी / सिक्रेटरी

अधिकारी / सिक्रेटरी / अधिकारी / सिक्रेटरी

अधिकारी / सिक्रेटरी / अधिकारी / सिक्रेटरी

अधिकारी / सिक्रेटरी / अधिकारी / सिक्रेटरी

अधिकारी / सिक्रेटरी / अधिकारी / सिक्रेटरी

अधिकारी / सिक्रेटरी / अधिकारी / सिक्रेटरी

अधिकारी / सिक्रेटरी / अधिकारी / सिक्रेटरी

अधिकारी / सिक्रेटरी / अधिकारी / सिक्रेटरी

अधिकारी / सिक्रेटरी / अधिकारी / सिक्रेटरी

अधिकारी / सिक्रेटरी / अधिकारी / सिक्रेटरी

अधिकारी / सिक्रेटरी / अधिकारी / सिक्रेटरी

अधिकारी / सिक्रेटरी / अधिकारी / सिक्रेटरी



Dinesh Engineers Limited
Infrastructure Provider (IP-1)

Head Office :
DEPL House, Neighbourhood Shopping Complex,
Sector - 4, Nerul (W), Navi Mumbai - 400 706
Tel. : 022-2770 4600 / 4700
Email : admn@depl.co.in • www.depl.co.in
CIN : U31200MH2006PLC159570

Ref: DEPL/IP-1/ROW/2021/262

Date: 19-07-2021

To,
Executive Engineer (OFC)
Commissioner,
BBMP
Bangalore.

Sub: Submission of DD for the permission of OFC Laying in the area of Bruhat Bangalore Mahanagara Palike. Total Length 231.25 Mtrs.

Ref: Your Demand Note No: CE-OFC-04-2021-3399, Dated: 17-07-2021

Dear Sir,

In reference with the above mentioned Demand Note for the permission of OFC Laying on above said route. We are hereby submitting the followings: -

1. DD of INR 2,44,284/- vide no: "159789" Dated: 19-07-2021.

Kindly accept the above mentioned documents and grant us the permission so that the work can be started in a smooth and efficient transition.



We look forward for your favorable response in the above said manner and issue the necessary permission.

Thanking you

Yours truly,

For **Dinesh Engineers Ltd.**

Authorized Signatory





Dinesh Engineers Limited
Infrastructure Provider (IP-1)

Head Office :
DEPL House, Neighbourhood Shopping Complex,
Sector - 4, Nerul (W), Navi Mumbai - 400 706
Tel. : 022-2770 4600 / 4700
Email : admn@depl.co.in • www.depl.co.in
CIN : U31200MH2006PLC159570

Ref: DEPL/IP-1/ROW/2021/262

Date: 19-07-2021

To,
Executive Engineer (OFC)
~~Commissioner,~~
BBMP
Bangalore.

Sub: Submission of DD for the permission of OFC Laying in the area of Bruhat Bangalore Mahanagara Palike. Total Length 231.25 Mtrs.

Ref: Your Demand Note No: CE-OFC-04-2021-3399, Dated: 17-07-2021

Dear Sir,

In reference with the above mentioned Demand Note for the permission of OFC Laying on above said route. We are hereby submitting the followings: -

1. DD of INR 2,44,284/- vide no: "159789" Dated: 19-07-2021.

Kindly accept the above mentioned documents and grant us the permission so that the work can be started in a smooth and efficient transition.


We look forward for your favorable response in the above said manner and issue the necessary permission.

Thanking you

Yours truly,

For Dinesh Engineers Ltd.

Authorized signatory



A/c Payee



Kotak Mahindra Bank

0669-NAVI MUMBAI - VASHI SECTOR 17

159789

दिनांक
Date

Valid for three months from date of issue

1	9	0	7	2	0	2	1
D	D	M	M	Y	Y	Y	Y

UTILITY FORMS PVT. LTD./CTS-2010

On demand pay

COMMISSIONER BBMP BANGLORE

को या उनके आदेश पर Or Order

रुपये Rupees

Two Lakh Forty Four Thousand Two Hundred Eighty Four only

अदा करें।

₹ 2,44,284.00

Payable At

*** Not Over LKR. 2,44,284.00

For Value Received
for Kotak Mahindra Bank Ltd.

BANGALORE - BANNERGH Purchaser:
(8099) DINESH ENGINEERS LIMITED

(Drawee Branch)

SHILPI DIXIT
SERVICE MANAGER
Emp. No.-48746
Vashi Br. - 0669
1E

RAJSHI KUMARI
Emp. No.: - 76602
Vashi Br.: - 0669

⑈ 159789 ⑈ 000485000⑈



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

OFC Form

Application No. :04-2021-3399

PR Number(To be Assigned by AE/JE- OFC, BBMP) CE-OFC-04-2021-3399

General Information

Segment ID

RI-OFC/2021-22/Z3-544/3399

Street ID

NA

Street Name

NA

Zone

South

Ward No.

142

Ward Name

Sunkenahalli

Service Provider Category

Telecom

Organization

M/S Dinesh Engineers Limited

Year of Incorporation

2006-07

Registered Office Address

Dinesh Engineers Limited
DEPL House, Neighborhood, shopping
Complex, Sector 4
Nerul (West), Navi Mumbai

Pin Code

400706

Official Phone No.

02227704600

Previous Relevant Exp.

15

Fax

8108157644

Official Phone No.

www.depl.co.in

Penalized Details

No

Vat Reg No.

0

GST

29AACCD3117C1Z5

Turnover for Last 3 Years

4500000000

TAN

MUMD13503A

Application Submission Date

17/06/2021

Name of the Authorized Person

Shashidhar M P

Designation

Manager

Email ID

shashidhar@depl.co.in

Local Address

#24, 1st Floor, Opp. Jakkur Aerodrome
International Airport Road,
Yelahanka, Bengaluru

Purpose

OFC

Phone No.

02227704600

Mobile No.

9880841148

Attachments

OFC/Cable Related Information

Laying

OFC

Total No.of Pits(Points marked on map) Laying Method

2

HDD


Likely Date of Commencement
8/17/2021 12:00:00 AM

Total Length (m)
231.25

No. of Cables
2

No. of Ducts
3

No. of Manhole
2



Declaration

I hereby accept the following terms and conditions specified by BBMP

Maintenance of the cable and road for next 2 years Yes
Refundable Security Deposit (Rs. 150/Mtr.) will be kept with BBMP. Yes
Security deposit will be refunded after 2 years, after field verification from BBMP Yes
BBMP will retain the security deposit ,if service provider fails to maintain the OFC road cut portions for 2 years Yes

Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	17/06/2021
Executive(eezs01)	EE-RI	21/06/2021
ceri01(ceri01)	CE-RI	29/06/2021
ceofc01(ceofc01)	CE	08/07/2021
ceofc01(ceofc01)	CE	17/07/2021

Date : 20/07/2021

Time : 09:22:30

20210720092230



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : CE-OFC-04-2021-3399

Date: 17/07/2021

Demand Notice

GST No.: 29AAALBI608FIZK

To

Shashidhar M P

M/S Dinesh Engineers Limited

GST No.: 29AACCD3117C1Z5

Sub:- Permission to lay OFC by HDD Method regarding


Ref:- 1)MOU of M/S M/S Dinesh Engineers Limited - Dated (07/06/2021).
2)Your request letter No. : 04-2021-3399, dated : 17/06/2021

As per requisition shown in below table for laying of OFC by HDD method to a length of 231.25 mtr. has been approved by the competent authority.

Details of Segments drawn on BBMP GIS Map

(Segment Id:-RI-OFC/2021-22/Z3-544/3399)

Sr No.	Segment Length (mts)	From Landmark	To Landmark	Start Coordinates	End Coordinates	Passing Through
1	231.25	RIS163	W0317	12.947736-77.568133	12.946486-77.569839	W0307



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Length of OFC proposed 231.25 Mtrs.

Laying Charge @ 600/- Mtr	1,38,750.00	Road Restoration Charges Rs. 10000/ (Pits+ Manholes) or Rs.130/ Per Mtr, Whichever is higher	40,000.00
Supervision Charge @ 100/- Mtr	23,125.00	Cess Amount @ 7.39/- Mtr	1,708.94
Sub Total (A)	1,61,875.00	Security Deposit @ Rs:50/- Mtr	11,562.50
GST @ 18% (B)	29,137.50	Total (C)	53,271.00
Grand Total (A + B + C)	2,44,284.00		

Total Amount Payable Rs: 2,44,284.00 In words (Rupees Two Lakh Forty-Four Thousand Two Hundred and Eighty-Four Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself so as to make the road motorable for moving traffic. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded with all applicable, necessary conditions after submission of the Demand Draft drawn from Nationalized Banks, for the above mentioned amount to this office.

Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike


Copy to


No.: 04-2021-3399


1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



OFC Details




 Assistant Executive Engineer
 OFC CELL
 Bruhat Bengaluru Mahanagra Palike
 Bengaluru


 Assistant Executive Engineer
 OFC CELL
 Bruhat Bengaluru Mahanagra Palike
 Bengaluru