



**BRUHAT BENGALURU MAHANAGARA PALIKE**

Office of the Chief Engineer (OFC-Cell ), 3<sup>rd</sup>Floor, Annexe II Building,  
N.R. Square, Bangalore -560002

No: EE/OFC/PR/3942/2021-22

Date: 21-12-2021

**Permission for laying of Optical Fiber Cable**

To,

M/s. Jio Digital Fibre Private Limited ,  
RMZ ICON, No-51, Palace Road Cross,  
Vasanth Nagar, Bengaluru-52.

Sir,

**Sub :-** Permission for laying of O F C by HDD Method-regarding

**Ref :-** 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.

2) M/s. Jio Digital Fibre Private Limited online application Dated: 02-08-2021.

3) Opinion obtained **Online from Chief Engineer -Road Infrastructure  
Dasarahalli Division on Dated: 18-09-2021.**

4) Approved by Superintendent Engineer (OFC-Cell) on : **24-09-2021 (Online).**

5) Fee Demand Note letter No: 04-2021-3942, Date: **24-09-2021.**

6) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD on : **13-12-2021.**

\*\_\*\_\*\_\*


With reference to your application for permission, we have pleasure to inform you that permission has been given for laying of OFC cables by HDD method on roads mentioned below subject to the terms and conditions of MOU and the conditions mentioned below:


| SI No  | Name of the Road and Route  | Length in Mtr   |
|--|---|-----------------|
| 01   | Permission for laying of OFC by HDD Method from 80feet Road via Hesaragatta Main Road up to 10th 'A' Main Road. | 84.22 M         |
| 02   | From Hesaragatta Main Road via Hanumatha Gowda Main Road for a length of 643.15 Mtr.                            | 643.15 M        |
| No of Pits-00, No of Manhole-08 and No of Ducts 3, in Ward No-12, Road Infrastructure- Dasarahalli Division. Ref: As per drawing enclosed. |   |                 |
| <b>Total</b>   |   | <b>727.37 M</b> |

The work shall be strictly taken up and completed between **21-12-2021 to 19-02-2022** and in line with conditions cited below:

No: EE/OFC/PR/3942/2021-22, Dt: 21-12-2021

Executive Engineer (OFC) BBMP

  
21/12/21

  
21/12

**Special Condition:**

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

**Conditions for HDD Method OFC laying**

1. This Permission is to be read along with the MOU signed with BBMP and as per the Conditions in the letter cited under ref (1)
2. **The concerned ward engineer/Jurisdictional Engineer shall supervise the work and ensure that the conditions imposed are complied with.**
3. **Before commencement of the work, the Agency must give prior written intimation to the Jurisdictional Engineers; Zonal or Road Infrastructure Engineers of BBMP as the case may be and also keep the BBMP Engineers informed of the schedule of Execution of work.**
4. **Laying of OFC in Newly asphalted Roads is strictly prohibited for a period of Three year as per the Commissioner Circular No: PSR(G)5879, Date:29-11-2019.**
5. Permission is valid only for the above sanctioned period. In case of expiry of the sanctioned period fresh requisition shall be submitted for Time Extension. which will be considered based on the reasons given and which will attract extra fees as applicable. Such requisition for extension of time should be submitted at least 15 days before the expiry of sanctioned period.
6. All HDD Pits will be restored by BBMP as per Hon'ble Commissioner BBMP order no. - PSR(G)/5870/2019-20, Dated : 19/11/2019. However the agency must restored the pits on the same day itself so has to make the road motorable for moving traffic. Any delay in this regard is liable for penalty as per order of Hon'ble Commissioner, BBMP.
7. Excavation must be as per the instructions of the concerned BBMP Zonal/Road Infrastructure Engineers.
8. Any over burden debris/earth should be removed immediately and conveyed to the designated dumping yards failing which, a penalty of Rs: 10,000/- per day will be levied by the concerned ward engineer.
9. Strictly follow the procedure laid down in road opening and restoration protocol. Barricading sign boards and other precautionary signage, name and telephone numbers of the executing Agency, opening and closing dates should be displayed, also warning lights should be displayed for the road users and for easy flow of traffic during execution of work, failing which it would attract heavy penalty and cancellation of permission, etc and also entail blacklisting of the executing Agency.

10. During execution of work, care must be taken not to cause any damages to BBMP property like drains, Name boards, etc. In case of such damage, commensurate penalty to be paid.
11. **Absolutely no deviations from the permitted route is allowed. If deviation is found, not only penalty would be levied, the cable on the deviation portion would be confiscated /destroyed.**
12. After completion of the work, as per specification given by BBMP, the Agency must get a Satisfactory Work done Certificate from the jurisdictional BBMP Engineers within a period of 30days after completion of the work failing which the security deposit will be forfeited by the BBMP.
13. During execution, any damage caused to the limb or life of public, damage caused to any Government / BESCOM / BSNL / BWSSB / KPTCL / Gail India Limited etc, property, the responsibility lies solely with the executing Agency and any claims/compensation should be borne by the executing Agency alone.
14. Redoing of Road cut portion to be carried out as per the MORTH Specification, procedure for Redoing of Road cut portion, specification details and sketch enclosed.
15. If any HTUG/GAS PIPELINE by HDD/OPEN TRENCH Method work is executed on newly asphalted roads, the cost of the resurfacing of the entire length and width of the road will be recovered from the executing agency.
16. During Rainy season, extra care should be taken to ensure that the pits are properly barricaded keeping in mind the safety of pedestrian and vehicular traffic.
17. The Agency should not cause any inconvenience to public while executing the work.
18. The OFC Cable shall be laid along the berm or shoulder where ever possible in consultation with the jurisdictional Engineer.
19. If preinstalled OFC Utility ducts are available in any stretch OFC shall be installed in only those ducts and related additional permission fee shall be paid to BBMP.
20. This permission is valid only after this permission is submitted to the jurisdictional engineers by the agencies before commencing of work, and their consent is obtained. This permission is null and void if the works are not carried out without notifying the concerned Jurisdictional Engineers and the work is carried out in the absence of concerned Jurisdictional Engineers.

Copy to:-

1. Copy to the Special Commissioner (Project) for kind information.
2. Copy to the Chief Engineer (Road Infrastructure) for information.
3. Copy to the Concerned Executive Engineer of (Road Infrastructure- Dasarahalli Division) for information.
4. Copy to the Concerned Assistant Executive Engineer of (Road Infrastructure- Dasarahalli Sub Division) for information.
5. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
6. Office Copy



**BRUHAT BENGALURU MAHANAGARA PALIKE**

Office of the Chief Engineer (OFC-Cell ), 3<sup>rd</sup>Floor, Annexe II Building,  
N.R. Square, Bangalore -560002

No: EE/OFC/PR/3942/2021-22

Date: 21-12-2021

**Permission for laying of Optical Fiber Cable**

To,

M/s. Jio Digital Fibre Private Limited ,  
RMZ ICON, No-51, Palace Road Cross,  
Vasanth Nagar, Bengaluru-52.

Sir,

**Sub :-** Permission for laying of O F C by HDD Method-regarding

**Ref :-** 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.

2) M/s. Jio Digital Fibre Private Limited online application Dated: 02-08-2021.

3) Opinion obtained **Online from Chief Engineer -Road Infrastructure  
Dasarahalli Division on Dated: 18-09-2021.**

4) Approved by Superintendent Engineer (OFC-Cell) on : **24-09-2021 (Online).**

5) Fee Demand Note letter No: 04-2021-3942, Date: **24-09-2021.**

6) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD on : **13-12-2021.**


\*\_\*\_\*\_\*

With reference to your application for permission, we have pleasure to inform you that permission has been given for laying of OFC cables by HDD method on roads mentioned below subject to the terms and conditions of MOU and the conditions mentioned below:

| SI No  | Name of the Road and Route  | Length in Mtr |
|--|---|---------------|
| 01   | Permission for laying of OFC by HDD Method from 80feet Road via Hesaragatta Main Road up to 10th 'A' Main Road. | 84.22 M       |
| 02   | From Hesaragatta Main Road via Hanumatha Gowda Main Road for a length of 643.15 Mtr.                            | 643.15 M      |
| No of Pits-00, No of Manhole-08 and No of Ducts 3, in Ward No-12, Road Infrastructure- Dasarahalli Division. Ref: As per drawing enclosed. |   |               |
| Total  |   | 727.37 M      |

The work shall be strictly taken up and completed between **21-12-2021** to **19-02-2022** and in line with conditions cited below:

No: EE/OFC/PR/3942/2021-22, Dt: 21-12-2021

  
Executive Engineer (OFC), BBMP

**Special Condition:**

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

**Conditions for HDD Method OFC laying**

1. This Permission is to be read along with the MOU signed with BBMP and as per the Conditions in the letter cited under ref (1)
2. The concerned ward engineer/Jurisdictional Engineer shall supervise the work and ensure that the conditions imposed are complied with.
3. Before commencement of the work, the Agency must give prior written intimation to the Jurisdictional Engineers; Zonal or Road Infrastructure Engineers of BBMP as the case may be and also keep the BBMP Engineers informed of the schedule of Execution of work.
4. Laying of OFC in Newly asphalted Roads is strictly prohibited for a period of Three year as per the Commissioner Circular No: PSR(G)5879, Date:29-11-2019.
5. Permission is valid only for the above sanctioned period. In case of expiry of the sanctioned period fresh requisition shall be submitted for Time Extension. which will be considered based on the reasons given and which will attract extra fees as applicable. Such requisition for extension of time should be submitted at least 15 days before the expiry of sanctioned period.
6. All HDD Pits will be restored by BBMP as per Hon'ble Commissioner BBMP order no. - PSR(G)/5870/2019-20, Dated : 19/11/2019. However the agency must restored the pits on the same day itself so has to make the road motorable for moving traffic. Any delay in this regard is liable for penalty as per order of Hon'ble Commissioner, BBMP.
7. Excavation must be as per the instructions of the concerned BBMP Zonal/Road Infrastructure Engineers.
8. Any over burden debris/earth should be removed immediately and conveyed to the designated dumping yards failing which, a penalty of Rs: 10,000/- per day will be levied by the concerned ward engineer.
9. Strictly follow the procedure laid down in road opening and restoration protocol. Barricading sign boards and other precautionary signage, name and telephone numbers of the executing Agency, opening and closing dates should bedisplayed, also warning lights should be displayed for the road users and for easy flow of traffic during execution of work, failing which it would attract heavy penalty and cancellation of permission, etc and also entail blacklisting of the executing Agency.

10. During execution of work, care must be taken not to cause any damages to BBMP property like drains, Name boards, etc. In case of such damage, commensurate penalty to be paid.
11. **Absolutely no deviations from the permitted route is allowed. If deviation is found, not only penalty would be levied, the cable on the deviation portion would be confiscated /destroyed.**
12. After completion of the work, as per specification given by BBMP, the Agency must get a Satisfactory Work done Certificate from the jurisdictional BBMP Engineers within a period of 30days after completion of the work failing which the security deposit will be forfeited by the BBMP.
13. During execution, any damage caused to the limb or life of public, damage caused to any Government / BESCOM / BSNL / BWSSB / KPTCL / Gail India Limited etc, property, the responsibility lies solely with the executing Agency and any claims/compensation should be borne by the executing Agency alone.
14. Redoing of Road cut portion to be carried out as per the MORTH Specification, procedure for Redoing of Road cut portion, specification details and sketch enclosed.
15. If any HTUG/GAS PIPELINE by HDD/OPEN TRENCH Method work is executed on newly asphalted roads, the cost of the resurfacing of the entire length and width of the road will be recovered from the executing agency.
16. During Rainy season, extra care should be taken to ensure that the pits are properly barricaded keeping in mind the safety of pedestrian and vehicular traffic.
17. The Agency should not cause any inconvenience to public while executing the work.
18. The OFC Cable shall be laid along the berm or shoulder where ever possible in consultation with the jurisdictional Engineer.
19. If preinstalled OFC Utility ducts are available in any stretch OFC shall be installed in only those ducts and related additional permission fee shall be paid to BBMP.
20. This permission is valid only after this permission is submitted to the jurisdictional engineers by the agencies before commencing of work, and their consent is obtained. This permission is null and void if the works are not carried out without notifying the concerned Jurisdictional Engineers and the work is carried out in the absence of concerned Jurisdictional Engineers.

Copy to:-

1. Copy to the Special Commissioner (Project) for kind information.
2. Copy to the Chief Engineer (Road Infrastructure) for information.
3. Copy to the Concerned Executive Engineer of (**Road Infrastructure- Dasarahalli** Division) for information.
4. Copy to the Concerned Assistant Executive Engineer of (**Road Infrastructure- Dasarahalli** Sub Division) for information.
5. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
6. Office Copy





**Bruhat Bengaluru Mahanagara Palike**  
Office of Executive Engineer OFC Cable and Rain Water Harvesting Cell  
Central Zone

**Receipt**  
**(General Purpose)**  
**[para 22(1)]**

**Receipt Number** : RE-ifms665-Ofc / 000802      **DDO** : ddo665 Executive Engineer OFC Cable and Rain Water Harvesting Cell Central Zone  
**Receipt Date** : 29-Dec-2021      **Ward** : 304 CE Major Roads  
**Reference** : EE/OFC/PR/3942/2021-22 / 24-Sep-2021      **Credited to** : Canara Bank, Bangalore City Corpn. E.C. (Cor) (CNRB0008401) - 8401132000010 (OFC)

Received the sum of Rs. 645461.00 (Six Lakh Fourty Five Thousand Four Hundred Sixty One) from

Sri/Smt M/s. Jio Digital Fiber Private Ltd,  
AZ ICON, No-51, Palace Road Cross, Vasanth Nagar, Bengaluru  
Bengaluru 560052

towards the following -

| SI No        | Name   | Misc.                   | Amount        | Remarks |
|--------------|--|-------------------------|---------------|---------|
| 1            | R0007 Security Deposits (RCM)                          |                         | 36369.00      |         |
| 2            | R1096 Road Cutting and Restoration Charges (OFC) (RCM) |                         | 94558.00      |         |
| 3            | R0008 Misc. Deposits (RCM)                             |                         | 5375.00       |         |
| 4            | R1033 Duct Services (RCM)                              | Ofc Laying Charges      | 436422.00     |         |
| 5            | R1033 Duct Services (RCM)                              | Ofc Supervision Charges | 72737.00      |         |
| <b>Total</b> |  |                         | <b>645461</b> |         |

Amount received as :

| SI No        | Type | Bank                   | Chq/DD No. | Chq/DD Dt.  | Amount        |
|--------------|------|------------------------|------------|-------------|---------------|
| 1            | DD   | Axis Bank, Mahadevpura | 200050     | 12-Nov-2021 | 609092.00     |
| 2            | DD   | Axis Bank, Mahadevpura | 199940     | 12-Oct-2021 | 36369.00      |
| <b>Total</b> |      |                        |            |             | <b>645461</b> |

for Bruhat Bengaluru Mahanagara Palike  
Executive Engineer OFC Cable and Rain Water Harvesting Cell Central Zone

04.2021-5942 JSD  
केनरा बैंक Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP

शाखा / Branch Sec Exclion

दिनांक / Date 13/12/2021

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

बचत / चासू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

8401132000010

नाम / Name Om. P. Venk. RRM

टेलिफोन / मोबाइल नं.  
Tel No. / Mobile No.

₹ 45,461.00 पैसे / P.

राशि शब्दों में  
Rupees words Forty Five Thousand Four Hundred Sixty One

चेक नं. / क्रमिक तथा बैंक शाखा का नाम  
Cheque No. / Serial & Name of Bank & Branch

2000 12/10/21 609,092.00

199940 12/10/21 36,867.00

609,092.00

अधिकारी / अधिकारी का पता  
Officer / Officer's Address

एस. एम. ओ. / एस. एम. ओ. का पता  
S.M.O. / S.M.O.'s Address

Branch Bangalore Mahanagar Palike  
Rangaluru

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. BBMP/OFC/ 04-2021-3942 /DD

Date: 18-Oct-21

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to lay the OFC by HDD method.**

**Ref: Demand Note** CE-OFC-04-2021-3942

With reference to your Demand Note bearing CE-OFC-04-2021-3942, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying OFC on BGLR0143 by HDD method:

| Application No. | Length in Mtr. | No. of Ducts | Laying & Supervision Charges (Rs.) | DD No. for Laying & Supervision | Security Deposit (Rs.) | DD No. for Security Deposit   | GST (through RCM) Rs. |
|-----------------|----------------|--------------|------------------------------------|---------------------------------|------------------------|-------------------------------|-----------------------|
| 04-2021-3942    | 727.37         | 3            | 609092                             | 200050<br>Dated<br>12/10/21     | 36369                  | 199940<br>Dated :<br>12/10/21 | 91649                 |

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,


for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

SOR

13/12/21



LS 3942

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**200050**

12/10/2021  
dated

**PAYMENT REFERENCE**

SD3942

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**199940**

12/10/2021  
dated

**PAYMENT REFERENCE**

---

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. BBMP/OFC/ 04-2021-3942 /DD

Date: 18-Oct-21

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to lay the OFC by HDD method.**

**Ref: Demand Note** CE-OFC-04-2021-3942

With reference to your Demand Note bearing CE-OFC-04-2021-3942 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying OFC on BGLR0143 by HDD method:

| Application No. | Length in Mtr. | No. of Ducts | Laying & Supervision Charges (Rs.) | DD No. for Laying & Supervision | Security Deposit (Rs.) | DD No. for Security Deposit   | GST (through RCM) Rs. |
|-----------------|----------------|--------------|------------------------------------|---------------------------------|------------------------|-------------------------------|-----------------------|
| 04-2021-3942    | 727.37         | 3            | 609092                             | 200050<br>Dated<br>12/10/21     | 36369                  | 199940<br>Dated :<br>12/10/21 | 91649                 |

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



LS3942

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**200050**

12/10/2021  
dated

PAYMENT REFERENCE



ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 11/01/2022

IFS CODE - UTIB0000274

DATE  
दिनांक


DD MM YY YY

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके माफेण पर

मौजे जाने पर  
RUPEES Six Lacs Nine Thousand Ninety Two Only  
रुपये



₹ 609,092.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 200050

Client Reference: 4200005204\_164

For Axis Bank Ltd  
Authorized Signatory

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.  
CODE NO.

Please sign above

⑈ 200050 ⑈ 400211071⑈ 999984 ⑈ 16



SD3942

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**199940**

12/10/2021  
dated

PAYMENT REFERENCE



- Centralised Collection and Payment Hub (CCPH)

Valid Until: 11/01/2022

DATE 1 2 3 4 5 6 7 8 9 0  
दिनांक D D M M P Y P Y P Y

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके माफेसा पर

मौगे जाने पर  
RUPEES Thirty Six Thousand Three Hundred Sixty Nine Only

रुपये ₹ 36,369.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 199940

Client Reference 4200005204\_193

For Axis Bank Ltd  
Authorized Signatory

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO:

Please sign above

199940 4002110711 999984 16





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

OFC Form

Application No. :04-2021-3942

PR Number(To be Assigned by AE/JE-  
OFC, BBMP)

CE-OFC-04-2021-3942

General Information

Segment ID

RI-OFC/2021-22/Z5-138/3942

Street ID

51977

Street Name

NA

Zone

Dasarahalli

Ward No.

12

Ward Name

Shettihalli

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5  
Rasta, Ambawadi, Ahmedabad, Gujarat,  
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

02/08/2021

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,  
Vasanthanagar, Bangalore 560052

Purpose

HDD

Phone No.

9845117017

Mobile No.

9845117017

Attachments

OFC/Cable Related Information

Laying

OFC

Total No.of Pits(Points marked on map)

0

Laying Method

HDD


Likely Date of Commencement

Total Length (m)

No. of Cables

**No. of Ducts**  
3


**No. of Manhole**  
8



**Declaration**

I hereby accept the following terms and conditions specified by BBMP

- Maintenance of the cable and road for next 2 years **Yes**
- Refundable Security Deposit (Rs. 150/Mtr.) will be kept with BBMP. **Yes**
- Security deposit will be refunded after 2 years, after field verification from BBMP **Yes**
- BBMP will retain the security deposit, if service provider fails to maintain the OFC road cut portions for 2 years **Yes**



**Status of My Application**

| Approver Name     | Designation | Date       |
|-------------------|-------------|------------|
| seofc01(seofc01)  | SE          | 02/08/2021 |
| Executive(eezd01) | EE-RI       | 04/09/2021 |
| ceri01(ceri01)    | CE-RI       | 18/09/2021 |
| seofc01(seofc01)  | SE          | 24/09/2021 |
| seofc01(seofc01)  | SE          | 24/09/2021 |



Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -  
560002

No. : CE-OFC-04-2021-3942

Date: 24/09/2021

**Demand Notice**  
**GST No.: 29AAALBI608FIZK**

**To**

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

**Sub:-** Permission to lay OFC by HDD Method regarding


**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).  
2)Your request letter No. : 04-2021-3942, dated : 02/08/2021


As per requisition shown in below table for laying of OFC by HDD method to a length of 727.37 mtr. has been approved by the competent authority.

Details of Segments drawn on BBMP GIS Map

(Segment Id:-RI-OFC/2021-22/Z5-138/3942)

| Sr No. | Segment Length (mts) | From Landmark | To Landmark | Start Coordinates   | End Coordinates     | Passing Through |
|--------|----------------------|---------------|-------------|---------------------|---------------------|-----------------|
| 1      | 643.15               | AGB IAYOUT    | AGB IAYOUT  | 13.067350-77.509130 | 13.067340-77.508824 | BGLR0143        |
| 2      | 84.22                | AGB IAYOUT    | AGB IAYOUT  | 13.070786-77.504007 | 13.070033-77.503918 | BGLR0143        |





In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

**Length of OFC proposed 727.37 Mtrs.**

|                                |             |  |             |
|--------------------------------|-------------|--|-------------|
| Laying Charge @ 600/- Mtr      | 4,36,422.00 | Road Restoration Charges Rs. 10000/ (Pits+ Manholes) or Rs.130/ Per Mtr, Whichever is higher | 94,558.10   |
| Supervision Charge @ 100/- Mtr | 72,737.00   | Cess Amount @ 7.39/- Mtr   | 5,375.26    |
| Sub Total (A)                  | 5,09,159.00 | Security Deposit @ Rs.50/- Mtr   | 36,368.50   |
| GST @ 18% (B)                  | 91,648.62   | Total (C)  | 1,36,302.00 |
| Grand Total (A + B + C)        | 7,37,110.00 |  |             |

**Total Amount Payable Rs: 7,37,110.00 In words (Rupees Seven Lakh Thirty-Seven Thousand One Hundred and Ten Only)**

**Note:** The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself so as to make the road motorable for moving traffic. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded with all applicable, necessary conditions after submission of the Demand Draft drawn from Nationalized Banks, for the above mentioned amount to this office.

Yours faithfully,

Executive Engineer (OFC-Cell)  
Bruhat Bangalore Mahanagara Palike




### BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

BABU.VEERABHADRE@RIL.COM

#### OFC Details

04-2021-3942



22/27- 04-2021-

*[Handwritten Signature]*

*[Handwritten Signature]*  
Executive Engineer 21/12

Assistant Executive Engineer  
OFC CELL  
Bruhat Bengaluru Mahanagra Palike  
Bangaluru

OFC CELL  
Bruhat Bengaluru Mahanagra Palike  
Bangaluru