

BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building, N.R. Square, Bangalore -560002

No: EE/OFC/PR/2788/2021-22

Date: 28-12-2021

Permission for laying of Optical Fiber Cable

To,

M/s. Jio Digital Fibre Private Limited, RMZ ICON, No-51, Palace Road Cross, Vasanth Nagar, Bengaluru-52.

Sir,

<u>Sub</u>:- Permission for laying of O F C by HDD Method-regarding

<u>Ref:</u> 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.

- 2) M/s. Jio Digital Fibre Private Limited online application Dated: 30-04-2021.
- 3) Opinion obtained Online from Assistant Executive Engineer Mahalakshmi Layout Sub Division, West Zone on Dated: 23-09-2021.
- 4) Approved by Superintendent Engineer (OFC-Cell) on: 28-09-2021 (Online).
- 5) Fee Demand Note letter No: 04-2021-2788, Date: 28-09-2021.
- 6) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD on: 24-12-2021.

*_*_*

With reference to your application for permission, we have pleasure to inform you that permission has been given for laying of OFC cables by HDD method on roads mentioned below subject to the terms and conditions of MOU and the conditions mentioned below:

SI No	Name of the Road and Route	Length in Mtr
01	Permission for laying of OFC by HDD Method from 15th Main Road up to 6th Cross Road, 7th Main Road, Street ID No-W0173, W0206, W0157 up to 15th Main Road.	895.03 M
02	From 1st Main Road via Street ID No-W0173, Saraswathipura Main Road, Nandini layout Road, 1st Cross, Street ID No-W0204 up to W0173.	858.62 M
03	From 2nd Cross Road via 1st Cross Road, Street ID No-W0294 up to I005.	186.06 M
	of Pits-06, No of Manhole-19 and No of Ducts-3, in Ward No-43, West-Zone. As per drawing enclosed.	
	Total	1939.71 M

No: EE/OFC/PR/2788/2021-22, Dt: 28-12-2021

Alon

Executive Engineer (OFC), BBMP

The work shall be strictly taken up and completed between <u>28-12-2021 to 26-02-2022</u> and in line with conditions cited below:

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for HDD Method OFC laying

- 1. This Permission is to be read along with the MOU signed with BBMP and as per the Conditions in the letter cited under ref (1)
- 2. The concerned ward engineer/Jurisdictional Engineer shall supervise the work and ensure that the conditions imposed are complied with.
- 3. Before commencement of the work, the Agency must give prior written intimation to the Jurisdictional Engineers; Zonal or Road Infrastructure Engineers of BBMP as the case may be and also keep the BBMP Engineers informed of the schedule of Execution of work.
- 4. Laying of OFC in Newly asphalted Roads is strictly prohibited for a period of Three year as per the Commissioner Circular No: PSR(G)5879, Date:29-11-2019.
- 5. Permission is valid only for the above sanctioned period. In case of expiry of the sanctioned period fresh requisition shall be submitted for Time Extension. which will be considered based on the reasons given and which will attract extra fees as applicable. Such requisition for extension of time should be submitted at least 15 days before the expiry of sanctioned period.
- 6. All HDD Pits will be restored by BBMP as per Hon'ble Commissioner BBMP order no. PSR(G)/5870/2019-20, Dated : 19/11/2019. However the agency must restored the pits on the same day itself so has to make the road motorable for moving traffic. Any delay in this regard is liable for penalty as per order of Hon'ble Commissioner, BBMP.
- 7. Excavation must be as per the instructions of the concerned BBMP Zonal/Road Infrastructure Engineers.
- 8. Any over burden debris/earth should be removed immediately and conveyed to the designated dumping yards failing which, a penalty of Rs: 10,000/- per day will be levied by the concerned ward engineer.
- 9. Strictly follow the procedure laid down in road opening and restoration protocol. Barricading sign boards and other precautionary signage, name and telephone numbers of the executing Agency, opening and closing dates should be displayed, also warning lights should be displayed for the road users and for easy flow of traffic during execution of work, failing which it would attract heavy penalty and cancellation of permission, etc and also entail blacklisting of the executing Agency.

No: EE/OFC/PR/2788/2021-22, Dt: 28-12-2021

Executive Engineer (OffC), BBMP

- 10. During execution of work, care must be taken not to cause any damages to BBMP property like drains, Name boards, etc. In case of such damage, commensurate penalty to be paid.
- 11. Absolutely no deviations from the permitted route is allowed. If deviation is found, not only penalty would be levied, the cable on the deviation portion would be confiscated/destroyed.
- 12. After completion of the work, as per specification given by BBMP, the Agency must get a Satisfactory Work done Certificate from the jurisdictional BBMP Engineers within a period of 30days after completion of the work failing which the security deposit will be forfeited by the BBMP.
- 13. During execution, any damage caused to the limb or life of public, damage caused to any Government / BESCOM / BSNL / BWSSB / KPTCL / Gail India Limited etc, property, the responsibility lies solely with the executing Agency and any claims/compensation should be borne by the executing Agency alone.
- 14. Redoing of Road cut portion to be carried out as per the MORTH Specification, procedure for Redoing of Road cut portion, specification details and sketch enclosed.
- 15. If any HTUG/GAS PIPELINE by HDD/OPEN TRENCH Method work is executed on newly asphalted roads, the cost of the resurfacing of the entire length and width of the road will be recovered from the executing agency.
- 16. During Rainy season, extra care should be taken to ensure that the pits are properly barricaded keeping in mind the safety of pedestrian and vehicular traffic.
- 17. The Agency should not cause any inconvenience to public while executing the work.
- 18. The OFC Cable shall be laid along the berm or shoulder where ever possible in consultation with the jurisdictional Engineer.
- 19. If preinstalled OFC Utility ducts are available in any stretch OFC shall be installed in only those ducts and related additional permission fee shall be paid to BBMP.
- 20. This permission is valid only after this permission is submitted to the jurisdictional engineers by the agencies before commencing of work, and their consent is obtained. This permission is null and void if the works are not carried out without notifying the concerned Jurisdictional Engineers and the work is carried out in the absence of concerned Jurisdictional Engineers.

No: EE/OFC/PR/2788/2021-22, Dt: 28-12-2021

Executive Engineer (OFC), BBMP

Copy to:-

- 1. Copy to the Special Commissioner (Project) for kind information.
- 2. Copy to the Zonal Additional/Joint Commissioner (West Zone) for information.
- 3. Copy to Zonal Chief Engineer (West Zone) and to instruct the concerned EEs, AEEs and AEs to supervise the work.
- 4. Copy to the Chief Engineer (Road Infrastructure) for information.
- 5. Copy to the Concerned Executive Engineer of (Mahalakshmi Layout Division) for information.
- 6. Copy to the Concerned Assistant Executive Engineer of (Mahalakshmi Layout Sub Division) for information.
- 7. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
- 8. Office Copy

O'/01/99

Executive Engineer (OFC), BBMI

Oc 2021 - 2788 केक्ट्रा बेंक 🗱 Canara Bank) जमा पर्ची / DEPOSIT / PAY IN SLIP दिनांक/ Date SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No. बचत / चालू खादा / ओडी / सीसी / आरडी / टीएल नाम/Name anara Bank Toll Free No. 1800 425 0018 Danasliiru

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. BBMP/OFC/

04-2021-2788

/DD

Date:

23-Dec-21

The Chief Engineer (OFC cell) Bruhat Bengaluru Mahanagar Palike 4th floor Annex Building, N R Square Bengaluru – 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note

CE-OFC-04-2021-2788

With reference to your Demand Note bearing

CE-OFC-04-2021-2788

,Please find mentioned

below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards

payment to get permission for laying OFC on

BGLR0443

by HDD method:

Application No.	Length in Mtr.	No. of Ducts	Laying & Supervision Charges (Rs.)	DD No.for Laying⋑ ervision	Security Deposit (Rs.)	DD No. for Security Deposit	GST (through RCM) Rs.
04-2021-2788	1939.71	3	1624294	200684 Dated 11-11-21	96986	200672 Dated : 11-11-21	244403

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.

300



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

200684

dated 11/11/2021

PAYMENT REFERENCE



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

200672

dated 11/11/2021

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. BBMP/OFC/

04-2021-2788

/DD

Date:

23-Dec-21

The Chief Engineer (OFC cell) Bruhat Bengaluru Mahanagar Palike 4th floor Annex Building, N R Square Bengaluru – 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note

CE-OFC-04-2021-2788

With reference to your Demand Note bearing

CE-OFC-04-2021-2788

,Please find mentioned

below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards

payment to get permission for laying OFC on

BGLR0443

by HDD method:

Application No.	Length in Mtr.	No. of Ducts	Laying & Supervision Charges (Rs.)	DD No.for Laying⋑ ervision	Security Deposit (Rs.)	DD No. for Security Deposit	GST (through RCM) Rs.
04-2021-2788	1939.71	3	1624294	200684 Dated 11-11-21	96986	200672 Dated : 11-11-21	244403

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.

W27788

M	Δ	11	TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF -

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

200684

dated dated

PAYMENT REFERENCE

AXIS	BANK	LTD
IFS CODE	- UTI50000274	

ISSUING BRANCH

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

- Centralised Collection and Payment Hub (CCPH)
DATE

Valid Until: 10022022

For Axis Bank Ltd

ON DEMAND PAY माँगे जाने पर

COMMISSIONER BBMP BANGALORE

Sixteen Lacs Twenty Four Thousand Two Hundred Ninety Four Only

RUPEES रुपये

1,624,294.00

अदा करें

DD Sr. No.

200684


Client Reference

4200005967 90

Payable at par at all Branches of AXIS Bank Ltd.

Under CMS Arrangement Centralised Collections & Payment Hub Mumbal. CODE NO.

OR ORDER / या उनके आदेश पर



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF -

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

200672

dated 11/11/2021

PAYMENT REFERENCE

AXIS	BANK	LTD
		_, ,,,,

ISSUING BRANCH

IFS CODE - UT/80000274

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

- Centralised Collection and Payment Hub (CCPH)

DATE

OR ORDER / या उनके आदेश पर

ON DEMAND PAY माँगे जाने पर

COMMISSIONER BBMP BANGALORE

Ninety Six Thousand Nine Hundred Eighty Six Only RUPEES

रुपये

JTILITY FORMS PVT. LTD. MUMBAI/ CTS-2010

Payable at par at all Branches of AXIS Bank Ltd

96,986.00 .

For Axis Bank Ltd

DD Sr. No.

200672


Client

Reference

4200005967 78

Under CMS Arrangement Centralised Collections & Payment Hub Mumbai. CODE NO.

Please sign above



BBMP ENGINEERING DEPARTMENT **OFC Form**

Application No.:04-2021-2788

PR Number(To be Assigned by AE/JE-OFC, BBMP)

CE-OFC-04-2021-2788

General Information

Segment ID

OFC/2021-22/Z2-379/W43-13/2788

Street ID

NA

Zone

West

Ward No.

43

NA

Ward Name Nandini Layout

Street Name

Service Provider Category Organization

Telecom

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5 380006 Rasta, Ambawadi, Ahmedabad, Gujarat,

India

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

Pin Code

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

AHMJ08610A

Application Submission Date

30/04/2021

Name of the Authorized Person

Babu-Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

Attachments

9845117017

OFC/Cable Related Information

Laying OFC

Total No. of Pits(Points marked on map) Laying Method

HDD

Likely Date of Commencement


Total Length (m)

No. of Cables

No.of Ducts

No. of Manhole

19



Declaration

I hereby accept the following terms and conditions specified by BBMP

Maintenance of the cable and road for next 2 years

Yes

Refundable Security Deposit (Rs. 150/Mtr.) will be kept with BBMP.

Security deposit will be refunded after 2 years, after field verification from BBMP

Yes


BBMP will retain the security deposit ,if service provider fails to maintain the OFC road cut portions for 2 years

Status of My Application

Approver Name	Designation	Date
seofc01(seofc01)	SE	06/09/2021
aew4301(aew4301)	AE AE	07/09/2021
aeew03(aeew03)	AEE	23/09/2021
seofc01(seofc01)	SE	23/09/2021
seofc01(seofc01)	SE	28/09/2021

Date: 28/09/2021 Time: 08:48:18 20210928084818

No: 04-2021-2788



Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore - 560002

No.: CE-OFC-04-2021-2788

Date: 28/09/2021

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission to lay OFC by HDD Method regarding

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No.: 04-2021-2788, dated: 30/04/2021

As per requisition shown in below table for laying of OFC by HDD method to a length of 1939.71 mtr. has been approved by the competent authority.


Details of Segments drawn on BBMP GIS Map

(Segment Id:-OFC/2021-22/Z2-379/W43-13/2788)

Sr No.	Segment Length (mts)	From Landmark	To Landmark	Start Coordinates	End Coordinates	Passing Through
1	335.61	Panchadeep Colony Nandini Layout Bengaluru Karnataka 560096	Panchadeep Colony Nandini Layout Bengaluru Karnataka 560096	13.011175- 77.535547	13.010963- 77.534871	BGLR0443
2	157.47	Panchadeep Colony Nandini Layout Bengaluru Karnataka 560096	Panchadeep Colony Nandini Layout Bengaluru Karnataka 560096	13.011368- 77.533178	13.011765- 77.533205	BGLR0443

3	101.32	Panchadeep Colony Nandini Layout Bengaluru Karnataka 560096	Panchadeep Colony Nandini Layout Bengaluru Karnataka 560096	13.012779- 77.533473	13.013004- 77.533586	BGLR0443
4	129.97	Panchadeep Colony Nandini Layout Bengaluru Karnataka 560096	Panchadeep Colony Nandini Layout Bengaluru Karnataka 560096	13.012053- 77.535710	13.012450- 77.535329	BGLR0443
5	98.91	Panchadeep Colony Nandini Layout Bengaluru Karnataka 560096	Panchadeep Colony Nandini Layout Bengaluru Karnataka 560096	13.011175- 77.535544	13.011400- 77.535515	BGLR0443
6	/ 17 8.52	Panchadeep Colony Nandini Layout Bengaluru Karnataka 560096	Panchadeep Colony, Nandini Layout Bengaluru Karnataka 560096	13.011159- 77.535539	13.010856- 77.535678	BGLR0443
7	 97.52	Panchadeep Colony Nandini Layout Bengaluru Karnataka 560096	Panchadeep Colony Nandini Layout Bengaluru Karnataka 560096	13.010177- 77.536756	13.009952- 77.536590	BGLR0443
8	64.41	Panchadeep Colony Nandini Layout Bengaluru Karnataka 560096	Panchadeep Colony Nandini Layout Bengaluru Karnataka 560096	13.009356- 77.536553	13.009251- 77.537137	BGLR0443
9	52.29	Panchadeep Colony Nandini Layout Bengaluru Karnataka 560096	Panchadeep Colony Nandini Layout Bengaluru Karnataka 560096	13.009429- 77.537679	13.009275- 77.537223	BGLR0443
10	56.29	Panchadeep Colony Nandini Layout Bengaluru Karnataka 560096	Panchadeep Colony Nandini Layout Bengaluru Karnataka 560096	13.010174- 77.538553	13.009967- 77.538384	BGLR0443
11	67.44	Panchadeep Colony Nandini Layout Bengaluru Karnataka 560096	Panchadeep Colony Nandini Layout Bengaluru Karnataka 560096	13.009787- 77.538202	13.009643- 77.538006	BGLR0443

12	61.54	Panchadeep Colony Nandini Layout Bengaluru Karnataka 560096	Panchadeep Colony Nandini Layout Bengaluru Karnataka 560096	13.012971- 77.534912	13.013285- 77.534444	BGLR0443
13	10.21	Panchadeep Colony Nandini Layout Bengaluru Karnataka 560096	Panchadeep Colony Nandini Layout Bengaluru Karnataka 560096	13.013309- 77.534435	13.013392- 77.534474	BGLR0443
14	33.99	Panchadeep Colony Nandini Layout Bengaluru Karnataka 560096	Panchadeep Colony Nandini Layout Bengaluru Karnataka 560096	13.010207- 77.538590	13.010007- 77.538827	BGLR0443
15	153.65	Panchadeep Colony Nandini Layout Bengaluru Karnataka 560096	Panchadeep Colony Nandini Layout Bengaluru Karnataka 560096	13.010011- 77.538827	13.010105- 77.538925	BGLR0443
16	154.51	Panchadeep Colony Nandini Layout Bengaluru Karnataka 560096	Panchadeep Colony Nandini Layout Bengaluru Karnataka 560096	13.011290- 77.539299	13.011444- 77.538677	BGLR0443
17	186.06	Panchadeep Colony Nandini Layout Bengaluru Karnataka 560096	Panchadeep Colony I Nandini Layout Bengaluru Karnataka 560096	13.011319- 77.539322	13.011222- 77.539602	BGLR0443



In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Banglore" within seven(7) days. Then only your request can be processed further.

Length of OFC proposed 1939.71 Mtrs

Laying Charge @ 600/- Mtr	11,63,826.00	Road Restoration Charges Rs. 10000/ (Pits+ Manholes) or Rs.130/ Per Mtr, Whichever is higher	2,52,162.30
Supervision Charge @ 100/- Mtr	1,93,971.00	Cess Amount @ 7.39/-	14,334.46
Sub Total (A)	13,57,797.00	Security Deposit @ Rs.50/- Mtr	96,985.50
GST @ 18% (B)	2,44,403.46	Total (C)	3,63,482.00
Grand Total (A + B + C)	19,65,682.00		

Total Amount Payable Rs: 19,65,682.00 In words (Rupees Nineteen Lakh Sixty-Five Thousand Six Hundred and Eighty-Two Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself so as to make the road motorable for moving traffic. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded with all applicable, necessary conditions after submission of the Demand Draft drawn from Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to No.: 04-2021-2788

- 1. Copy submitted to Commissioner for kind information.
- 2. Copy submitted to Special Commissioner (Project) for kind information.
- 3. Copy submitted to CAO for information.
- 4. Copy to Office file.





Bruhat Bangaluru Mahanagra Palike Bangaluru

Bruhat Bangaluru Mahanagra Palike Bangaluru