



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1032/2022-23

Date: 15-10-2022

Permission for Regularization for Poles

To,

M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 11-05-2022
 - 3) Fee Demand Note letter No: 10-2022-1032, Date: 14-05-2022.
 - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 14-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

| Sl No | Name of the Road and Route | No of Poles |
|-------|---|-----------------|
| 01 | Permission for Regularization for poles from Kodigehalli-Thindlu Main Road via Canara Bank layout Road up to junction of 12 th Cross Road. | 34 Poles |
| 02 | From Canara Bank layout Road via 9 th 'A' Cross Road up to Kodigehalli-Thindlu Main Road. | |
| 03 | From Canara bank layout Road via 10 th 'A' Cross Road up to road end. | |
| 04 | From Canara bank layout Road via 11 th 'A' Cross Road up to road end. | |
| 05 | From the junction of Street ID No-W0502 via Canara bank layout Road 12 th Cross Road end. | |
| 06 | From Canara Bank Layout Road via Street ID No-W0500 up to Road end. | |
| 07 | From Canara Bank Layout Road via 6 th 'B' Cross Road up to Road end. | |
| 08 | From the junction of street ID No-W0496 via Canara bank layout Road, Street ID No-W0502 up to Road end. | |
| 09 | From Canara Bank layout Road via Street ID No-W0498 | |
| 10 | From the junction of Street ID No-W0486 via Canara Bank layout Road Street ID No-W0496 up to Road end. | |
| 11 | From the junction of Street ID No-W0175 via Canara bank layout Road, Street ID No-W0486, W0749, 1 st Main Road up to Canara Bank layout. | |
| 12 | In Street ID No-W0743 | |

No: EE/OFC/PR/1032/2022-23, Dt: 15-10-2022


Executive Engineer (OFC), BBMP

| | | |
|----|--|--|
| 13 | In Street ID No-W0745 | |
| 14 | From Street ID No-W0486 via W0747 up to 1 st Main Road. | |
| 15 | From 1 st Main Road via Street ID No-W0743 up to W0433. | |
| 16 | From 1 st Main Road via Street ID No-W0745 up to Road end. | |
| 17 | From Street ID No-W0466 towards W0464. | |
| 18 | From 1 st Main Road via Street ID No-W0035 up to W0422 Ramanjaneya Layout 1 st Cross. | |
| 19 | From 1 st Main road via Street ID No-W0749 | |
| 20 | From the Street ID No-W0835 via W0420 up to junction of W0759. | |
| 21 | From Street ID No-W0420 via W0755 up to Road end. | |
| 22 | From Street ID No-W0749 via 1 st Main Road up to W0753. | |
| 23 | Starting from Street ID No-W0753 via W0492 up to Road end. | |
| 24 | From the junction of Street ID No-W0452 via W0753 up to Road end. | |
| 25 | From Canara bank layout Road via Street ID No-W0482 up to W0727. | |
| 26 | From Street ID No-W0482 via W0737 | |
| 27 | From Street ID No-W0482 via W0729, W0490 up to Road end. | |
| 28 | From Street ID No-W0727 via W0476 | |
| 29 | From Street ID No-W0727 via W0470 | |
| 30 | From Street ID No-W0727 via W0715, W0741 | |
| 31 | From Street ID No-W0715 via W0739 | |
| 32 | From Street ID No-W0715 via W0741 | |
| 33 | From the junction of Street ID No-W0727 via W0458 up to Kodigehalli-Thindlu Main Road. | |
| 34 | From Street ID No-W0715 via W0727, W0719 up to Kodigehalli-Thindlu Main Road. | |
| 35 | From Street ID No-W0719 via W0717 | |
| 36 | From Street ID No-W0709 via W0480 | |
| 37 | From Street ID No-W0709 via W0478 | |
| 38 | From Street ID No-W0709 via 3 rd Cross Road | |
| 39 | From Street ID No-W0709 via 4 th Cross Road | |
| 40 | From Street ID No-W0709 via Street ID No-W0715 | |
| 41 | From Street ID No-W0709 via Street ID No-W0460 | |
| 42 | From Kodigehalli-Thindlu Main Road via Street ID No-W0709 up to W0458, for total No of 34 Poles, in Ward No-09, Yelahanka Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates. | |

34 Poles

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.

2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be refereed to and the decision of the arbitrators shall be final and binding on both the parties.

14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

| Sl No | Transmission Voltage | Width of the Right-of-way(ROW) in meters. |
|-------|----------------------|---|
| 01 | 11kV | 7.0 |
| 02 | 33kV | 15.0 |
| 03 | 66kV | 18.0 |
| 04 | 110kV | 22.0 |
| 05 | 132kV | 27.0 |
| 06 | 220kV | 35.0 |
| 07 | 400kV | 52.0 |

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

| | | Vertically in m. | Horizontally in m. |
|-----|---|--|--|
| i | Low and medium voltage lines and service lines | 2.5 | 1.2 |
| ii | High voltage lines upto and including 33,000 V. | 3.7 | 2.0 |
| iii | Extra high voltage lines beyond 33000 v. | 3.7 (plus 0.3m for every additional 33,000 V. or part thereof) | 2.0 (plus 0.3m for every additional 13,000 V. or part thereof) |

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**Yelahanka Zone**) for information.
4. Copy to Zonal Chief Engineer (**Yelahanka Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Byatarayanapura Division**) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Vidyaranyapura Sub Division**) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1032 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-1032

With reference to your Demand Note bearing Pole-OFC-10-2022-1032 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0113 .

| Application No. | Poles | Poles Charges (Rs.) | DD No. | GST (through RCM) Rs. | Total Amount |
|-----------------|-------|---------------------|------------|-----------------------|--------------|
| 10-2022-1032 | 34 | 156651 | 205916 | 28152 | 156651 |
| | | | Dated | | |
| | | | 01-10-2022 | | |

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



814/1



1032

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

205916

01/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1032 /DD

Date: 3-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to lay the OFC by HDD method.

Ref: Demand Note :- Pole-OFC-10-2022-1032

With reference to your Demand Note bearing Pole-OFC-10-2022-1032 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0113 .

| Application No. | Poles | Poles Charges (Rs.) | DD No. | GST (through RCM) Rs. | Total Amount |
|-----------------|-------|------------------------|-------------------------------|--------------------------------|--------------|
| 10-2022-1032 | 34 | 156651 | 205916 Dated 01-10-2022 | 28152 | 156651 |

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

1032

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

205916

01/10/2022
dated

PAYMENT REFERENCE

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 31/12/2022

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 0 1 10 20 22
दिनांक 0 1 10 20 22

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मांगे जाने पर
RUPEES: One Lac Fifty Six Thousand Six Hundred Fifty One Only

रुपये

अदा करें ₹ 156,651.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 205916

Client Reference 4200008085_99

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

Authorised Signatory [Signature]
Authorised Signatory [Signature]

Please sign above.



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-1032

PR Number(To be Assigned by AE/JE- OFC, BBMP) CE-POLE-10-2022-1032

General Information

Segment ID

OFC/Pole/2022-23/W0681/1031

Street ID

64015

Street Name

NA

Zone

Yelahanka

Ward No.

9

Ward Name

Vidyaranyaपुरa

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5 Rasta, Ambawadi, Ahmedabad, Gujarat, India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

11/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

Purpose

POLE INSTALLATION

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

34

No.Junction Box

34




Status of My Application

| Approver Name | Designation | Date |
|------------------|-------------|------------|
| ceofc01(ceofc01) | CE | 12/05/2022 |

Date : 14/05/2022

Time : 10:49:27

20220514104927





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1032

Date: 14/05/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-1032, dated : 11/05/2022


Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0681/1031)

| Sr No. | Unique PoleId. | Street Id | Landmark or address | Coordinates | Permission Letter No. | Permission Letter Date |
|--------|--|-----------|--|--|-----------------------|------------------------|
| 1 | EE/ OFC/pole/202 2-23/1696/W- 9/765 | W0514 | Doddabomma sandra, Bengaluru, Karnataka | 13.063493721 54974- 77.571201324. 4629 | 1696 | 07/09/2019 |
| 2 | EE/ OFC/pole/202 2-23/1696/W- 9/766 | W0783 | Doddabomma sandra, Bengaluru, Karnataka | 13.063221990 831256- 77.570477128 02887 | 1696 | 07/09/2019 |
| 3 | EE/ OFC/pole/202 2-23/1696/W- 9/767 | W0799 | Doddabomma sandra, Bengaluru, Karnataka | 13.063295149 131033- 77.569978237 15211 | 1696 | 07/09/2019 |
| 4 | EE/ OFC/pole/202 2-23/1696/W- 9/768 | W0791 | Doddabomma sandra, Bengaluru, Karnataka | 13.063289923 538914- 77.569790482 52106 | 1696 | 07/09/2019 |
| 5 | EE/ OFC/pole/202 2-23/1696/W- 9/769 | W0787 | Doddabomma sandra, Bengaluru, Karnataka | 13.063467593 60904- 77.569516897 20155 | 1696 | 07/09/2019 |

| | | | | | | |
|----|--|-----------------|--|--|------|------------|
| 6 | EE/ OFC/pole/202 2-23/1696/W- 9/770 | W0787 | Doddabomma sandra, Bengaluru, Karnataka | 13.064094663 422964- 77.569608092 30806 | 1696 | 07/09/2019 |
| 7 | EE/ OFC/pole/202 2-23/1696/W- 9/771 | W0791 | Doddabomma sandra, Bengaluru, Karnataka | 13.064099888 998049- 77.569903135 2997 | 1696 | 07/09/2019 |
| 8 | EE/ OFC/pole/202 2-23/1696/W- 9/772 | W0512 | Doddabomma sandra, Bengaluru, Karnataka | 13.063491108 7558- 77.568639814 85368 | 1696 | 07/09/2019 |
| 9 | EE/ OFC/pole/202 2-23/1696/W- 9/773 | W0779 | Doddabomma sandra, Bengaluru, Karnataka | 13.063444078 46004- 77.569009959 69772 | 1696 | 07/09/2019 |
| 10 | EE/ OFC/pole/202 2-23/1696/W- 9/774 | W0705,W077 9 | Doddabomma sandra, Bengaluru, Karnataka | 13.063768064 76027- 77.569127976 89439 | 1696 | 07/09/2019 |
| 11 | EE/ OFC/pole/202 2-23/1696/W- 9/775 | W0779 | Doddabomma sandra, Bengaluru, Karnataka | 13.063992764 68655- 77.569213807 58287 | 1696 | 07/09/2019 |
| 12 | EE/ OFC/pole/202 2-23/1696/W- 9/776 | W0707 | Doddabomma sandra, Bengaluru, Karnataka | 13.064081599 484744- 77.568937540 05434 | 1696 | 07/09/2019 |
| 13 | EE/ OFC/pole/202 2-23/1696/W- 9/777 | W0707 | Doddabomma sandra, Bengaluru, Karnataka | 13.064382069 888785- 77.569028735 16084 | 1696 | 07/09/2019 |
| 14 | EE/ OFC/pole/202 2-23/1696/W- 9/778 | W0701 | Doddabomma sandra, Bengaluru, Karnataka | 13.064941205 145596- 77.568508386 61195 | 1696 | 07/09/2019 |
| 15 | EE/ OFC/pole/202 2-23/1696/W- 9/779 | W0701 | Doddabomma sandra, Bengaluru, Karnataka | 13.065455921 996309- 77.568682730 19792 | 1696 | 07/09/2019 |
| 16 | EE/ OFC/pole/202 2-23/1696/W- 9/780 | W0699 | Doddabomma sandra, Bengaluru, Karnataka | 13.064977784 043496- 77.568191885 9482 | 1696 | 07/09/2019 |
| 17 | EE/ OFC/pole/202 2-23/1696/W- 9/781 | W0699 | Doddabomma sandra, Bengaluru, Karnataka | 13.065275640 581875- 77.568299174 30879 | 1696 | 07/09/2019 |
| 18 | EE/ OFC/pole/202 2-23/1696/W- 9/782 | W0699 | Doddabomma sandra, Bengaluru, Karnataka | 13.065641428 821571- 77.568422555 92348 | 1696 | 07/09/2019 |
| 19 | EE/ OFC/pole/202 2-23/1696/W- 9/783 | W0691 | Doddabomma sandra, Bengaluru, Karnataka | 13.065118874 027517- 77.567904889 5836 | 1696 | 07/09/2019 |
| 20 | EE/ OFC/pole/202 2-23/1696/W- 9/784 | W0691 | Doddabomma sandra, Bengaluru, Karnataka | 13.065531692 406566- 77.568049728 8704 | 1696 | 07/09/2019 |
| 21 | EE/ OFC/pole/202 2-23/1696/W- 9/785 | W0691 | Doddabomma sandra, Bengaluru, Karnataka | 13.065792969 504963- 77.568143606 18593 | 1696 | 07/09/2019 |

| | | | | | | |
|----|--|-----------------|--|--|------|------------|
| 22 | EE/ OFC/pole/202 2-23/1696/W- 9/786 | W0687 | Doddabomma sandra, Bengaluru, Karnataka | 13.065205095 644735- 77.567636668 68211 | 1696 | 07/09/2019 |
| 23 | EE/ OFC/pole/202 2-23/1696/W- 9/787 | W0687 | Doddabomma sandra, Bengaluru, Karnataka | 13.065610075 565116- 77.567776143 55089 | 1696 | 07/09/2019 |
| 24 | EE/ OFC/pole/202 2-23/1696/W- 9/788 | W0687 | Doddabomma sandra, Bengaluru, Karnataka | 13.065934059 023123- 77.567888796 32951 | 1696 | 07/09/2019 |
| 25 | EE/ OFC/pole/202 2-23/1696/W- 9/789 | W0685 | Doddabomma sandra, Bengaluru, Karnataka | 13.065393215 432305- 77.567349672 31752 | 1696 | 07/09/2019 |
| 26 | EE/ OFC/pole/202 2-23/1696/W- 9/790 | W0685 | Doddabomma sandra, Bengaluru, Karnataka | 13.065905318 572263- 77.567526698 1125 | 1696 | 07/09/2019 |
| 27 | EE/ OFC/pole/202 2-23/1696/W- 9/791 | W0681 | Doddabomma sandra, Bengaluru, Karnataka | 13.065484662 499484- 77.567049264 90785 | 1696 | 07/09/2019 |
| 28 | EE/ OFC/pole/202 2-23/1696/W- 9/792 | W0681 | Doddabomma sandra, Bengaluru, Karnataka | 13.065952348 399206- 77.567218244 07578 | 1696 | 07/09/2019 |
| 29 | EE/ OFC/pole/202 2-23/1696/W- 9/793 | W0675 | Doddabomma sandra, Bengaluru, Karnataka | 13.065497726 363457- 77.566743493 08015 | 1696 | 07/09/2019 |
| 30 | EE/ OFC/pole/202 2-23/1696/W- 9/794 | W0675 | Doddabomma sandra, Bengaluru, Karnataka | 13.065939284 55929- 77.566874921 32187 | 1696 | 07/09/2019 |
| 31 | EE/ OFC/pole/202 2-23/1696/W- 9/795 | W0683 | Doddabomma sandra, Bengaluru, Karnataka | 13.064980396 821714- 77.566950023 1743 | 1696 | 07/09/2019 |
| 32 | EE/ OFC/pole/202 2-23/1696/W- 9/796 | W0675,W068 5 | Doddabomma sandra, Bengaluru, Karnataka | 13.065116261 250777- 77.567261159 42001 | 1696 | 07/09/2019 |
| 33 | EE/ OFC/pole/202 2-23/1696/W- 9/797 | W0689 | Doddabomma sandra, Bengaluru, Karnataka | 13.064865434 554125- 77.567432820 79698 | 1696 | 07/09/2019 |
| 34 | EE/ OFC/pole/202 2-23/1696/W- 9/798 | W0689 | Doddabomma sandra, Bengaluru, Karnataka | 13.064706054 958226- 77.567400634 2888 | 1696 | 07/09/2019 |



In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 34

| | | | |
|---------------------------------------|------------|---|--------|
| Pole Charges @ Rs 1500/- Pole | 51,000 | Worker Welfare Cess Amount @ Rs 7.39/- Pole | 251.26 |
| Junction Box Charges @ Rs 3000/- Pole | 102,000 | Total (C) | 251.26 |
| Supervision Charge @ Rs 100/- Pole | 3,400 | | |
| Sub Total (A) | 156,400 | GST @ 18% (B) | 28,152 |
| Grand Total (A + B + C) | 184,803.26 | | |

Total Amount Payable Rs: 184,803 In words (Rupees One Lakh Eighty-Four Thousand Eight Hundred and Three Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.

Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-1032

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-1032 1/2 ^ v x @RIL.COM

OFC/Pole/2022-23/W0489/1041 10-2022-1041 Pending ceofc01(ceofc01) Pole Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

Pole Details



10-2022-1032

OFC/Pole/2022-23/W0070/1008 10-2022-1016 Pending ceofc01(ceofc01) OFC Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

S. Y. J.
EXECUTIVE ENGINEER
OFC CELL

KRISHNA BENGALURU MAHANAGARA PALIKE
BENGALURU