



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1041/2022-23

Date: 22-11-2022

696
Permission for Regularization of Poles
(already installed)

To,
M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization of poles (already installed).

- Ref :-** 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
2) M/s. Jio Digital Fibre Private Limited online application Dated: 11-05-2022
3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
4) Fee Demand Note letter No: 10-2022-1041, Date: 19-10-2022.
5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 27-10-2022.

*_*_*_*

With reference to your application for the regularization of poles already installed, we have pleasure to inform you that permission has been accorded for regularization of the poles installed details of which are as mentioned below.

SL No.	UniquePoleId.	Street Id	Landmark or address	Coordinates	Permissi onLetter No.	Permission Letter Date
01	EE/ OFC/pole/202 2-23/3758/W-40/139	W0274	kanaka nilaya	13.037871858 672114- 77.490439563 61153	3758	07/08/2021
02	EE/ OFC/pole/202 2-23/3758/W-40/140	W0274	Venkatesh	13.037943219 714498- 77.490197233 62714	3758	07/08/2021
03	EE/ OFC/pole/202 2-23/3758/W-40/141	W0174	sheet home	13.038265422 631483- 77.490436548 22088	3758	07/08/2021
04	EE/ OFC/pole/202 2-23/3758/W-40/142	W0259, W017 2	Manjunatha Nilaya	13.038405654 377021- 77.490843566 33918	3758	07/08/2021

No: EE/OFC/PR/1041/2022-23, Dt: 22-11-2022


Executive Engineer (OFC), BBMP

05	EE/ OFC/pole/202 2-23/3758/W-40/143	W0248	mandara public school	13.037058734 745354- 77.490662923 8578	3758	07/08/2021
06	EE/ OFC/pole/202 2-23/3758/W-40/144	W0489	sri nivas building	13.036935851 662363- 77.490882917 6622	3758	07/08/2021
07	EE/ OFC/pole/202 2-23/3758/W-40/145	W0489	giri	13.036653481 79363- 77.490899014 76985	3758	07/08/2021
08	EE/ OFC/pole/202 2-23/3758/W-40/146	W0473	orange building	13.036527842 545473- 77.490432460 15376	3758	07/08/2021
09	EE/ OFC/pole/202 2-23/3758/W-40/147	W0248	Bagya Deepa Nilaya	13.036921052 072897- 77.490257728 03658	3758	07/08/2021
10	EE/ OFC/pole/202 2-23/3758/W-40/148	W0248	Birla	13.036842616 02587- 77.489962614 39655	3758	07/08/2021
11	EE/ OFC/pole/202 2-23/3758/W-40/149	W0467, W024 8	SK Super TMT	13.036852449 58476- 77.489530718 2363	3758	07/08/2021
12	EE/ OFC/pole/202 2-23/3758/W-40/150	W0467	Sree Ranga Nilaya	13.036385902 035724- 77.489559001 85439	3758	07/08/2021
13	EE/ OFC/pole/202 2-23/3758/W-40/151	W0439, W017 0,W0280	Lakshmi Venkateswar a nilaya	13.037812261 618601- 77.489477072 60292	3758	07/08/2021
14	EE/ OFC/pole/202 2-23/3758/W-40/152	W0170	bagiratha	13.037725982 276289- 77.489989497 19612	3758	07/08/2021
15	EE/ OFC/pole/202 2-23/3758/W-40/153	W0170	Chaitanya Nilaya	13.037626630 269038- 77.490153151 12376	3758	07/08/2021
16	EE/ OFC/pole/202 2-23/3758/W-40/154	W0467, W030 0,W0298	Smt Latha	13.035995899 843083- 77.489616834 70107	3758	07/08/2021

17	EE/ OFC/pole/202 2-23/3758/W-40/155	W0300	yellow building	13.036029775 79188- 77.490074167 39452	3758	07/08/2021
18	EE/ OFC/pole/202 2-23/3758/W-40/156	W0300	venkateshwar a nilaya	13.036053956 875392- 77.490966396 04134	3758	07/08/2021
19	EE/ OFC/pole/202 2-23/3758/W-40/157	W0513, W030 0	empty site	13.036045736 852156- 77.491737662 12515	3758	07/08/2021
20	EE/ OFC/pole/202 2-23/3758/W-40/158	W0517, W024 8	oh water supply	13.036345425 83087- 77.492264808 17451	3758	07/08/2021
21	EE/ OFC/pole/202 2-23/3758/W-40/159	W0509	nagaraju	13.037158317 444852- 77.492176340 87735	3758	07/08/2021
22	EE/ OFC/pole/202 2-23/3758/W-40/160	W0511	siddappa	13.037390649 797691- 77.492370107 76866	3758	07/08/2021
23	EE/ OFC/pole/202 2-23/3758/W-40/161	W0509, W024 8	nilaya	13.036546713 706786- 77.492064080 09378	3758	07/08/2021

01	No of Poles	23
02	Ward No	40
03	Zone Name	RR Nagar Zone

The locational details of poles are also given in the map enclosed with this permission letter.

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.

2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do the same at its own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at its own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to poles and resultant losses, if any during performance of official duties by any employee of corporation.
13. **Any dispute** arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlined in the MOU i.e, all the disputes shall be settled at the level of BBMP competent

authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. If any dispute arise it will be settled as per the MOU.

14. Operational and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operational and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:

22. Right-of-way (ROW) for Electrical lines.-

Sl No	Transmission Voltage	Width of the Right-of-way (ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**RR Nagar Zone**) for information.
4. Copy to Zonal Chief Engineer (**RR Nagar Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Kengeri Division**) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Herohalli Sub Division**) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1041 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1041

With reference to your Demand Note bearing Pole-OFC-10-2022-1041 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0226 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1041	23	105970	206521	19044	105970
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,


Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

SDA
for MA
27/10



1041

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206521

19/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1041 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1041

With reference to your Demand Note bearing Pole-OFC-10-2022-1041 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0226 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1041	23	105970	206521	19044	105970
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
 GHANSOLITHANE BELAPUR ROAD, THANE
 Thane-400701

We are pleased to send to you Demand Draft No. **206521**
 as per details mentioned below.

19/10/2022
 dated

PAYMENT REFERENCE

AXIS BANK LTD ISSUING BRANCH
 IFS CODE - UTIR000274

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 18/01/2023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 1 9 1 0 2 0 2 2
 दिनांक

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौंगे जाने पर
 RUPEES One Lac Five Thousand Nine Hundred Seventy Only
 रुपये

अदा करे ₹ 105,970.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206521

Client Reference 4200009020_217

For Axis Bank Ltd

Under CMS Arrangement
 Centralised Collections & Payment Hub
 Mumbai.

Authorized Signatory

Authorized Signatory

CODE NO.

Rudresha B
 SS No. 26187

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1041 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1041

With reference to your Demand Note bearing Pole-OFC-10-2022-1041 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0226

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1041	23	105970	206521	19044	105970
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206521**
as per details mentioned below.

19/10/2022
dated

PAYMENT REFERENCE

AXIS BANK LTD ISSUING BRANCH
IFS CODE - UTIB0000274

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 18012023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 1 9 1 0 2 0 2 2
दिनांक

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मांगे जाने पर
RUPEES One Lac Five Thousand Nine Hundred Seventy Only
रुपये

अदा करें

₹ 105,970.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206521

Client Reference 4200009020_217

For Axis Bank Ltd

[Signature]
SSMO: 24004
Authorised Signatory

[Signature]
Authorised Signatory

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

Rudresha B
SS No. 26187



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT
Pole Form

Application No. :10-2022-1041

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-1041

General Information

Segment ID

OFC/Pole/2022-23/W0489/1041

Street ID

78262

Street Name

NA

Zone

RR Nagara

Ward No.

40

Ward Name

Dodda Bidarakallu

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

11/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

23

No.Junction Box

23




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	21/05/2022

Date : 19/10/2022

Time : 09:32:56

20221019093256





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1041

Date: 19/10/2022

Demand Notice
GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited Dated (19/02/2014).

2)Your request letter No. : 10-2022-1041, dated : 11/05/2022

Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0489/1041)

Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/3758/W- 40/139	W0274	kanaka nilaya	13.037871858 672114- 77.490439563 61153	3758	07/08/2021
2	EE/ OFC/pole/202 2-23/3758/W- 40/140	W0274	Venkatesh	13.037943219 714498- 77.490197233 62714	3758	07/08/2021
3	EE/ OFC/pole/202 2-23/3758/W- 40/141	W0174	sheet home	13.038265422 631483- 77.490436548 22088	3758	07/08/2021
4	EE/ OFC/pole/202 2-23/3758/W- 40/142	W0259,W017 2	Manjunatha Nilaya	13.038405654 377021- 77.490843566 33918	3758	07/08/2021
5	EE/ OFC/pole/202 2-23/3758/W- 40/143	W0248	mandara public school	13.037058734 745354- 77.490662923 8578	3758	07/08/2021

6	EE/ OFC/pole/202 2-23/3758/W- 40/144	W0489	sri nivas building	13.036935851 662363- 77.490882917 6622	3758	07/08/2021
7	EE/ OFC/pole/202 2-23/3758/W- 40/145	W0489	giri	13.036653481 79363- 77.490899014 76985	3758	07/08/2021
8	EE/ OFC/pole/202 2-23/3758/W- 40/146	W0473	orange building	13.036527842 545473- 77.490432460 15376	3758	07/08/2021
9	EE/ OFC/pole/202 2-23/3758/W- 40/147	W0248	Bagya Deepa Nilaya	13.036921052 072897- 77.490257728 03658	3758	07/08/2021
10	EE/ OFC/pole/202 2-23/3758/W- 40/148	W0248	Birla	13.036842616 02587- 77.489962614 39655	3758	07/08/2021
11	EE/ OFC/pole/202 2-23/3758/W- 40/149	W0467,W024 8	SK Super TMT	13.036852449 58476- 77.489530718 2363	3758	07/08/2021
12	EE/ OFC/pole/202 2-23/3758/W- 40/150	W0467	Sree Ranga Nilaya	13.036385902 035724- 77.489559001 85439	3758	07/08/2021
13	EE/ OFC/pole/202 2-23/3758/W- 40/151	W0439,W017 0,W0280	Lakshmi Venkateswara nilaya	13.037812261 618601- 77.489477072 60292	3758	07/08/2021
14	EE/ OFC/pole/202 2-23/3758/W- 40/152	W0170	bagiratha	13.037725982 276289- 77.489989497 19612	3758	07/08/2021
15	EE/ OFC/pole/202 2-23/3758/W- 40/153	W0170	Chaitanya Nilaya	13.037626630 269038- 77.490153151 12376	3758	07/08/2021
16	EE/ OFC/pole/202 2-23/3758/W- 40/154	W0467,W030 0,W0298	Smt Latha	13.035995899 843083- 77.489616834 70107	3758	07/08/2021
17	EE/ OFC/pole/202 2-23/3758/W- 40/155	W0300	yellow building	13.036029775 79188- 77.490074167 39452	3758	07/08/2021
18	EE/ OFC/pole/202 2-23/3758/W- 40/156	W0300	venkateshwar a nilaya	13.036053956 875392- 77.490966396 04134	3758	07/08/2021
19	EE/ OFC/pole/202 2-23/3758/W- 40/157	W0513,W030 0	empty site	13.036045736 852156- 77.491737662 12515	3758	07/08/2021
20	EE/ OFC/pole/202 2-23/3758/W- 40/158	W0517,W024 8	oh water supply	13.036345425 83087- 77.492264808 17451	3758	07/08/2021
21	EE/ OFC/pole/202 2-23/3758/W- 40/159	W0509	nagaraju	13.037158317 444852- 77.492176340 87735	3758	07/08/2021

22	EE/ OFC/pole/202 2-23/3758/W- 40/160	W0511	siddappa	13.037390649 797691- 77.492370107 76866	3758	07/08/2021
23	EE/ OFC/pole/202 2-23/3758/W- 40/161	W0509,W024 8	nilaya	13.036546713 706786- 77.492064080 09378	3758	07/08/2021



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 23

Pole Charges @ Rs 1500/- Pole	34,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	169.97
Junction Box Charges @ Rs 3000/- Pole	69,000	Total (C)	169.97
Supervision Charge @ Rs 100/- Pole	2,300		
Sub Total (A)	1,05,800	GST @ 18% (B)	19,044
Grand Total (A + B + C)	1,25,013.97		

Total Amount Payable Rs: 1,25,014 In words (Rupees One Lakh Twenty-Five Thousand and Fourteen Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.

Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-1041

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-1041


1/2

COM

OFC/Pole/2022-23/W0139/1052 10-2022-1052 Pending ceofc01(ceofc01) Pole Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

Pole Details

10-2022-1041



OFC/Pole/2022-23/W0681/1031 10-2022-1032 Pending ceofc01(ceofc01) OFC Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

22/11/2022
 ASSISTANT EXECUTIVE ENGINEER
 OFC CELL
 BRUHAT BENGALURU MAHANAGARA PALIKE
 BENGALURU

22/11/2022
 EXECUTIVE ENGINEER
 OFC CELL
 BRUHAT BENGALURU MAHANAGARA PALIKE
 BENGALURU