



**BRUHAT BENGALURU MAHANAGARA PALIKE**

Office of the Chief Engineer (OFC-Cell ), 3<sup>rd</sup>Floor, Annexe II Building,  
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1065/2022-23

Date: 31-10-2022

**Permission for Regularization for Poles**

To,  
M/s. Jio Digital Fibre Private Limited ,  
RMZ ICON, No-51, Palace Road Cross,  
Vasanth Nagar, Bengaluru-52.

Sir,

**Sub :-** Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
  - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 13-05-2022
  - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
  - 4) Fee Demand Note letter No: 10-2022-1065, Date: 19-10-2022.
  - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 27-10-2022.

\*\_\*\_\*\_\*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

SI No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from Old Madras Road via Street ID No-W0109 up to Road end.	25 Poles
02	From Old Madras Road via Street ID No-W0107 up to Road end.	
03	From Old Madras Road via Street ID No-W0106	
04	From Old Madras Road via Street ID No-W0101	
05	From Battarahalli Road via 1 <sup>st</sup> Cross Road	
06	From Battarahalli Road via 2 <sup>nd</sup> Cross Road	
07	From Battarahalli Road via Street ID No-W0162, W0037, W0038, W0021, W0052, W0027, W0020, W0013 up to W0022.	
08	From Street ID No-W0037 via W0150 up to Road end.	
09	From Street ID No-W0037 via W0154 up to Road end.	
10	From Street ID No-W0037 via W0148 up to Road end.	
11	From Street ID No-W0037 via W0146 up to Road end.	
12	From Street ID No-W0037 via W0068 up to Road end.	
13	From Street ID No-W0037 via W0066 up to Road end.	
14	From Street ID No-W0038 via W0023 up to W0028.	
15	From Street ID No-W0038 via W0021 up to W0028.	
16	From Street ID No-W0028 via W0035 up to Road end.	
17	From Street ID No-W0011 via W0026 up to Road end.	

No: EE/OFC/PR/1065/2022-23, Dt: 31-10-2022

Executive Engineer (OFC), BBMP

18	From Street ID No-W0028 via W0028 up to Road end.	<b>25 Poles</b>
19	From Street ID No-W0028 via W0030 up to Road end.	
20	From Street ID No-W0028 via W0032 up to Road end.	
21	From Street ID No-W0028 via W0034 up to Road end.	
22	From Street ID No-W0022 via W0011 up to W0026.	
23	From Street ID No-W0022 via W0017 up to W0026.	
24	From Street ID No-W0022 via W0019 up to W0020.	
25	From Street ID No-W0022 via W0027	
26	From Street ID No-W0022 via W0050 up to W0031.	
27	From Street ID No-W0022 via W0046 up to W0031.	
28	From Street ID No-W0022 via W0044 up to W0031.	
29	From Street ID No-W0034 via W0015 up to W0022.	
30	From Street ID No-W0005 via W0002 up to Road end.	
31	From Street ID No-W0005 via W0004 up to Road end.	
32	From Street ID No-W0034 via W0006 up to Road end for total No of <b>25 Poles, in Ward No-53, Mahadevapura Zone.</b> <b>Ref: As per drawing enclosed &amp; demand note GIS co-ordinates</b>	

**Special Condition:**

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

**Conditions for Regularization of Poles**

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.

9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do the same at its own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at its own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to poles and resultant losses, if any during performance of official duties by any employee of corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlined in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. If any dispute arise it will be settled as per the MOU.
14. Operational and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operational and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.

19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way (ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way (ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**Mahadevapura** Zone) for information.
4. Copy to Zonal Chief Engineer (**Mahadevapura** Zone) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**K.R Pura** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**K.R Pura** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy



# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1065 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-1065

With reference to your Demand Note bearing Pole-OFC-10-2022-1065 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1530 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1065	25	115185	206305	20700	115185
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.



Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**206305**

dated 19/10/2022

PAYMENT REFERENCE



# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1065 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1065

With reference to your Demand Note bearing Pole-OFC-10-2022-1065 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on \_\_\_\_\_BGLR1530\_\_\_\_\_

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1065	25	115185	206305	20700	115185
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

*Ab*

Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**206305**

dated 19/10/2022

**PAYMENT REFERENCE**

ISSUING BRANCH - Centralised Collection and Payment Hub (CCPH)

Valid Until: 18012023

DATE दिनांक 

D9	D1	M0	M2	Y0	Y2	Y
----	----	----	----	----	----	---

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर

RUPEES One Lac Fifteen Thousand One Hundred Eighty Five Only



रुपये

अदा करें ₹ 115,185.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206305

Client Reference 4200009020\_1

For Axis Bank Ltd  
  
Authorised Signatory  
  
Authorised Signatory

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

Please sign above  
**Rudresha E**  
No. 26187

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1065 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-1065

With reference to your Demand Note bearing Pole-OFC-10-2022-1065 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1530.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1065	25	115185	206305	20700	115185
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**206305**

dated 19/10/2022

PAYMENT REFERENCE



AXIS BANK LTD  
IFS CODE - UTIB0000274

ISSUING BRANCH - Centralised Collection and Payment Hub (CCPH)

Valid Until: 18/01/2023

DATE	D9	D1	M0	M2	Y0	Y2	Y
दिनांक							

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या अके आदेश पर

मांगे जाने पर

RUPEES One Lac Fifteen Thousand One Hundred Eighty Five Only

रुपये

₹ 115,185.00

Payable at par at all Branches of AXIS Bank Ltd .

DD Sr. No. 206305

Client Reference 4200009020\_1

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

For Axis Bank Ltd

*Mehman Arif*  
19/10/2022  
Authorised Signatory

*Rudresha B*  
Authorised Signatory

Use sign above  
Rudresha B  
No. 26183



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

**BBMP ENGINEERING DEPARTMENT**  
**Pole Form**

Application No. :10-2022-1065

PR Number(To be Assigned by AE/JE-  
OFC, BBMP)

CE-POLE-10-2022-1065

**General Information**

**Segment ID**

OFC/Pole/2022-23/W0037/1065

**Street ID**

9491

**Street Name**

NA

**Zone**

Mahadevapura

**Ward No.**

53

**Ward Name**

Basavanapura

**Service Provider Category**

Telecom

**Organization**

M/s. Jio Digital Fibre Private Limited

**Year of Incorporation**

2009-10

**Registered Office Address**

101, Saffron, Nr Centra Point, Panchwati 5  
Rasta, Ambawadi, Ahmedabad, Gujarat,  
India

**Pin Code**

380006

**Official Phone No.**

9845117017

**Previous Relevant Exp.**

10

**Fax**

08035485012

**Official Phone No.**

www.jio.com

**Penalized Details**

No

**Vat Reg No.**

0

**GST**

29AAECJ4213B1Z0

**Turnover for Last 3 Years**

60

**TAN**

AHMJ08610A

**Application Submission Date**

13/05/2022

**Name of the Authorized Person**

Babu Veerabhadre

**Designation**

DGM

**Email ID**

babu.veerabhadre@ril.com

**Local Address**

No 51, RMZ Icon, Palace Cross Road,  
Vasanthanagar, Bangalore 560052

**Purpose**

Ftx BGLR1530 OFC

**Phone No.**

9845117017

**Mobile No.**

9845117017

**Attachments**


**Pole Related Information**

**No.of Poles**

25

**No.Junction Box**

25




**Status of My Application**

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	21/05/2022

Date : 19/10/2022

Time : 04:41:02

20221019044102





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -  
560002

No. : Pole-OFC-10-2022-1065

Date: 19/10/2022

**Demand Notice**  
**GST No.: 29AAALBI608FIZK**

**To**

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

**Sub:-** Permission for Poles(Regularization)**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-1065, dated : 13/05/2022

Details of Poles added on BBMP GIS Map


(Pole Id:-OFC/Pole/2022-23/W0037/1065)

Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/7897/W- 53/1	W0052,W003 1	siva temple opp	13.032791485 750286- 77.719940543 17476	7897	25/03/2019
2	EE/ OFC/pole/202 2-23/7897/W- 53/2	W0031	akasha deepa homes opp	13.032004935 854514- 77.719935178 75673	7897	25/03/2019
3	EE/ OFC/pole/202 2-23/7897/W- 53/3	W0027	shiva temple opp	13.032982243 321861- 77.719170749 18748	7897	25/03/2019
4	EE/ OFC/pole/202 2-23/7897/W- 53/4	W0027	SAI SUDHA CHICKEN CENTER OPP	13.031947447 059801- 77.719170749 18748	7897	25/03/2019
5	EE/ OFC/pole/202 2-23/7897/W- 53/5	W0022	SBR PROVISION STORE OPP	13.031814177 52981- 77.718710750 34143	7897	25/03/2019


6	EE/ OFC/pole/202 2-23/7897/W- 53/6	W0019	SCOOTER GARAGE OPP	13.032854200 584573- 77.718870341 77782	7897	25/03/2019
7	EE/ OFC/pole/202 2-23/7897/W- 53/7	W0019	AKASHA DEEPA HOMES OPP	13.032140818 407118- 77.718856930 73274	7897	25/03/2019
8	EE/ OFC/pole/202 2-23/7897/W- 53/8	W0017	NERE BY SHIVA TEMPLE	13.032859426 820043- 77.718551158 90504	7897	25/03/2019
9	EE/ OFC/pole/202 2-23/7897/W- 53/9	W0017	OM SRI PROVISION STORE OPP	13.032091169 021548- 77.718567252 15913	7897	25/03/2019
10	EE/ OFC/pole/202 2-23/7897/W- 53/10	W0013	MM FUNCTION HALL OPP	13.032459619 487762- 77.718269526 95848	7897	25/03/2019
11	EE/ OFC/pole/202 2-23/7897/W- 53/11	W0034,W001 5	SRI LADIES TAILOR AND PARLOR OPP	13.031290244 662479- 77.718314453 95948	7897	25/03/2019
12	EE/ OFC/pole/202 2-23/7897/W- 53/12	W0032	AKRIDDI COLLECTION SAREES OPP	13.030964909 231704- 77.718133404 85096	7897	25/03/2019
13	EE/ OFC/pole/202 2-23/7897/W- 53/13	W0038	DM RAMYA OPP	13.030951843 542818- 77.719184160 23256	7897	25/03/2019
14	EE/ OFC/pole/202 2-23/7897/W- 53/14	W0038	WINTER FELL OPP	13.030814653 767942- 77.719858735 79979	7897	25/03/2019
15	EE/ OFC/pole/202 2-23/7897/W- 53/15	W0038	krishna maruthi building opp	13.030656558 790229- 77.720580250 0248	7897	25/03/2019
16	EE/ OFC/pole/202 2-23/7897/W- 53/16	W0028	satsang vihar OPP	13.030312930 515244- 77.718545794 48701	7897	25/03/2019
17	EE/ OFC/pole/202 2-23/7897/W- 53/17	W0026	PATANJALI AROGYA OPP	13.029995433 244112- 77.717931568 6226	7897	25/03/2019
18	EE/ OFC/pole/202 2-23/7897/W- 53/18	W0026	AKRAM PUSHA BUILDING OPP	13.029893520 453475- 77.718596756 4583	7897	25/03/2019
19	EE/ OFC/pole/202 2-23/7897/W- 53/19	W0026	nestaway homes opp	13.029770702 41929- 77.719534188 509	7897	25/03/2019
20	EE/ OFC/pole/202 2-23/7897/W- 53/20	W0066	aditya homes opp	13.029572102 915921- 77.720224186 77808	7897	25/03/2019
21	EE/ OFC/pole/202 2-23/7897/W- 53/21	W0068	sree om sakthi temple opp	13.029287269 139616- 77.720180600 88159	7897	25/03/2019



22	EE/ OFC/pole/202 2-23/7897/W- 53/22	W0146	medplus seegehalli opp	13.029018113 98566- 77.720066606 99846	7897	25/03/2019
23	EE/ OFC/pole/202 2-23/7897/W- 53/23	W0064	water prakesh store opp	13.029760249 817809- 77.720325440 1684	7897	25/03/2019
25	EE/ OFC/pole/202 2-23/7897/W- 53/24	W0037	radiant lake opp	13.030834252 311857- 77.721158266 06752	7897	25/03/2019
26	EE/ OFC/pole/202 2-23/7897/W- 53/25	W0037	digitque technologies opp	13.031120390 876447- 77.721208557 48655	7897	25/03/2019



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.



**Total No.of Poles 25**

<b>Pole Charges @ Rs 1500/- Pole</b>	<b>37,500</b>	<b>Worker Welfare Cess Amount @ Rs 7.39/- Pole</b>	<b>184.75</b>
<b>Junction Box Charges @ Rs 3000/- Pole</b>	<b>75,000</b>	<b>Total (C)</b>	<b>184.75</b>
<b>Supervision Charge @ Rs 100/- Pole</b>	<b>2,500</b>		
<b>Sub Total (A)</b>	<b>1,15,000</b>	<b>GST @ 18% (B)</b>	<b>20,700</b>
<b>Grand Total (A + B + C)</b>	<b>1,35,884.75</b>		

**Total Amount Payable Rs: 1,35,885 In words (Rupees One Lakh Thirty-Five Thousand Eight Hundred and Eighty-Five Only)**

**Note:**The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)  
Bruhat Bangalore Mahanagara Palike

**Copy to**

No.: 10-2022-1065

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



# BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

BABU.VEERABHADRE@RIL.COM

OFC/Pole/2022-23/W0754/1074 10-2022-1074 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

## Pole Details

10-2022-1065



OFC/Pole/2022-23/W0193/1053 10-2022-1053 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

ASSISTANT EXECUTIVE ENGINEER

EXECUTIVE ENGINEER

BRUHAT BENGALURU MAHANAGARA PALIKE  
BENGALURU

BRUHAT BENGALURU MAHANAGARA PALIKE  
BENGALURU