



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1069/2022-23

Date: 20-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 13-05-2022
 - 3) Fee Demand Note letter No: 10-2022-1069, Date: 19-10-2022.
 - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 19-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 1st Main Road via 7th Cross Road, 12th Main Road up to Pushpanjali Theater Road.	43 Poles
02	From 1st Main Road via 6th Cross Road	
03	From 1st Main Road via Street ID No-W0017, W0022 up to W0019.	
04	From 1st Main Road via W0005, W0007	
05	From 4th Cross Road via Street ID No-W0030	
06	From 4th Cross Road via Street ID No-W0028	
07	From 4th Cross Road via Street ID No-W0026	
08	From 4th Cross Road via Street ID No-W0024	
09	From 7th Cross Road via 2nd Main Road up to Pushpanjali Theater Road.	
10	From Pushpanjali Theater Road via 3rd Main Road up to 8th Cross Road.	
11	From Pushpanjali Theater Road via 4th Main Road up to 6th Main Road.	
12	From Pushpanjali Theater Road via 5th Main Road	
13	From Pushpanjali Theater Road via 6th Main Road	
14	From 7th Cross road via W0004 No of 43 Poles, in Ward No-107, West Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

No: EE/OFC/PR/1069/2022-23, Dt: 20-10-2022

Executive Engineer (OFC), BBMP

AL

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**West Zone**) for information.
4. Copy to Zonal Chief Engineer (**West Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Rajaji Nagar Division**) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Rajaji Nagar Sub Division**) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

केनरा बैंक  Canara Bank

1069

जमा पर्ची / DEPOSIT / PAY IN SLIP

शाखा/ Branch Sec Extn

दिनांक/ Date 20/10/2022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

बचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

8401132000011

नाम/Name Comm: Honer BRMP

टेलिफोन / मोबाइल नं

Tel No./Mobile No.

राशि /Amount 1,98,118.00

राशि शब्दों में Rupees in words One lakh ninety eight thousand one hundred eighteen only.

चेक नं. / दिनांक तथा बैंक/शाखा का नाम Cheque No./Date / Name of Bank & Branch	₹	₹/P.
<u>206158 Dt: 18/10/22</u>	<u>1,98,118.00</u>	<u>001</u>

कुल/Total 1,98,118.00

अधिकारी / (रोक बियर) / कनेरा बैंक टोल फ्री 24 घंटे कॉल सेंटर
BRUNAL BENGALURU / Canara Bank / Toll No.

एस डब्ल्यू ओ / SWO / PANGALURU 1800 425 0018

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1069 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1069

With reference to your Demand Note bearing Pole-OFC-10-2022-1069 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0427

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1069	43	198118	206158	35604	198118
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Ab.

Authorized Signatory.



1069

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206158

18/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1069 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)

Bruhat Bengaluru Mahanagar Palike

4th floor Annex Building, N R Square

Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :-

Pole-OFC-10-2022-1069

With reference to your Demand Note bearing Pole-OFC-10-2022-1069 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0427

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1069	43	198118	206158	35604	198118
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Ab.

Authorized Signatory.



1069

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREA BELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE
Thane-400701

We are pleased to send to you Demand Draft No. **206158**
as per details mentioned below.

18/10/2022
dated

PAYMENT REFERENCE

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17/10/2023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 08 10 2022
दिनांक 08 10 2022

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौजे जाने पर
RUPEES One Lac Ninety Eight Thousand One Hundred Eighteen Only
रुपये

₹ 198,118.00
अदा करें

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206158

Client Reference 4200008920 22

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

Madhusree
551012000
Authorised Signatory

Rudresha B
26/10/22
Authorised Signatory
Please align above

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1069 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)

Bruhat Bengaluru Mahanagar Palike

4th floor Annex Building, N R Square

Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :-

Pole-OFC-10-2022-1069

With reference to your Demand Note bearing Pole-OFC-10-2022-1069 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0427

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1069	43	198118	206158	35604	198118
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

1069

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREA RELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE
Thane-400701

We are pleased to send to you Demand Draft No. **206158**
as per details mentioned below.

18/10/2022
dated

PAYMENT REFERENCE

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17012023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 18 10 2022
दिनांक 18 10 2022

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर
RUPEES One Lac Ninety Eight Thousand One Hundred Eighteen Only

रुपये

₹ 198,118.00
अदा करें

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206158

Client Reference 4200008920 22

For Axis Bank Ltd
Authorized Signatory
Rudresha E
26102

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-1069

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-1069

General Information

Segment ID

OFC/Pole/2022-23/W0022/1069

Street ID

18286

Street Name

NA

Zone

West

Ward No.

107

Ward Name

Shivanagara

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

13/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

43

No.Junction Box

43




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	27/05/2022

Date : 19/10/2022

Time : 10:17:41

20221019101741





Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1069

Date: 19/10/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-1069, dated : 13/05/2022

Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0022/1069)

Sr No.	Unique Poleld.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/3889/W- 107/142	W0002	pl0701 #356	12.991997349 390104- 77.546433806 41939	3889	07/08/2021
2	EE/ OFC/pole/202 2-23/3889/W- 107/143	W0002,W000 3	pl0802 #373/a1	12.992103851 465378- 77.547105699 7776	3889	07/08/2021
3	EE/ OFC/pole/202 2-23/3889/W- 107/144	W0006,W000 3	pl0803 #370	12.992391341 50185- 77.547060772 7766	3889	07/08/2021
4	EE/ OFC/pole/202 2-23/3889/W- 107/145	W0006,W000 3	bglrbd042135 9 #365	12.992386441 106294- 77.547027245 16392	3889	07/08/2021
5	EE/ OFC/pole/202 2-23/3889/W- 107/146	W0006	pl0101 #338	12.992324042 727695- 77.546655759 21535	3889	07/08/2021

6	EE/ OFC/pole/202 2-23/3889/W- 107/147	W0006	BGLR0427JC 0102 #333/A	12.992243022 820055- 77.546154186 12957	3889	07/08/2021
7	EE/ OFC/pole/202 2-23/3889/W- 107/148	W0008	PL0301 #325/A	12.992655962 718517- 77.546893805 26544	3889	07/08/2021
8	EE/ OFC/pole/202 2-23/3889/W- 107/149	W0008	PL0302 #328	12.992578863 232637- 77.546607479 4531	3889	07/08/2021
9	EE/ OFC/pole/202 2-23/3889/W- 107/150	W0014	BGLR040694 9 #288	12.992832376 706291- 77.546413689 85178	3889	07/08/2021
10	EE/ OFC/pole/202 2-23/3889/W- 107/151	W0014	BGLR0427JC 0205 #309	12.992806241 308616- 77.546416372 06078	3889	07/08/2021
11	EE/ OFC/pole/202 2-23/3889/W- 107/152	W0014	PL0201 #305	12.992824536 087276- 77.546809315 68147	3889	07/08/2021
12	EE/ OFC/pole/202 2-23/3889/W- 107/153	W0016	PL0404 #247	12.993095037 300328- 77.546211183 07115	3889	07/08/2021
13	EE/ OFC/pole/202 2-23/3889/W- 107/154	W0016	PL0405 #250 VENKATESH WARA NILAYA	12.993100917 758213- 77.546476721 76363	3889	07/08/2021
14	EE/ OFC/pole/202 2-23/3889/W- 107/155	W0016	PL0403 #257	12.993100264 374014- 77.546747624 87413	3889	07/08/2021
16	EE/ OFC/pole/202 2-23/3889/W- 107/156	W0016	PL0401 #254/A	12.993099610 989804- 77.546588703 99	3889	07/08/2021
17	EE/ OFC/pole/202 2-23/3889/W- 107/157	W0016	PL0403 #257	12.993098957 605605- 77.547131180 76326	3889	07/08/2021
18	EE/ OFC/pole/202 2-23/3889/W- 107/158	W0016,W000 5	PL0402 #259 MARUTHI NILAYA	12.993110391 828957- 77.547264620 66175	3889	07/08/2021
19	EE/ OFC/pole/202 2-23/3889/W- 107/159	W0005	PL0904 #268	12.992936918 269544- 77.547269985 07977	3889	07/08/2021
20	EE/ OFC/pole/202 2-23/3889/W- 107/160	W0014,W000 7,W0005	PL0902 #374/K	12.992829763 16665- 77.547234445 81033	3889	07/08/2021
21	EE/ OFC/pole/202 2-23/3889/W- 107/161	W0007	PL0901 #374/H	12.992520058 523946- 77.547281384 46809	3889	07/08/2021
22	EE/ OFC/pole/202 2-23/3889/W- 107/162	W0007	PL0903 #270	12.991990815 518978- 77.547377943 99263	3889	07/08/2021

23	EE/ OFC/pole/202 2-23/3889/W- 107/163	W0016	PL0504 #259 SRI MARYTHI NILAYA	12.993096344 068762- 77.547347098 58896	3889	07/08/2021
24	EE/ OFC/pole/202 2-23/3889/W- 107/164	W0016	PL0505 #262 SRI MATHRU NILAYA	12.993096344 068762- 77.547545582 05606	3889	07/08/2021
25	EE/ OFC/pole/202 2-23/3889/W- 107/165	W0013	PL0501 #SHREE SHAMBAVI ENGLISH NURSERY	12.991999962 938511- 77.547664940 35722	3889	07/08/2021
26	EE/ OFC/pole/202 2-23/3889/W- 107/166	W0013	PL0606 #374	12.992000616 32561- 77.547626718 87876	3889	07/08/2021
27	EE/ OFC/pole/202 2-23/3889/W- 107/167	W0013	PL0605 #SHREE SIDLINGESH WARA DEVASTANA	12.991837269 497806- 77.547664940 35722	3889	07/08/2021
28	EE/ OFC/pole/202 2-23/3889/W- 107/168	W0004,W001 3	PL0604 #SRI SAGANNI RANGANATH A NILAYA	12.991675882 726415- 77.547672986 98427	3889	07/08/2021
29	EE/ OFC/pole/202 2-23/3889/W- 107/169	W0020,W001 3	BGLRBD0821 263 #SRI SAGANI RANGANATH A NILAYA	12.991564153 361697- 77.547679021 95454	3889	07/08/2021
30	EE/ OFC/pole/202 2-23/3889/W- 107/170	W0004	PL0602 #15/6	12.991651707 371055- 77.547449022 53151	3889	07/08/2021
31	EE/ OFC/pole/202 2-23/3889/W- 107/171	W0058,W007 3	PL0603 #DHODDAM MA DEVASTANA	12.991428901 958226- 77.548099458 21764	3889	07/08/2021
32	EE/ OFC/pole/202 2-23/3889/W- 107/172	W0058	PL0703 #116 JAI NILAYA	12.991426288 403801- 77.547077536 58295	3889	07/08/2021
33	EE/ OFC/pole/202 2-23/3889/W- 107/173	W0058	PL0704 #SREE ARCADE	12.991479212 875367- 77.546553164 72054	3889	07/08/2021
34	EE/ OFC/pole/202 2-23/3889/W- 107/174	W0030	PL6201 #81/4 SRI RAGHVENDR A NILAYA	12.991895420 980832- 77.548312693 8343	3889	07/08/2021
35	EE/ OFC/pole/202 2-23/3889/W- 107/175	W0030	PL6202 #NEXT TO EB POLE NUMBER 10000473854	12.991945078 416219- 77.548643946 64766	3889	07/08/2021
36	EE/ OFC/pole/202 2-23/3889/W- 107/176	W0030,W002 1	PL6204 #81/5 SRI RAGHVENDR A NILAYA	12.991967946 968654- 77.548786774 27769	3889	07/08/2021

37	EE/ OFC/pole/202 2-23/3889/W- 107/177	W0028,W002 1	BGLRBD0117 347 #81/19A GR ENGINEERIN G	12.992224074 61203- 77.548757940 53079	3889	07/08/2021
38	EE/ OFC/pole/202 2-23/3889/W- 107/178	W0028	PL6205 #81/15	12.992188138 351464- 77.548385113 4777	3889	07/08/2021
39	EE/ OFC/pole/202 2-23/3889/W- 107/179	W0032,W002 6,W0021	BGLRBD0346 241 #SIDLINGES HWARA NILAYA	12.992471054 58938- 77.548733800 64966	3889	07/08/2021
40	EE/ OFC/pole/202 2-23/3889/W- 107/180	W0026	PL5404 #81/32	12.992444919 153664- 77.548299282 78924	3889	07/08/2021
41	EE/ OFC/pole/202 2-23/3889/W- 107/181	W0022,W001 9	PL5405/BGL RBD0428956 #202/B	12.992908169 344032- 77.548657357 69273	3889	07/08/2021
42	EE/ OFC/pole/202 2-23/3889/W- 107/182	W0022,W001 7	BGLR0427JC 5402 #202/1 SRI VEEBADRA SWAMY PRASANNA	12.992933651 346366- 77.548430711 03097	3889	07/08/2021
43	EE/ OFC/pole/202 2-23/3889/W- 107/183	W0022,W001 7	PL5402 #203 SRI GANDHA	12.992935284 807968- 77.548373378 81327	3889	07/08/2021
44	EE/ OFC/pole/202 2-23/3889/W- 107/184	W0022,W001 5	PL5401 #212 CHANDRA	12.992933324 654038- 77.548148073 25603	3889	07/08/2021



In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 43

Pole Charges @ Rs 1500/- Pole	64,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	317.77
Junction Box Charges @ Rs 3000/- Pole	1,29,000	Total (C)	317.77
Supervision Charge @ Rs 100/- Pole	4,300		
Sub Total (A)	1,97,800	GST @ 18% (B)	35,604
Grand Total (A + B + C)	2,33,721.77		

Total Amount Payable Rs: 2,33,722 In words (Rupees Two Lakh Thirty-Three Thousand Seven Hundred and Twenty-Two Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-1069

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

OFC/Pole/2022-23/W0038/1079 10-2022-1079 Pending ceofc01(ceofc01) Demand note approved [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

Pole Details



OFC/Pole/2022-23/W0221/1056 10-2022-1056 Pending ceofc01(ceofc01) Pole Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

EXECUTIVE ENGINEER
 OFC CELL
 BIRUHAT BENGALURU MAHANAGARA PALIKE