



**BRUHAT BENGALURU MAHANAGARA PALIKE**

Office of the Chief Engineer (OFC-Cell), 3<sup>rd</sup> Floor, Annexe II Building,  
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1072/2022-23

Date: 21-10-2022

260

**Permission for Regularization for Poles**

To,

M/s. Jio Digital Fibre Private Limited,  
RMZ ICON, No-51, Palace Road Cross,  
Vasanth Nagar, Bengaluru-52.

Sir,

**Sub :-** Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
  - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 13-05-2022
  - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
  - 4) Fee Demand Note letter No: 10-2022-1072, Date: 17-10-2022.
  - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 21-10-2022.

\*\_\*\_\*\_\*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 5th Main via Street ID No-W0053	16 Poles
02	From Street ID No-W0053 via W0028 up to Shankar Matt Road.	
03	From Shankar Matt Road via 3rd Cross	
04	From Street ID No-W0049 via 3rd Cross, W0057.	
05	From Bull Temple Road via Street ID No-W0038	
06	In Street ID No-W0025	
07	From Street ID No-W0027 via W0028, W0031 for total No of 16 Poles, in Ward No-143, South Zone.	
Ref: As per drawing enclosed & demand note GIS co-ordinates		

**Special Condition:**

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

No: EE/OFC/PR/1072/2022-23, Dt: 21-10-2022

Executive Engineer (OFC), BBMP

### Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.

13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be refereed to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. –No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.


25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**South Zone**) for information.
4. Copy to Zonal Chief Engineer (**South Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Chickepete** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Kempegowda Nagar** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

1072

केनरा बैंक  Canara Bank जमा पत्ती / DEPOSIT / PAY IN SLIP

शाखा / Branch BCC Extension

दिनांक / Date 20/10/2022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

बचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

3401132000010

नाम / Name Commissioner BBMP

टेलिफोन / मोबाइल नं. \_\_\_\_\_  
Tel No. / Mobile No. \_\_\_\_\_

राशि / Amount 73,718 ₹ 00/- पै/P.

राशि शब्दों में Seventy three thousand  
Rupees in words Seven hundred and thirty one only

चेक नं. / दिनांक / बचत/विकास/संचयन/क्रेडिट कार्ड का नाम Cheque No. / Date / A/c. No. / Credit Card Name	₹	पै/P.
<u>2062977-1840081</u>	<u>73,718</u>	<u>00/-</u>
<u>F. J. Road</u>		
<u>560 002</u>		

EXCISE  
B.B.M.  
BANGALURU

अधिकारी / विक्रयिका /  
BRUHAT BANGALURU  
ऑफिस / क्लर्क का  
Officer / Cashier / SW

केनरा बैंक टोल फ्री 24 घंटे कॉल सेंटर  
Canara Bank Toll Free No.  
1800 425 0018

BANGALURU

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1072 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-1072

With reference to your Demand Note bearing Pole-OFC-10-2022-1072 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0850 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1072	16	73718	206239	13248	73718
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.





1072

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**206239**

18/10/2022  
dated

PAYMENT REFERENCE

---

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1072 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-1072

With reference to your Demand Note bearing Pole-OFC-10-2022-1072 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0850


Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1072	16	73718	206239	13248	73718
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



1078

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**206239**

18/10/2022  
dated

**PAYMENT REFERENCE**

**AXIS BANK LTD** ISSUING BRANCH  
IFS CODE - UTIB0000274  
PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17012023

DATE 18 10 2022  
दिनांक 18 10 2022

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या वनके आदेश पर

माँगे जाने पर

RUPEES **Seventy Three Thousand Seven Hundred Eighteen Only**  
रुपये

अदा करे

₹ **73,718.00**

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. **206239**

Client Reference **4200008920\_103**

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

**For Axis Bank Ltd**  
Rudresha B  
5620124504  
Authorised Signatory

**Rudresha B**  
CS. No. 26782 above

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1072 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-1072

With reference to your Demand Note bearing Pole-OFC-10-2022-1072 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0850 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1072	16	73718	206239	13248	73718
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

  
Authorized Signatory.

1072

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**206239**

18/10/2022  
dated

**PAYMENT REFERENCE**

**AXIS BANK LTD** ISSUING BRANCH  
IFS CODE - UTIB0000274

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17/01/2023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 18 10 2022  
दिनांक 18 10 2022

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर

RUPEES Seventy Three Thousand Seven Hundred Eighteen Only

रुपये

अदा करें

₹ 73,718.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206239

Client Reference 4200008920\_103

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

For Axis Bank Ltd  
Authorised Signatory

Rudresh B  
CS. No. 267702



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT  
Pole Form

Application No. :10-2022-1072

PR Number(To be Assigned by AE/JE-  
OFC, BBMP)

CE-POLE-10-2022-1072

General Information

Segment ID

OFC/Pole/2022-23/W0047/1072

Street ID

33760

Street Name

NA

Zone

South

Ward No.

143

Ward Name

Vishveshwara Puram

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5  
Rasta, Ambawadi, Ahmedabad, Gujarat,  
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

13/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,  
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

16

No.Junction Box

16




**Status of My Application**

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	24/05/2022

Date : 17/10/2022

Time::08:27:55

20221017082755





Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -  
560002

No. : Pole-OFC-10-2022-1072

Date: 17/10/2022

### Demand Notice

**GST No.: 29AAALBI608FIZK**

To

Babu Veerabhadre


M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)


Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).  
2)Your request letter No. : 10-2022-1072, dated : 13/05/2022

Details of Poles added on BBMP GIS Map (Pole Id:-OFC/Pole/2022-23/W0047/1072)



Sr No.	Unique Poleld.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/5959/W- 143/1	W0025	HAMSAGIRI	12.955752631 136846- 77.568183839 32115	5959	25/02/2022
2	EE/ OFC/pole/202 2-23/5959/W- 143/2	W0038,W002 5	ANMOL	12.955208933 238842- 77.568250894 54652	5959	25/02/2022
3	EE/ OFC/pole/202 2-23/5959/W- 143/3	W0038	ANAND BAKERY	12.955167110 274443- 77.567574977 87477	5959	25/02/2022
4	EE/ OFC/pole/202 2-23/5959/W- 143/4	W0025	LAXMI RESIDENCY	12.954474416 405281- 77.568307220 93584	5959	25/02/2022
5	EE/ OFC/pole/202 2-23/5959/W- 143/5	W0031	ASHOK SHISHU VIHARA	12.955901625 065172- 77.569165527 82059	5959	25/02/2022

6	EE/ OFC/pole/202 2-23/5959/W- 143/6	W0031	SANKRITHI RESIDENCY	12.954691373 560188- 77.569205760 95582	5959	25/02/2022
7	EE/ OFC/pole/202 2-23/5959/W- 143/7	W0028	SUMITHRA REDDY	12.956372131 622027- 77.570021152 49635	5959	25/02/2022
8	EE/ OFC/pole/202 2-23/5959/W- 143/8	W0028	15/2	12.956413954 384066- 77.570699751 37712	5959	25/02/2022
9	EE/ OFC/pole/202 2-23/5959/W- 143/9	W0028	SHRI RANGA NILAYA	12.956434865 762446- 77.571292519 56941	5959	25/02/2022
10	EE/ OFC/pole/202 2-23/5959/W- 143/10	W0053	SHRINAI CARGO	12.956941966 150682- 77.571662664 41347	5959	25/02/2022
11	EE/ OFC/pole/202 2-23/5959/W- 143/11	W0053	MOHAN KRUPA	12.955969587 178304- 77.571659982 20445	5959	25/02/2022
12	EE/ OFC/pole/202 2-23/5959/W- 143/12	W0034	ESVAR NILAYA	12.955972201 105363- 77.570318877 697	5959	25/02/2022
13	EE/ OFC/pole/202 2-23/5959/W- 143/13	W0034	PARVATHI NILAYA	12.955993112 52084- 77.570866048 33604	5959	25/02/2022
14	EE/ OFC/pole/202 2-23/5959/W- 143/14	W0034,W004- 9	SHRI KANTESHW RA NILAYA	12.955938220 051461- 77.571386396 88493	5959	25/02/2022
15	EE/ OFC/pole/202 2-23/5959/W- 143/15	W0034,W005 7	MOHAN PROJECTS	12.955872871 857869- 77.571866512 2986	5959	25/02/2022
16	EE/ OFC/pole/202 2-23/5959/W- 143/16	W0034,W005 3	MOHAN PROJECTS	12.955917308 631378- 77.571685463 1901	5959	25/02/2022



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form

of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

**Total No.of Poles 16**


Pole Charges @ Rs 1500/- Pole	24,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	118.24
Junction Box Charges @ Rs 3000/- Pole	48,000	Total (C)	118.24
Supervision Charge @ Rs 100/- Pole	1,600		
Sub Total (A)	73,600	GST @ 18% (B)	13,248
Grand Total (A + B + C)	86,966.24		

**Total Amount Payable Rs: 86,966 In words (Rupees Eighty-Six Thousand Nine Hundred and Sixty-Six Only)**

**Note:**The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)  
Bruhat Bangalore Mahanagara Palike

**Copy to**

No.: 10-2022-1072

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



# BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

## Pole Details



EXECUTIVE ENGINEER

OFC CELL

BRIHAT BENGALURU MALLANAGAR 1 BALKRISHNA

BENGALURU