



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rd Floor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1073/2022-23

Date: 21-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 13-05-2022
 - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 4) Fee Demand Note letter No: 10-2022-1073, Date: 17-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 21-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from Basavanagudi Main Road via 5th Main up to Ranga Rao Road.	35 Poles
02	From Basavanagudi Main Road via Street ID No-W0200 up to W0191.	
03	From Basavanagudi Main Road via Street ID No-W0206 up to Ranga Rao Road.	
04	From Ranga Rao Road via Street ID No-W0180 up to W0189.	
05	From Ranga Rao Road via Street ID No-W0184 up to W0189.	
06	From Ranga Rao Road via Street ID No-W0189, W0191	
07	From Ranga Rao Road via 3rd cross up to Shankar Mutt Road.	
08	From 5th Main via Street ID No-W0201	
09	From Street ID No-w0166 via W0201 up to W0204.	
10	From Shankar Mutt Road via 3rd cross	
11	From Shankar Mutt Road via 1st cross up to Pampamahakavi Road.	
12	From Pampamahakavi Road via 2nd Cross	
13	From Pampamahakavi Road via 3rd Cross	
14	From Pampamahakavi Road via Street ID No-W0176	
15	From Street ID No-W0215 via W0186	
16	From 1st Cross via Uttaradi Matt Road up to 3rd Cross for total No of 35 Poles, in Ward No-142, South Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

No: EE/OFC/PR/1073/2022-23, Dt: 21-10-2022


Executive Engineer (OFC), BBMP

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be refereed to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;


		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**South Zone**) for information.
4. Copy to Zonal Chief Engineer (**South Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Chickepete** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Kempegowda Nagar** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

1073

केनरा बँक  Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP

शाखा / Branch BCC Extension

दिनांक / Date 21 10 2022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

बचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

8401132000010

नाम / Name Commissioner BBMP

टेलिफोन / मोबाइल नं
Tel No./Mobile No. _____ ₹ पै/P.

राशि / Amount 1,61,259.00

राशि शब्दों में
Rupees in words One lakh sixty one thousand two hundred fifty nine

चेक नं. / दिनांक तथा बैंक व शाखा का नाम Cheque No./Date / Name of Bank & Branch	₹	पै/P.
<u>206913 DE 18/10/22</u>	<u>1,61,259.00</u>	<u>00</u>
कुल / Total	<u>1,61,259.00</u>	<u>00</u>

अधिकारी / रोक डिया / एस डब्ल्यू ओ
Officer/Cashier/SWO

केनरा बँक टोल फ्री 24 घंटे कॉल सेंटर
Canara Bank Toll Free No.
1800 425 0018

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1073 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru – 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1073

With reference to your Demand Note bearing Pole-OFC-10-2022-1073, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0850.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1073	35	161259	206213	28980	161259
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Ab.

Authorized Signatory.



S. Y. J.



1673

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206213

18/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1073 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1073

With reference to your Demand Note bearing Pole-OFC-10-2022-1073 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0850 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1073	35	161259	206213	28980	161259
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



1073

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREA RELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206213**
as per details mentioned below.

18/10/2022
dated

PAYMENT REFERENCE

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17012023

Payee
Hogehabie

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 1 8 1 0 2 2
दिनांक

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर
RUPEES One Lac Sixty One Thousand Two Hundred Fifty Nine Only
रुपये

अदा करें ₹ 161,259.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206213

Client Reference 4200008920_77

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd
Authorized Signatory
Please sign above

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1073 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru – 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1073

With reference to your Demand Note bearing Pole-OFC-10-2022-1073 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0850 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1073	35	161259	206213	28980	161259
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

1073

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREA RELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206213

18/10/2022
dated

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17/01/2023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE | 18 | 10 | 2022 | 11 | 55
दिनांक

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर
RUPEES One Lac Sixty One Thousand Two Hundred Fifty Nine Only

रुपये

₹ 161,259.00

अदा करें

Payable at par at all Branches of AXIS Bank Ltd .

DD Sr. No. 206213

Client Reference 4200008920_77

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai:

CODE NO.

For Axis Bank Ltd


5510:24004
Authorised Signatory


Authorised Signatory

Rudresha B
cc No. 26182
Please sign above



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-1073

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-1073

General Information

Segment ID

OFC/Pole/2022-23/W0047/1073

Street ID

33499

Street Name

NA

Zone

South

Ward No.

142

Ward Name

Sunkenahalli

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

13/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

35

No.Junction Box


35



Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	21/05/2022

Date : 17/10/2022



20221017084045



Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1073

Date: 17/10/2022

Demand Notice
GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre


M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-1073, dated : 13/05/2022


Details of Poles added on BBMP GIS Map (Pole Id:-OFC/Pole/2022-23/W0047/1073)



Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/5955/W- 142/1	W0206	PUTTANASH ETTY COMPLEX	12.950378334 41847- 77.568044364 45238	5955	31/03/2022
2	EE/ OFC/pole/202 2-23/5955/W- 142/2	W0200	HOSTEL	12.950901131 018634- 77.567701041 69847	5955	31/03/2022
3	EE/ OFC/pole/202 2-23/5955/W- 142/3	W0200	N:12.95099 E:77.56804	12.950901131 018634- 77.567953169 34587	5955	31/03/2022
4	EE/ OFC/pole/202 2-23/5955/W- 142/4	W0187,W020 0	N:12.95097 E:77.56823	12.950911586 939444- 77.568175792 6941	5955	31/03/2022
5	EE/ OFC/pole/202 2-23/5955/W- 142/5	W0189	PADMA NILAYA	12.951457908 19153- 77.568588852 8824	5955	31/03/2022

6	EE/ OFC/pole/202 2-23/5955/W- 142/6	W0189	#8996	12.951619974 552663- 77.568277716 63667	5955	31/03/2022
7	EE/ OFC/pole/202 2-23/5955/W- 142/7	W0201	LAXMI NILAYA	12.951076267 63439- 77.569417655 468	5955	31/03/2022
8	EE/ OFC/pole/202 2-23/5955/W- 142/8	W0192	MANJUNATH NILAYA	12.951808180 517146- 77.569806575 77516	5955	31/03/2022
9	EE/ OFC/pole/202 2-23/5955/W- 142/9	W0190	SHRI RANGANATH A	12.951941492 989295- 77.568816840 64867	5955	31/03/2022
10	EE/ OFC/pole/202 2-23/5955/W- 142/10	W0190	HEMAVATHA M	12.951950641 88182- 77.568354159 5936	5955	31/03/2022
11	EE/ OFC/pole/202 2-23/5955/W- 142/11	W0184	N:12.95097 E:77.56823	12.952146689 498209- 77.568807452 9171	5955	31/03/2022
12	EE/ OFC/pole/202 2-23/5955/W- 142/12	W0201	RAMA MANOR	12.953562148 710176- 77.569275498 39021	5955	31/03/2022
13	EE/ OFC/pole/202 2-23/5955/W- 142/13	W0201,W017 0	ARVIND NILAYA	12.953326892 888748- 77.569294273 85332	5955	31/03/2022
14	EE/ OFC/pole/202 2-23/5955/W- 142/14	W0201	KASTHURI RATNA	12.952542705 212695- 77.569323778 15248	5955	31/03/2022
15	EE/ OFC/pole/202 2-23/5955/W- 142/15	I0164	N:12.95397 E:77.56831	12.953930715 717041- 77.567832469 940197	5955	31/03/2022
16	EE/ OFC/pole/202 2-23/5955/W- 142/16	W0025,I0164, W0193	12.95396 77.56876	12.953959469 148547- 77.568323314 18993	5955	31/03/2022
17	EE/ OFC/pole/202 2-23/5955/W- 142/17	I0172	12.95323 77.56979	12.953146529 94185- 77.569897770 88167	5955	31/03/2022
18	EE/ OFC/pole/202 2-23/5955/W- 142/18	I0172	LIKITHA NILAYA	12.953146529 94185- 77.570509314 53706	5955	31/03/2022
19	EE/ OFC/pole/202 2-23/5955/W- 142/19	I0172,W0215	RANGADOR E MEMORIAL	12.953201423 026464- 77.571241557 59813	5955	31/03/2022
20	EE/ OFC/pole/202 2-23/5955/W- 142/20	I0172	SANKARA YOGA	12.953209264 89471- 77.572164237 49925	5955	31/03/2022
21	EE/ OFC/pole/202 2-23/5955/W- 142/21	W0176	VIMALASHR EE	12.952895589 972403- 77.571700215 33967	5955	31/03/2022

22	EE/ OFC/pole/202 2-23/5955/W- 142/22	W0176	HARI KRUPA	12.952872064 337306- 77.571204006 67192	5955	31/03/2022
23	EE/ OFC/pole/202 2-23/5955/W- 142/23	W0178	MAHILA SEVA SAMAJA	12.952589756 542872- 77.572150826 45418	5955	31/03/2022
24	EE/ OFC/pole/202 2-23/5955/W- 142/24	W0178	KANCHANA NILAYA	12.952550547 101666- 77.571737766 26588	5955	31/03/2022
25	EE/ OFC/pole/202 2-23/5955/W- 142/25	W0178,W021 5	PRAKASHA NILAYA	12.952532249 36033- 77.571246922 01614	5955	31/03/2022
26	EE/ OFC/pole/202 2-23/5955/W- 142/26	W0205,W017 8	GAYITHRI LADIES WARE	12.952490425 946518- 77.570418119 43056	5955	31/03/2022
27	EE/ OFC/pole/202 2-23/5955/W- 142/27	W0178	KARUNA SAGARA	12.952500881 800626- 77.570774853 22954	5955	31/03/2022
28	EE/ OFC/pole/202 2-23/5955/W- 142/28	W0178	MAHILA SEVA SAMAJA	12.952563616 916088- 77.572150826 45418	5955	31/03/2022
29	EE/ OFC/pole/202 2-23/5955/W- 142/29	W0178	SRENIVASA	12.952537477 286569- 77.571796774 86421	5955	31/03/2022
30	EE/ OFC/pole/202 2-23/5955/W- 142/30	W0215	LALITHA NILAYA	12.952464286 309315- 77.571252286 43419	5955	31/03/2022
31	EE/ OFC/pole/202 2-23/5955/W- 142/31	W0186	SHIYAL NIVASA	12.952192433 919818- 77.571201324 4629	5955	31/03/2022
32	EE/ OFC/pole/202 2-23/5955/W- 142/32	W0192,W021 5	RATNA KIRAN	12.951912739 324857- 77.571303248 40547	5955	31/03/2022
33	EE/ OFC/pole/202 2-23/5955/W- 142/33	W0192	GANESH KRUPA	12.951907511 385514- 77.572129368 78206	5955	31/03/2022
34	EE/ OFC/pole/202 2-23/5955/W- 142/34	W0192	SHRI SARADA KRUPA	12.951839548 164061- 77.570739984 51234	5955	31/03/2022
35	EE/ OFC/pole/202 2-23/5955/W- 142/35	W0192	POPULAR HOSPITAL	12.951797724 633956- 77.570214271 54542	5955	31/03/2022



In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 35


Pole Charges @ Rs 1500/- Pole	52,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	258.65
Junction Box Charges @ Rs 3000/- Pole	1,05,000	Total (C)	258.65
Supervision Charge @ Rs 100/- Pole	3,500		
Sub Total (A)	1,61,000	GST @ 18% (B)	28,980
Grand Total (A + B + C)	1,90,238.65		

Total Amount Payable Rs: 1,90,239 In words (Rupees One Lakh Ninety Thousand Two Hundred and Thirty-Nine Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-1073

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

OFC/Pole/2022-23/W0030/1092 10-2022-1096 Pending ceofc01(ceofc01) Pole Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

Pole Details

10-2022-1073

The map displays a grid of streets including Bull Temple Rd, 1st Cross Rd, 2nd Cross Rd, 3rd Cross Rd, 4th Cross Rd, Utaradi Mutt Rd, Pampa Mahakavi Rd, and New High School Rd. Numerous blue location pins are scattered across the map, indicating the positions of poles. Key landmarks labeled include:

- Handy Washing Machine (Appliance store)
- Shell (Fuel station)
- Padma Printers
- More Hypermart Bulltemple, Bangalore...
- Manjunath & Co
- Sri Shaneshwara Swami Temple
- Udayabaanu Kala Sangha Playground
- IDFC FIRST Bank
- Spiders Basavanagudi
- Cadence Architects
- Brahmin Coffee Bar
- BEO Government Office (Zone-1)
- Popular Hospital
- Sri Shankara Cancer Foundation
- Karnataka Jain Association
- Mahila Seva Samaja Senior Secondary School
- Basavanagudi Aquatic Centre
- National College
- Sri Subramanya Swamy Temple Trust
- Sri Satyanaarayana Swami Kalyana Mantapa
- More Supermarket
- Visveswarapura College of Science

OFC/Pole/2022-23/W0192/1074 10-2022-1075 Pending ceofc01(ceofc01) Pole Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

S. J. S.
EXECUTIVE ENGINEER
OFC CELL

19 October 2022
Wednesday

16:00

BENGALURU