



**BRUHAT BENGALURU MAHANAGARA PALIKE**

Office of the Chief Engineer (OFC-Cell ), 3<sup>rd</sup>Floor, Annexe II Building,  
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1085/2022-23

Date: 21-10-2022

**282**  
**Permission for Regularization for Poles**

To,

M/s. Jio Digital Fibre Private Limited ,  
RMZ ICON, No-51, Palace Road Cross,  
Vasanth Nagar, Bengaluru-52.

Sir,

**Sub :-** Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
  - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 14-05-2022
  - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
  - 4) Fee Demand Note letter No: 10-2022-1085, Date: 17-10-2022.
  - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 21-10-2022.

\*\_\*\_\*\_\*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 8th Main Road via 1st Cross Road	36 Poles
02	From 8th Main Road 2nd Cross Road, 4th Main Road up to 3rd Cross Road.	
03	From 8th Main Road via Street ID No-W0044	
04	From 8th Main Road via 4th Cross Road	
05	From 8th Main Road via 5th Cross Road up to 4th Main road.	
06	From 8th Main Road via 7th Cross Road up to 4th Main Road.	
07	From 5th Main Road via 4th Cross up to 4th Main.	
08	From 5th Cross Road via 5th Main Road up to 4th Cross.	
09	From 3rd Cross Road via Street ID No-W0043	
10	From 3rd Cross Road via Street ID No-W0021	
11	From Street ID No-W0020, W0025	
12	From 8th Main Road via 3rd cross Road, 4th Cross up to Byarasandra Main Road for total No of 36 Poles, in Ward No-169, South Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates	

**Special Condition:**

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

**Conditions for Regularization of Poles**

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way (ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way (ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)


24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

**Copy to:-**

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**South Zone**) for information.
4. Copy to Zonal Chief Engineer (**South Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Jayanagar** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Jayanagar** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

केनरा बैंक  Canara Bank 1085  
जमा पर्ची / DEPOSIT / PAY IN SLIP

शाखा/ Branch BCL Extension

दिनांक/ Date 20102022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

बचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

8401132000010

नाम/Name Commissioner BBMP

टेलिफोन / मोबाइल नं  
Tel No./Mobile No.

राशि /Amount 1,60,866 ₹ 00/- पै/P.

राशि शब्दों में  
Rupees in words One lakh sixty five

thousand eight hundred sixty six

चेक नं. / दिनांक तथा बैंक व शाखा का नाम  
Cheque No. / Date / Name of Bank & Branch

306243 DT. 18/10/2022 ₹ 1,60,866 पै/P. 00/-

EXECUTIVE

B.B. BANGALURU

अधिकारी के तौर पर  
Officer/Cashier/SWO

केनरा बैंक टोल फ्री 24 घंटे कॉल सेंटर  
Canara Bank Toll Free No.

1800 425 0018

BRUNAL BENDRUKU  
एस डब्ल्यू ओ  
OFFICER/CASHIER/SWO

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1085 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-1085

With reference to your Demand Note bearing Pole-OFC-10-2022-1085 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0830 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1085	36	165866	206243	29808	165866
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



1085

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**206243**

18/10/2022  
dated

PAYMENT REFERENCE

---

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1085 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-1085

With reference to your Demand Note bearing Pole-OFC-10-2022-1085, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0830.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1085	36	165866	206243	29808	165866
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.





MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**206243**

18/10/2022  
dated

**PAYMENT REFERENCE**

**AXIS BANK LTD** ISSUING BRANCH  
IF'S CODE - UTIB0000274  
PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17012023

DATE 18/10/2022  
दिनांक 18/10/2022

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर  
RUPEES One Lac Sixty Five Thousand Eight Hundred Sixty Six Only  
रुपये

अदा करें

₹ 165,866.00

Payable at par at all Branches of AXIS Bank Ltd .

DD Sr. No. 206243

Client Reference 4200008920\_107

For Axis Bank Ltd  
Authorized Signatory  
Rudresha R

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

Rudresha R  
CS No. 28/182

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1085 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-1085

With reference to your Demand Note bearing Pole-OFC-10-2022-1085 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0830 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1085	36	165866	206243	29808	165866
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**206243**

18/10/2022  
dated

**PAYMENT REFERENCE**

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17/01/2023

DATE 18 10 2022  
दिनांक 18 10 2022

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर

RUPEES One Lac Sixty Five Thousand Eight Hundred Sixty Six Only

रुपये

₹ 165,866.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206243

Client Reference 4200008920\_107

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

For Axis Bank Ltd  
Authorized Signatory

Rudresh B  
CC No. 25/82



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-1085

PR Number(To be Assigned by AE/JE-  
OFC, BBMP)

CE-POLE-10-2022-1085

General Information

Segment ID

OFC/Pole/2022-23/W0022/1085

Street ID

26848

Street Name

NA

Zone

South

Ward No.

169

Ward Name

Byrasandra

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5  
Rasta, Ambawadi, Ahmedabad, Gujarat,  
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

14/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,  
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

36

No.Junction Box

36




**Status of My Application**

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	21/05/2022

Date : 17/10/2022

Time : 08:11:49

20221017081149





Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -  
560002

No. : Pole-OFC-10-2022-1085

Date: 17/10/2022

**Demand Notice**  
**GST No.: 29AAALBI608FIZK**

To

Babu Veerabhadre


M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

**Sub:-** Permission for Poles(Regularization)

**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).  
2)Your request letter No. : 10-2022-1085, dated : 14/05/2022

Details of Poles added on BBMP GIS Map (Pole Id:-OFC/Pole/2022-23/W0022/1085)



Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/4345/W- 169/44	W0022	CANTEEN	12.936144775 653412- 77.592527568 34032	4345	28/12/2021
2	EE/ OFC/pole/202 2-23/4345/W- 169/45	W0022	WALL	12.936225813 824931- 77.591291069 98445	4345	28/12/2021
3	EE/ OFC/pole/202 2-23/4345/W- 169/46	W0022	WALL	12.936157846 328022- 77.592243254 18474	4345	28/12/2021
4	EE/ OFC/pole/202 2-23/4345/W- 169/47	W0022	WALL	12.936204900 750935- 77.591586112 97607	4345	28/12/2021
5	EE/ OFC/pole/202 2-23/4345/W- 169/48	W0022	WALL	12.936178759 405964- 77.591891884 80379	4345	28/12/2021

6	EE/ OFC/pole/202 2-23/4345/W- 169/49	W0024	CAR WORLD	12.935763111 652925- 77.592653632 16402	4345	28/12/2021
7	EE/ OFC/pole/202 2-23/4345/W- 169/50	W0024	CAR WORLD	12.935778796 486368- 77.592377364 63547	4345	28/12/2021
8	EE/ OFC/pole/202 2-23/4345/W- 169/51	W0047	H.191	12.935614105 68601- 77.591274976 73036	4345	28/12/2021
9	EE/ OFC/pole/202 2-23/4345/W- 169/52	W0020	UDUPI HOTEL	12.935370990 496287- 77.592672407 62712	4345	28/12/2021
10	EE/ OFC/pole/202 2-23/4345/W- 169/53	W0020	H.15/1	12.935459871 345822- 77.591422498 22618	4345	28/12/2021
11	EE/ OFC/pole/202 2-23/4345/W- 169/54	W0020	H.15	12.935386675 354385- 77.592377364 63547	4345	28/12/2021
12	EE/ OFC/pole/202 2-23/4345/W- 169/55	W0020,W004 2	HOUSE	12.935418045 067628- 77.591891884 80379	4345	28/12/2021
13	EE/ OFC/pole/202 2-23/4345/W- 169/56	W0049	PARK	12.935350077 350625- 77.591229379 17711	4345	28/12/2021
14	EE/ OFC/pole/202 2-23/4345/W- 169/57	W0049	PARK	12.935329164 203209- 77.591242790 22217	4345	28/12/2021
15	EE/ OFC/pole/202 2-23/4345/W- 169/58	W0038,W004 9	WATER PLANT	12.934863846 21964- 77.591213285 92302	4345	28/12/2021
16	EE/ OFC/pole/202 2-23/4345/W- 169/59	W0049	H:55	12.935049450 68793- 77.591202557 08696	4345	28/12/2021
17	EE/ OFC/pole/202 2-23/4345/W- 169/60	W0049	H.53	12.934686084 064213- 77.591191828 2509	4345	28/12/2021
18	EE/ OFC/pole/202 2-23/4345/W- 169/61	RI- S202,W0053, W0049	HOUSE	12.934492636 868784- 77.591191828 2509	4345	28/12/2021
19	EE/ OFC/pole/202 2-23/4345/W- 169/62	W0020,W002 5	WALL	12.935525224 891435- 77.590507864 9521	4345	28/12/2021
20	EE/ OFC/pole/202 2-23/4345/W- 169/63	W0020,W002 3,W0021	WALL	12.935540909 739839- 77.590092122 5548	4345	28/12/2021
21	EE/ OFC/pole/202 2-23/4345/W- 169/64	W0021	H.2	12.935350077 350625- 77.590089440 34578	4345	28/12/2021

22	EE/ OFC/pole/202 2-23/4345/W- 169/65	W0017	HOUSE	12.934929199 921406- 77.589504718 78052	4345	28/12/2021
23	EE/ OFC/pole/202 2-23/4345/W- 169/66	W0021	H.1965	12.935133103 360892- 77.590043842 79253	4345	28/12/2021
24	EE/ OFC/pole/202 2-23/4345/W- 169/67	W0021	H.120	12.934908286 738699- 77.589987516 40321	4345	28/12/2021
25	EE/ OFC/pole/202 2-23/4345/W- 169/68	W0021	H.15	12.934654714 258924- 77.589939236 64094	4345	28/12/2021
26	EE/ OFC/pole/202 2-23/4345/W- 169/69	W0046	HOUSE	12.934275662 133286- 77.592640221 11894	4345	28/12/2021
27	EE/ OFC/pole/202 2-23/4345/W- 169/70	W0046	HOUSE	12.934278276 287856- 77.592412233 35268	4345	28/12/2021
28	EE/ OFC/pole/202 2-23/4345/W- 169/71	W0046	HOUSE	12.934280890 442388- 77.592200338 84048	4345	28/12/2021
29	EE/ OFC/pole/202 2-23/4345/W- 169/72	W0046,W006 7	HOUSE	12.934265205 514764- 77.591814100 74235	4345	28/12/2021
30	EE/ OFC/pole/202 2-23/4345/W- 169/73	W0046,W005 3	TRADERS	12.934296575 369034- 77.591210603 71399	4345	28/12/2021
31	EE/ OFC/pole/202 2-23/4345/W- 169/74	W0048,W006 7	H.29	12.933988104 96416- 77.591792643 07024	4345	28/12/2021
32	EE/ OFC/pole/202 2-23/4345/W- 169/75	W0048	H:63	12.933980262 491264- 77.592058181 76271	4345	28/12/2021
33	EE/ OFC/pole/202 2-23/4345/W- 169/76	W0048	TEMPLE	12.933990719 12172- 77.592323720 45518	4345	28/12/2021
34	EE/ OFC/pole/202 2-23/4345/W- 169/77	W0050	H.95	12.933729303 228546- 77.591741681 09894	4345	28/12/2021
35	EE/ OFC/pole/202 2-23/4345/W- 169/78	W0050,W006 9	H.74	12.933718846 587123- 77.592114508 15202	4345	28/12/2021
36	EE/ OFC/pole/202 2-23/4345/W- 169/79	W0050,W007 1	HOUSE	12.933708389 945256- 77.592396140 09859	4345	28/12/2021





In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

**Total No. of Poles 36**


Pole Charges @ Rs 1500/- Pole	54,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	266.04
Junction Box Charges @ Rs 3000/- Pole	1,08,000	Total (C)	266.04
Supervision Charge @ Rs 100/- Pole	3,600		
Sub Total (A)	1,65,600	GST @ 18% (B)	29,808
Grand Total (A + B + C)	1,95,674.04		

**Total Amount Payable Rs: 1,95,674 In words (Rupees One Lakh Ninety-Five Thousand Six Hundred and seventy-Four Only)**

**Note:** The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)  
Bruhat Bangalore Mahanagara Palike

**Copy to**

No.: 10-2022-1085

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

# BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

OFC/Pole/2022-23/W0002/1103    10-2022-1103    Pending    ceofc01(ceofc01)    Pole Work Created    [Demand Notice](#)    [Permission Letter](#)    [View/Submit](#)

## Pole Details



OFC/Pole/2022-23/W0148/1084    10-2022-1084    Pending    ceofc01(ceofc01)    Pole Work Created    [Demand Notice](#)    [Permission Letter](#)    [View/Submit](#)

EXECUTIVE ENGINEER

OFC CELL

BHUBANESHWAR, BANGALORE

BENGALURU