



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1087/2022-23

Date: 21-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

Ref :- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
2) M/s. Jio Digital Fibre Private Limited online application Dated: 14-05-2022
3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
4) Fee Demand Note letter No: 10-2022-1087, Date: 17-10-2022.
5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 21-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from Byrasandra Main Road via 4th Main Road, 10th Cross, 15th Main up to Byrasandra Main Road.	36 Poles
02	From Byrasandra Main Road via 2nd Main Road	
03	From Byrasandra Main Road 1st Cross Road, Street ID No-W0053 back to Byrasandra Main Road.	
04	From Street ID No-W0053 via W0039 up to w0036.	
05	From Road end of Street ID No-W0015	
06	From Byrasandra Main Road via Street ID No-W0013, W0012 up to W0015.	
07	From Byrasandra Main Road via Street ID No-W0009 up to W0006.	
08	From 4th Main Road via 18th Cross Road up to 15th Main Road.	
09	From 4th Main Road via 19th Cross Road up to 15th Main Road.	
10	From 4th Main Road via 20th Cross Road	
11	From 4th Main Road via 21st Cross Road	
12	From 4th Main Road via 10th Cross Road	
13	From 15th Main Road via 21st Cross Road	
14	From 15th Main Road via 20th Cross Road for total No of 36 Poles, in Ward No-169, South Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates	

No: EE/OFC/PR/1087/2022-23, Dt: 21-10-2022


Executive Engineer (OFC), BBMP

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way (ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way (ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. –No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)


24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**South Zone**) for information.
4. Copy to Zonal Chief Engineer (**South Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Jayanagar** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Jayanagar** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

केनरा बैंक  Canara Bank जमा पर्चा / DEPOSIT / PAY IN SLIP
 शाखा/ Branch BCC Extension

दिनांक/ Date 2010 20 22

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.
 बचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.
8401132000000000

नाम/Name Commissioner BBMP
 टेलिफोन / मोबाइल नं.
 Tel No./Mobile No.

राशि /Amount 1,65,866.00/- ₹/P.
 राशि शब्दों में One lakh sixty five thousand eight hundred sixty six
 Rupees in words

चेक नं. / दिनांक तथा बैंक शाखा का नाम Cheque No./Date & Bank & Branch	₹/P.
<u>206949 21/09/10</u>	<u>1,65,866.00/-</u>
<u>EXECUTED</u>	<u>866.00/-</u>

अधिकारी / रोफंडिया / एम डब्ल्यू ओ
 Officer/Cashier/SWO
 कर्नाटक टोल फ्री 24 घंटे कॉल सेंटर
 Canara Bank Toll Free No.
 1800 425 0018
 BANGALURU MANANAGARA PALIKE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1087 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1087

With reference to your Demand Note bearing Pole-OFC-10-2022-1087, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0830

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1087	36	165866	206244	29808	165866
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206244

18/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1087 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1087

With reference to your Demand Note bearing Pole-OFC-10-2022-1087 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0830 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1087	36	165866	206244	29808	165866
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1087 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1087

With reference to your Demand Note bearing Pole-OFC-10-2022-1087 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0830 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1087	36	165866	206244	29808	165866
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT
Pole Form

Application No. :10-2022-1087

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-1087

General Information

Segment ID

OFC/Pole/2022-23/W0012/1086

Street ID

26847

Street Name

NA

Zone

South

Ward No.

169

Ward Name

Byrasandra

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

14/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 5th, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

36

No.Junction Box


36



Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	21/05/2022

Date : 17/10/2022



20221017081517



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1087

Date: 17/10/2022

Demand Notice
GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).
2)Your request letter No. : 10-2022-1087, dated : 14/05/2022

Details of Poles added on BBMP GIS Map (Pole Id:-OFC/Pole/2022-23/W0012/1086)

Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/4348/W- 169/80	W0009	HOUSE	12.934921357 478103- 77.587809562 68312	4348	28/12/2021
2	EE/ OFC/pole/202 2-23/4348/W- 169/81	W0012	HOUSE	12.933938435 965013- 77.587772011 75691	4348	28/12/2021
3	EE/ OFC/pole/202 2-23/4348/W- 169/82	W0012,W001 1	HOUSE	12.933891381 114584- 77.588072419 16658	4348	28/12/2021
4	EE/ OFC/pole/202 2-23/4348/W- 169/83	W0012	H.442	12.933875696 162481- 77.588431835 17456	4348	28/12/2021
5	EE/ OFC/pole/202 2-23/4348/W- 169/84	W0013	HOUSE	12.933959349 229015- 77.588474750 51881	4348	28/12/2021

6	EE/ OFC/pole/202 2-23/4348/W- 169/85	W0012,W001 3	HOUSE	12.933943664 281175- 77.588506937 02699	4348	28/12/2021
7	EE/ OFC/pole/202 2-23/4348/W- 169/86	W0013	H.1152	12.934246906 431296- 77.588523030 28108	4348	28/12/2021
8	EE/ OFC/pole/202 2-23/4348/W- 169/87	W0013	HOUSE	12.934466495 344392- 77.588533759 11714	4348	28/12/2021
9	EE/ OFC/pole/202 2-23/4348/W- 169/88	W0012,W001 5	H.137	12.933917522 699254- 77.588898539 54317	4348	28/12/2021
10	EE/ OFC/pole/202 2-23/4348/W- 169/89	W0015	HOUSE	12.934225993 191388- 77.588952183 72345	4348	28/12/2021
11	EE/ OFC/pole/202 2-23/4348/W- 169/90	W0014	H.427	12.933567225 23722- 77.588501572 60896	4348	28/12/2021
12	EE/ OFC/pole/202 2-23/4348/W- 169/91	W0014	HOUSE	12.933609051 82572- 77.588104605 67476	4348	28/12/2021
13	EE/ OFC/pole/202 2-23/4348/W- 169/92	W0014	H.436	12.933619508 471734- 77.587772011 75691	4348	28/12/2021
14	EE/ OFC/pole/202 2-23/4348/W- 169/93	W0016	SNACK TIME	12.933384233 83015- 77.587460875 51118	4348	28/12/2021
15	EE/ OFC/pole/202 2-23/4348/W- 169/94	W0016	HOUSE	12.933342407 203966- 77.587670087 81435	4348	28/12/2021
16	EE/ OFC/pole/202 2-23/4348/W- 169/95	W0016	H:407	12.933311037 229727- 77.588158249 85506	4348	28/12/2021
17	EE/ OFC/pole/202 2-23/4348/W- 169/96	W0016	HOUSE	12.933279667 251554- 77.588383555 4123	4348	28/12/2021
18	EE/ OFC/pole/202 2-23/4348/W- 169/97	W0016	H.397	12.933263982 26098- 77.588673233 98592	4348	28/12/2021
19	EE/ OFC/pole/202 2-23/4348/W- 169/98	W0018	HOUSE 382	12.933044392 289498- 77.587444782 2571	4348	28/12/2021
20	EE/ OFC/pole/202 2-23/4348/W- 169/99	W0018	H 1403	12.933023478 948792- 77.587632536 88814	4348	28/12/2021
21	EE/ OFC/pole/202 2-23/4348/W- 169/100	W0018	HOUSE	12.933002565 606344- 77.587820291 51918	4348	28/12/2021

22	EE/ OFC/pole/202 2-23/4348/W- 169/101	W0018	H,376	12.933013022 277791- 77.588131427 7649	4348	28/12/2021
23	EE/ OFC/pole/202 2-23/4348/W- 169/102	W0018	HOUSE	12.932986880 598353- 77.588346004 4861	4348	28/12/2021
24	EE/ OFC/pole/202 2-23/4348/W- 169/103	W0018	H.369	12.932960738 916194- 77.588641047 47772	4348	28/12/2021
25	EE/ OFC/pole/202 2-23/4348/W- 169/104	I0080	TEMPLE	12.932798660 425595- 77.587031722 0688	4348	28/12/2021
26	EE/ OFC/pole/202 2-23/4348/W- 169/105	I0080	GOVINDA TAILOR	12.932704550 28596- 77.588029503 82234	4348	28/12/2021
27	EE/ OFC/pole/202 2-23/4348/W- 169/106	I0080	HOUSE	12.932647038 516498- 77.588555216 78926	4348	28/12/2021
28	EE/ OFC/pole/202 2-23/4348/W- 169/107	W0019	HOUSE	12.933880924 479968- 77.589338421 8216	4348	28/12/2021
29	EE/ OFC/pole/202 2-23/4348/W- 169/108	W0019	HOUSE	12.934126655 27794- 77.589381337 16585	4348	28/12/2021
30	EE/ OFC/pole/202 2-23/4348/W- 169/109	W0053;W002- 1	HOUSE	12.933551540 264736- 77.589692473 41157	4348	28/12/2021
31	EE/ OFC/pole/202 2-23/4348/W- 169/110	W0033,W005 3	MANSION	12.933530626 966547- 77.589933872 222917	4348	28/12/2021
32	EE/ OFC/pole/202 2-23/4348/W- 169/111	W0035,W005- 3,W0031	HOUSE	12.933504485 341345- 77.590185999 87031	4348	28/12/2021
33	EE/ OFC/pole/202 2-23/4348/W- 169/112	W0050,W005 3	HOUSE	12.933760673 150193- 77.591076493 26324	4348	28/12/2021
34	EE/ OFC/pole/202 2-23/4348/W- 169/113	W0053,W005 5	HOUSE	12.933436517 102997- 77.590700984 00116	4348	28/12/2021
35	EE/ OFC/pole/202 2-23/4348/W- 169/114	W0021,W003 1	HOUSE	12.933812956 344163- 77.589756846 42793	4348	28/12/2021
36	EE/ OFC/pole/202 2-23/4348/W- 169/115	W0021	LADIES FASHION	12.934377614 140951- 77.589869499 20656	4348	28/12/2021



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 36


Pole Charges @ Rs 1500/- Pole	54,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	266.04
Junction Box Charges @ Rs 3000/- Pole	1,08,000	Total (C)	266.04
Supervision Charge @ Rs 100/- Pole	3,600		
Sub Total (A)	1,65,600	GST @ 18% (B)	29,808
Grand Total (A + B + C)	1,95,674.04		

Total Amount Payable Rs: 1,95,674 In words (Rupees One Lakh Ninety-Five Thousand Six Hundred and seventy-Four Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-1087

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-1087

1/2

@RIL.COM

OFC/Pole/2022-23/W0237/1096 10-2022-1099 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

Pole Details

10-2022-1087



OFC/Pole/2022-23/W0038/1079 10-2022-1079 Pending ceofc01(ceofc01) Demand note approved Demand Notice Permission Letter View/Submit

S. H. J.
EXECUTIVE ENGINEER
OFC CELL

BBMP BANGALURU MAHANAGARA PALIKE

BENGALURU