



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1092/2022-23

Date: 21-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 14-05-2022
 - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 4) Fee Demand Note letter No: 10-2022-1092, Date: 17-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 21-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from Sri Kumaraswamy Temple Road via Street ID No-W0179, W0146, W0171, W0178, W0193, W0114, W0199, W0166, W0215 up to W0176.	33 Poles
02	From Sri Kumaraswamy Temple Road via Street ID No-W0191, W0144 up to W0179.	
03	From Street ID No-W0144 via W0187	
04	From Street ID No-W0179 via W0146, W0185	
05	From Street ID No-W0171 via W0150 up to W0187.	
06	From Street ID No-W0187 via W0185	
07	From 4th Street via 10th Main	
08	From 4th Street via 9th Main	
09	From 8th Main Road via Rama Mandira Road up to 10th Main.	
10	From Rama Mandira Road via 9th Main	
11	From 6th Cross Road via 6th Main Road up to Rama Mandira Road.	
12	From 6th Cross Road via Rama Mandira Road	
13	From 4th Cross Road via Street ID No-W0215 up to W0198.	

No: EE/OFC/PR/1092/2022-23, Dt: 21-10-2022

Executive Engineer (OFC), BBMP

14	From Street ID No-W0200 via W0215, W0198, W0213 up to Sri Kumara Swamy Temple Road.
15	From Street ID No-W0179 via W0146, W0185 for total No of 33 Poles , in Ward No-155, South Zone . Ref: As per drawing enclosed & demand note GIS co-ordinates.

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be refereed to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:

22. Right-of-way(ROW) for Electrical lines.-

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.


25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**South Zone**) for information.
4. Copy to Zonal Chief Engineer (**South Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Basavanagudi Division**) for information.

7. Copy to the Concerned Assistant Executive Engineer of (**Basavanagudi** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

केनरा बैंक  Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP
 शाखा/ Branch: BCC Extension

दिनांक/ Date 20102022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.
 बचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

840113200010

नाम/Name Commissioner BBMP

टेलिफोन / मोबाइल नं.
 Tel No. / Mobile No.

राशि / Amount ₹ 50,000/-

राशि शब्दों में
 Rupees in words Five thousand FIFTY RS
~~thousand~~ ~~only~~

चेक नं. / दिनांक / बैंक व शाखा का नाम
 Cheque No. / Date / Name of Bank & Branch

206173 01 18/10/22

BBMP Branch, J.S. Road.

₹ 50,000/-

₹ 1,52,044.00

Canara Bank Toll Free No. 1800 425 0018

अधिकारी / सेकाइयार / एस डब्ल्यू ओ
 Officer / Cashier / SWO

BRUHAT BENGALURU

केनरा बैंक टोल फ्री नंबर

1800 425 0018

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1092 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1092

With reference to your Demand Note bearing Pole-OFC-10-2022-1092 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0866

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1092	33	152044	206173	27324	152044
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



1092

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206173

18/10/2022
dated

PAYMENT REFERENCE



JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1092 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)

Bruhat Bengaluru Mahanagar Palike

4th floor Annex Building, N R Square

Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1092

With reference to your Demand Note bearing Pole-OFC-10-2022-1092 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0866

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1092	33	152044	206173	27324	152044
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5 TTC INDUSTRIAL AREA RELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

206173

18/10/2022
dated

PAYMENT REFERENCE

AXIS BANK LTD ISSUING BRANCH
IFSC CODE - UTIB0000274
PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17/01/2023

DATE 08 OCT 2022
दिनांक 08 OCT 2022

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौजे जाने पर
RUPEES One Lac Fifty Two Thousand Forty Four Only
रुपये

₹ 152,044.00
अदा करे

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206173

Client Reference 4200008920_37

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd
Authorised Signatory
Please sign above

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1092 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)

Brihat Bengaluru Mahanagar Palike

4th floor Annex Building, N R Square

Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1092

With reference to your Demand Note bearing Pole-OFC-10-2022-1092 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0866

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1092	33	152044	206173	27324	152044
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREA BELANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE
Thane-400701

We are pleased to send to you Demand Draft No. **206173**
as per details mentioned below.

18/10/2022
dated

PAYMENT REFERENCE

 **AXIS BANK LTD** ISSUING BRANCH
IFS CODE - UTIB0000274
PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17012023

DATE 28 10 2022
दिनांक 28 10 2022

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर
RUPEES One Lac Fifty Two Thousand Forty Four Only

रुपये

अदा करे ₹ 152,044.00



Payable at par at all Branches of AXIS Bank Ltd

DD Sr. No. 206173

Client Reference 4200008920 37

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

SSNo: 24004
Authorised Signatory

Authorised Signatory

Rudresha B
Please sign above



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT
Pole Form

Application No. :10-2022-1092

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-1092

General Information

Segment ID

OFC/Pole/2022-23/W0215/1091

Street ID

28765

Street Name

NA

Zone

South

Ward No.

155

Ward Name

Hanumanth Nagara

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

14/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017 *

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

33

No.Junction Box


33



Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	21/05/2022

Date : 17/10/2022



20221017081712



Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1092

Date: 17/10/2022

Demand Notice
GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited


GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).
2)Your request letter No. : 10-2022-1092, dated : 14/05/2022

Details of Poles added on BBMP GIS Map


(Pole Id:-OFC/Pole/2022-23/W0215/1091)



Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/4743/W- 155/50	W0179	GARMENTS	12.941650083 180532- 77.560268640 5182	4743	28/12/2021
2	EE/ OFC/pole/202 2-23/4743/W- 155/51	W0191	RAGAVENDR A KRUPA	12.941723277 333697- 77.560992836 95222	4743	28/12/2021
3	EE/ OFC/pole/202 2-23/4743/W- 155/52	W0191	SWAMI NILAYA	12.942016053 731518- 77.560982108 11616	4743	28/12/2021
4	EE/ OFC/pole/202 2-23/4743/W- 155/53	W0144	GEETHA	12.942282689 080427- 77.560408115 38698	4743	28/12/2021
5	EE/ OFC/pole/202 2-23/4743/W- 155/54	W0146	ARUN NIVAS	12.942638202 435392- 77.560638785 36226	4743	28/12/2021

6	EE/ OFC/pole/202 2-23/4743/W- 155/55	W0199	HOUSE	12.941801699 616823- 77.561781406 4026	4743	28/12/2021
7	EE/ OFC/pole/202 2-23/4743/W- 155/56	W0199,W019 0	HOUSE	12.942434305 13205- 77.561733126 64032	4743	28/12/2021
8	EE/ OFC/pole/202 2-23/4743/W- 155/57	W0199,W018 8,W0186	HOUSE	12.942789818 2708- 77.561717033 38624	4743	28/12/2021
9	EE/ OFC/pole/202 2-23/4743/W- 155/58	W0146	HOUSE	12.942700940 033646- 77.560080885 88716	4743	28/12/2021
10	EE/ OFC/pole/202 2-23/4743/W- 155/59	W0171,W014 6	DURGA	12.942721852 562878- 77.559700012 20705	4743	28/12/2021
11	EE/ OFC/pole/202 2-23/4743/W- 155/60	W0171,W015 0	SRI RANGANATH A	12.943056452 792193- 77.559753656 38734	4743	28/12/2021
12	EE/ OFC/pole/202 2-23/4743/W- 155/61	W0150	SHRI RAM	12.943051224 667068- 77.559973597 52656	4743	28/12/2021
13	EE/ OFC/pole/202 2-23/4743/W- 155/62	W0150	LAKSHMI NILAYAM	12.943025084 03977- 77.560300827 02638	4743	28/12/2021
14	EE/ OFC/pole/202 2-23/4743/W- 155/63	W0150	SHOBA PRINTERS	12.943009399 662088- 77.560601234 43605	4743	28/12/2021
15	EE/ OFC/pole/202 2-23/4743/W- 155/64	W0171	VIKRAM	12.943385824 45431- 77.559801936 14961	4743	28/12/2021
16	EE/ OFC/pole/202 2-23/4743/W- 155/65	W0181	MUKUNDHA	12.943521755 48961- 77.560198903 08382	4743	28/12/2021
17	EE/ OFC/pole/202 2-23/4743/W- 155/66	W0181,W015 4	DEVA MAHAL	12.944044566 473055- 77.560300827 02638	4743	28/12/2021
18	EE/ OFC/pole/202 2-23/4743/W- 155/67	W0185	BHARATH MEDICAL	12.943532211 720015- 77.560826539 9933	4743	28/12/2021
19	EE/ OFC/pole/202 2-23/4743/W- 155/68	W0185,W015 4	LAKSHMI NARASIMHA	12.943877267 077635- 77.560799717 90315	4743	28/12/2021
20	EE/ OFC/pole/202 2-23/4743/W- 155/69	W0185	RANGANATH A	12.944196181 453162- 77.560788989 06709	4743	28/12/2021
21	EE/ OFC/pole/202 2-23/4743/W- 155/70	W0185	SHELTER	12.944588288 73272- 77.560751438 14088	4743	28/12/2021

22	EE/ OFC/pole/202 2-23/4743/W- 155/71	W0193	FANCY STORE	12.943542667 949988- 77.561223506 92749	4743	28/12/2021
23	EE/ OFC/pole/202 2-23/4743/W- 155/72	W0193	drn	12.943824985 993556- 77.561212778 09143	4743	28/12/2021
24	EE/ OFC/pole/202 2-23/4743/W- 155/73	W0193,W016 6	kanjari nilaya	12.944102075 614298- 77.561212778 09143	4743	28/12/2021
25	EE/ OFC/pole/202 2-23/4743/W- 155/74	W0193	nagaraj	12.944462814 470356- 77.561175227 16524	4743	28/12/2021
26	EE/ OFC/pole/202 2-23/4743/W- 155/75	W0199	anuradha	12.944703306 751057- 77.561550736 42732	4743	28/12/2021
27	EE/ OFC/pole/202 2-23/4743/W- 155/76	W0199,W016 6	gurunandana	12.944133444 231205- 77.561604380 60762	4743	28/12/2021
28	EE/ OFC/pole/202 2-23/4743/W- 155/77	W0211,W016 6,W0168	sri-lakshmi	12.944164812 844155- 77.561969161 03364	4743	28/12/2021
29	EE/ OFC/pole/202 2-23/4743/W- 155/78	W0211,W016 4	anupamam	12.944473270 661309- 77.561979889 8697	4743	28/12/2021
30	EE/ OFC/pole/202 2-23/4743/W- 155/79	W0217,W016 8	variddi	12.944164812 844155- 77.562387585 63997	4743	28/12/2021
31	EE/ OFC/pole/202 2-23/4743/W- 155/80	W0215,W017 6	vinayaka	12.943845898 428503- 77.562527060 50874	4743	28/12/2021
32	EE/ OFC/pole/202 2-23/4743/W- 155/81	W0215	lakshmi	12.942282689 080427- 77.562559247 01692	4743	28/12/2021
33	EE/ OFC/pole/202 2-23/4743/W- 155/82	W0215	house	12.942821187 052829- 77.562559247 01692	4743	28/12/2021



In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 33


Pole Charges @ Rs 1500/- Pole	49,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	243.87
Junction Box Charges @ Rs 3000/- Pole	99,000	Total (C)	243.87
Supervision Charge @ Rs 100/- Pole	3,300		
Sub Total (A)	1,51,800	GST @ 18% (B)	27,324
Grand Total (A + B + C)	1,79,367.87		

Total Amount Payable Rs: 1,79,368 In words (Rupees One Lakh seventy-Nine Thousand Three Hundred and Sixty-Eight Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-1092

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

Pole Details



EXECUTIVE ENGINEER
 OFC CELL
 BBMP, BANGALURU MAHANAGARA, DALKE
 BANGALURU