



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1109/2022-23

Date: 31-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 14-05-2022
 - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : **15-10-2022**.
 - 4) Fee Demand Note letter No: 10-2022-1109, Date: **18-10-2022**.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: **27-10-2022**.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 4th cross via 10th Main.	25 Poles
02	From 4th Cross via 9th Main	
03	From 4th Cross via 8th Main	
04	From 4th Cross via 7th Main up to 6th Cross.	
05	From 4th Cross via 6th 'A' Main	
06	From 4th Cross via 5th 'A' Main	
07	From 4th Cross via 9th 'A' Main	
08	From 4th Cross via 3rd Main	
09	From 3rd Main via Street ID No-W0080	
10	From Dr. Rajkumar Road via 4th Cross, 2nd Main, 6th Cross, 4th Main	
11	From 6th Cross via 3rd Main	
12	From 6th Cross via Street ID No-W0071, W0076	
13	From 3rd Cross via 6th Main	
14	From 3rd cross via 7th Main	
15	From Dr.Rajkumar Road via 2nd Main up to 6th Cross for total No of 25 Poles , in Ward No-66, West Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

No: EE/OFC/PR/1109/2022-23, Dt: 31-10-2022

Executive Engineer (OFC), BBMP

Sir

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do the same at its own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at its own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

12. The corporation shall not be responsible for any damage to poles and resultant losses, if any during performance of official duties by any employee of corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlined in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. If any dispute arise it will be settled as per the MOU.
14. Operational and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operational and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way (ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way (ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**West Zone**) for information.
4. Copy to Zonal Chief Engineer (**West Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Malleshwaram** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Malleshwaram** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1109 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1109

With reference to your Demand Note bearing Pole-OFC-10-2022-1109 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0538 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1109	25	115185	206320	20700	115185
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Ab

Authorized Signatory.



1109

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206320

dated ^{19/10/2022}

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1109 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1109

With reference to your Demand Note bearing Pole-OFC-10-2022-1109 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0538 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1109	25	115185	206320	20700	115185
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206320

dated 19/10/2022

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 18/10/2023

DATE
दिनांक

D	9	D	M	1	9	Y	0	Y	2	Y	2	Y
---	---	---	---	---	---	---	---	---	---	---	---	---

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मांगे जाने पर

RUPEES One Lac Fifteen Thousand One Hundred Eighty Five Only

रुपये

अदा करे

₹ 115,185.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206320

Client Reference 4200009020 16

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

[Signature]
Authorized Signatory

[Signature]
Rudresha B
Please sign above
CS. No. 25182

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1109 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1109

With reference to your Demand Note bearing Pole-OFC-10-2022-1109 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0538 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1109	25	115185	206320	20700	115185
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

206320

dated 19/10/2022

PAYMENT REFERENCE

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौजे जाने पर

RUPEES One Lac Fifteen Thousand One Hundred Eighty Five Only

रुपये

अदा करे

₹ 115,185.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206320

Client Reference 4200009020_16

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

[Signature]
Authorized Signatory

[Signature]
Rudresha
CS. No. 76182
Please sign above



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT
Pole Form

Application No. :10-2022-1109

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-1109

General Information

Segment ID

OFC/Pole/2022-23/W0047/1105

Street ID

16148

Street Name

NA

Zone

West

Ward No.

66

Ward Name

Subramanya Nagara

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

14/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

25

No.Junction Box

25




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	21/05/2022
ceofc01(ceofc01)	CE	17/10/2022

Date : 26/10/2022

Time : 01:29:04

20221026012904





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1109

Date: 18/10/2022

Demand Notice
GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre


M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).
2)Your request letter No. : 10-2022-1109, dated : 14/05/2022


Details of Poles added on BBMP GIS Map (Pole Id:-OFC/Pole/2022-23/W0047/1105)



Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2- 23/254020212 2/W-66/91	W0090	Dental shop	13.002310197 255868- 77.553356587 88682	2540202122	29/01/2022
2	EE/ OFC/pole/202 2- 23/254020212 2/W-66/92	W0090	Ravi kumar	13.002467003 596815- 77.553903758 52586	2540202122	29/01/2022
3	EE/ OFC/pole/202 2- 23/254020212 2/W-66/93	W0090,W007 5	Srinivas Nivasa House	13.002385986 999698- 77.553750872 61201	2540202122	29/01/2022
4	EE/ OFC/pole/202 2- 23/254020212 2/W-66/94	I0096,W0075	Satya Nivasa house	13.001811029 744067- 77.553665041 92354	2540202122	29/01/2022

5	EE/ OFC/pole/202 2- 23/254020212 2/W-66/95	W0077	Gangadhar Nilaya	13.003049799 628698- 77.554019093 5135	2540202122	29/01/2022
6	EE/ OFC/pole/202 2- 23/254020212 2/W-66/96	W0077	Krishna House	13.003431360 414805- 77.554064691 06676	2540202122	29/01/2022
7	EE/ OFC/pole/202 2- 23/254020212 2/W-66/97	W0076,W007 7	Anitha House	13.003703156 781286- 77.554198801 5175	2540202122	29/01/2022
8	EE/ OFC/pole/202 2- 23/254020212 2/W-66/98	W0076	Ashwani House	13.003645661 420904- 77.554306089 8781	2540202122	29/01/2022
9	EE/ OFC/pole/202 2- 23/254020212 2/W-66/99	W0076,W007 9	Krishna Kurpa	13.003640434 569284- 77.554432153 7018	2540202122	29/01/2022
10	EE/ OFC/pole/202 2- 23/254020212 2/W-66/100	W0071	Bharani House	13.003784172 948302- 77.553876936 43571	2540202122	29/01/2022
11	EE/ OFC/pole/202 2- 23/254020212 2/W-66/101	W0071	Narayana Sampige Store	13.004317310 9359- 77.554035186 76759	2540202122	29/01/2022
12	EE/ OFC/pole/202 2- 23/254020212 2/W-66/102	W0077	Chandra Nivas	13.004236294 942976- 77.554287314 41499	2540202122	29/01/2022
13	EE/ OFC/pole/202 2- 23/254020212 2/W-66/103	W0079	Nivasa	13.004155278 9236- 77.554611861 7058	2540202122	29/01/2022
14	EE/ OFC/pole/202 2- 23/254020212 2/W-66/104	W0079	Harsha Nivasa	13.003258874 104718- 77.554322183 13217	2540202122	29/01/2022
15	EE/ OFC/pole/202 2- 23/254020212 2/W-66/105	W0079	Shed House	13.002974010 087636- 77.554289996 62401	2540202122	29/01/2022
16	EE/ OFC/pole/202 2- 23/254020212 2/W-66/106	W0083,W008 0	Srinivas Nilaya	13.002668238 255831- 77.554611861 7058	2540202122	29/01/2022
17	EE/ OFC/pole/202 2- 23/254020212 2/W-66/107	W0083	Karthik	13.003122975 715346- 77.554727196 69343	2540202122	29/01/2022

18	EE/ OFC/pole/202 2- 23/254020212 2/W-66/108	W0087	Sri Vani public School	13.003977566 272297- 77.555354833 60292	2540202122	29/01/2022
19	EE/ OFC/pole/202 2- 23/254020212 2/W-66/109	W0087	Thipu Nivasa	13.003308529 266889- 77.555159032 34483	2540202122	29/01/2022
20	EE/ OFC/pole/202 2- 23/254020212 2/W-66/110	W0090,W008 5	Kiran House	13.002401667 63346- 77.554681599 14018	2540202122	29/01/2022
21	EE/ OFC/pole/202 2- 23/254020212 2/W-66/111	I0096,W0079	Krishna Kamala	13.001740466 716365- 77.553981542 5873	2540202122	29/01/2022
22	EE/ OFC/pole/202 2- 23/254020212 2/W-66/112	W0081	Thanka Nivasa	13.002393827 3167- 77.554378509 5215	2540202122	29/01/2022
23	EE/ OFC/pole/202 2- 23/254020212 2/W-66/113	W0085	Sree Lakshmi	13.002163844 581585- 77.554617226 12382	2540202122	29/01/2022
24	EE/ OFC/pole/202 2- 23/254020212 2/W-66/114	W0085	Adhi Lakshmi	13.001845004 528027- 77.554636001 58693	2540202122	29/01/2022
25	EE/ OFC/pole/202 2- 23/254020212 2/W-66/115	W0015,I0096, W0085	Swathi Nivasa	13.001594113 70605- 77.554558217 5255	2540202122	29/01/2022



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 25


Pole Charges @ Rs 1500/- Pole	37,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	184.75
Junction Box Charges @ Rs 3000/- Pole	75,000	Total (C)	184.75
Supervision Charge @ Rs 100/- Pole	2,500		
Sub Total (A)	1,15,000	GST @ 18% (B)	20,700
Grand Total (A + B + C)	1,35,884.75		

Total Amount Payable Rs: 1,35,885 In words (Rupees One Lakh Thirty-Five Thousand Eight Hundred and Eighty-Five Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-1109

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-1109

1/2

RE@RIL.COM

OFC/Pole/2022-23/W1510/1116 10-2022-1117 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

Pole Details



OFC/Pole/2022-23/W0278/1101 10-2022-1101 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

S. Y. K.

EXECUTIVE ENGINEER
OFC CELL
BRIJNATH BENGALURU MAHANAGARA PALIKE
BENGALURU