



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1112/2022-23

Date: 21-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 14-05-2022
 - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : **15-10-2022**.
 - 4) Fee Demand Note letter No: 10-2022-1112, Date: **17-10-2022**.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: **21-10-2022**.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 6th Cross Road via 10th Cross, 7th Cross up to Street ID No-W0055.	22 Poles
02	From 5th 'A' Cross Road via Street ID No-W0057, 7th Cross Road up to 9th Main Road.	
03	From 10th Cross Road via 6th Cross Road, 1st Main Road up to 2nd Cross Road.	
04	From 1st Main Road via 7th Cross Road, 9th Main Road, 5th Cross Road for total No of 22 Poles , in Ward No-164, South Zone .	

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.

No: EE/OFC/PR/1112/2022-23, Dt: 21-10-2022

Executive Engineer (OFC), BBMP

2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.

14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0


23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**South Zone**) for information.
4. Copy to Zonal Chief Engineer (**South Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Basavanagudi** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Giri Nagar** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

1112
 कॅनरा बँक  Canara Bank जमा पर्चा / DEPOSIT / PAY IN SLIP
 शाखा/ Branch BCC Extension

दिनांक/ Date 20/10/2022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.
 बचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.
8401132000010

नाम/Name Commissioner RBMP
 टेलिफोन / मोबाइल नं.
 Tel No./Mobile No. _____ ₹ _____ पै/P.

राशि /Amount 1, 01, 363. 00H
 राशि शब्दों में One lakh one thousand
three hundred sixty three only.

चेक नं. / दिनांक Cheque No. / Date	बँक शाखा का नाम Name of Bank & Branch	₹	₹/P.
<u>200001001</u>	<u>20/10/22</u>	<u>1, 01, 363. 00H</u>	
21 OCT 2022			
EXECUTIVE/ENCL/BBMP			
RBMP Branch BANGALORE			
Canara Bank Toll Free No.			

अधिक जानकारी के लिए 24 घंटे का कॉल सेंटर
 133 इन्फो ऑ **BANGALORE** **MAHARAJAH PALACE**
 100 425 0010

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1112 /DD

Date: 18-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note:- Pole-OFC-10-2022-1112

With reference to your Demand Note bearing Pole-OFC-10-2022-1112 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0904 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1112	22	101363	206207	18216	101363
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



1112

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206207

18/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1112 /DD

Date: 18-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru – 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1112

With reference to your Demand Note bearing Pole-OFC-10-2022-1112 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0904 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1112	22	101363	206207	18216	101363
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206207**
as per details mentioned below.

18/10/2022
dated

PAYMENT REFERENCE

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17012023

Payee
Negotiable

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 08 10 2022
दिनांक 08 10 2022

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौजि जाने पर
RUPEES One Lac One Thousand Three Hundred Sixty Three Only

रुपये ₹ 101,363.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206207

Client Reference 4200008920_71

For Axis Bank Ltd
Authorized Signatory
Rudresha B

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

Please sign above
cc No. 26182

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1112 /DD

Date: 18-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru – 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1112

With reference to your Demand Note bearing Pole-OFC-10-2022-1112 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0904 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1112	22	101363	206207	18216	101363
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206207

18/10/2022
dated

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17/01/2023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE
दिनांक

D	8	D	1	M	0	M	2	Y	0	Y	2	Y	2	Y
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौजे जाने पर
RUPEES One Lac One Thousand Three Hundred Sixty Three Only

रुपये

₹ 101,363.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206207

Client Reference 4200008920-71

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

[Signature]
SSNo: 24004
Authorised Signatory

[Signature]
Rudresha B
cc No. 26182
Please sign above



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT
Pole Form

Application No. :10-2022-1112

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-1112

General Information

Segment ID

OFC/Pole/2022-23/W0003/1111

Street ID

29891

Street Name

NA

Zone

South

Ward No.

164

Ward Name

Vidyapeeta Ward

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

14/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

ofc

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

22

No.Junction Box


22



Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	21/05/2022

Date : 17/10/2022



20221017080442



Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1112

Date: 17/10/2022

Demand Notice
GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited


GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).
2)Your request letter No. : 10-2022-1112, dated : 14/05/2022

Details of Poles added on BBMP GIS Map


(Pole Id:-OFC/Pole/2022-23/W0003/1111)



Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/2782/W- 164/128	I0001	i0001	12.938327568 818908- 77.557401359 08128	2782	09/12/2021
2 ^s	EE/ OFC/pole/202 2-23/2782/W- 164/129	W0032	w0032	12.938698772 462613- 77.557618618 01149	2782	09/12/2021
3	EE/ OFC/pole/202 2-23/2782/W- 164/130	W0032,W005 7	w0032	12.938664789 053437- 77.557851970 19578	2782	09/12/2021
4	EE/ OFC/pole/202 2-23/2782/W- 164/131	W0057	w0057	12.938356324 05048- 77.557771503 92534	2782	09/12/2021
5	EE/ OFC/pole/202 2-23/2782/W- 164/132	W0034,W005 7,W0055	w0034	12.938152423 245857- 77.557707130 90898	2782	09/12/2021

6	EE/ OFC/pole/202 2-23/2782/W- 164/133	W0032	w0032	12.938602050 43967- 77.558112144 47023	2782	09/12/2021
7	EE/ OFC/pole/202 2-23/2782/W- 164/134	W0032	w0032	12.938549768 249482- 77.558463513 85118	2782	09/12/2021
8	EE/ OFC/pole/202 2-23/2782/W- 164/135	W0032	w0032	12.938557610 578705- 77.558836340 90425	2782	09/12/2021
9	EE/ OFC/pole/202 2-23/2782/W- 164/136	W0032	w0032	12.938588979 89316- 77.559115290 6418	2782	09/12/2021
10	EE/ OFC/pole/202 2-23/2782/W- 164/137	W0032	w0032	12.938625577 42168- 77.559533715 24812	2782	09/12/2021
11	EE/ OFC/pole/202 2-23/2782/W- 164/138	W0032,W002 5	w0025	12.938649104 401463- 77.559962868 6905	2782	09/12/2021
12	EE/ OFC/pole/202 2-23/2782/W- 164/139	W0032	w0032	12.938667403 16199- 77.560327649 11652	2782	09/12/2021
13	EE/ OFC/pole/202 2-23/2782/W- 164/140	W0032	w0032	12.938688316 029518- 77.560689747 33354	2782	09/12/2021
14	EE/ OFC/pole/202 2-23/2782/W- 164/141	W0032	w0032	12.938690930 137843- 77.561078667 6407	2782	09/12/2021
15	EE/ OFC/pole/202 2-23/2782/W- 164/142	W0032,W006 0,W0037	w0060	12.938732755 867187- 77.561502456 66505	2782	09/12/2021
16	EE/ OFC/pole/202 2-23/2782/W- 164/143	W0025	w0025	12.938421676 837201- 77.559984326 36261	2782	09/12/2021
17	EE/ OFC/pole/202 2-23/2782/W- 164/144	W0034,W002 5,W0069	w0034	12.938256987 781873- 77.559978961 9446	2782	09/12/2021
18	EE/ OFC/pole/202 2-23/2782/W- 164/145	W0034	w0034	12.938304041 808781- 77.560780942 44005	2782	09/12/2021
19	EE/ OFC/pole/202 2-23/2782/W- 164/146	W0034	w0034	12.938340639 379119- 77.561486363 41096	2782	09/12/2021
20	EE/ OFC/pole/202 2-23/2782/W- 164/147	W0034	w0034	12.938215161 972723- 77.559568583 9653	2782	09/12/2021
21	EE/ OFC/pole/202 2-23/2782/W- 164/148	W0034	w0034	12.938155037 359792- 77.558235526 0849	2782	09/12/2021

22	EE/ OFC/pole/202 2-23/2782/W- 164/149	W0034	w0034	12.938175950 270283- 77.558900713 92061	2782	09/12/2021
----	--	-------	-------	--	------	------------



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No. of Poles 22

Pole Charges @ Rs 1500/- Pole	33,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	162.58
Junction Box Charges @ Rs 3000/- Pole	66,000	Total (C)	162.58
Supervision Charge @ Rs 100/- Pole	2,200		
Sub Total (A)	1,01,200	GST @ 18% (B)	18,216
Grand Total (A + B + C)	1,19,578.58		

Total Amount Payable Rs: 1,19,579 In words (Rupees One Lakh Nineteen Thousand Five Hundred and seventy-Nine Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-1112

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-1112 1/2 X @RIL.COM

OFC/Pole/2022-23/W0196/1121 10-2022-1121 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

Pole Details

VPJ & Associates
5th Cross Rd
5th A Cross Rd
6th Cross Rd
Essen Plaza
Kanaka College Of Arts
80 Feet Rd
Main Rd
Ayush Online Center
Shankarnag Play Ground (Donkala Field)
8th Cross Rd

Prasad Ice Cream
Upadhy's Kitchen
Happy Childrens Clinic
7th Cross Rd
7th Cross Rd
6th Cross Rd
Royal Fashion Clothing store
8th Cross Rd

Saleem Art House
SD Mansion
Upadhy's Kitchen
Happy Childrens Clinic
7th Cross Rd
7th Cross Rd
6th Cross Rd
Sai Kushi Apartment
ATHISH WOOD WORK
Sri Balaji House Building Co-Operative
8th Cross Rd

Sri Jain Swetambar Terapanth Sabha
2nd Cross Rd
4th Cross Rd
4th Cross Rd
Saptapadi Creations
BMS NBH-3
EuroKids P Colony Ba

BANGALORE DRUG HOUSE
Disha
7

10-2022-1112
2nd Cross Rd
Electr

Leaflet | Powered by Esri | GoogleMap contributors

OFC/Pole/2022-23/W0135/1104 10-2022-1104 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

EXECUTIVE ENGINEER
OFC CELL
BRIHAT BENGALURU MAHANAGARA PALIKE