



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1116/2022-23

Date: 21-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 14-05-2022
 - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 4) Fee Demand Note letter No: 10-2022-1116, Date: 17-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 21-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from Hayavadana Road via 2nd cross, Bugle Road up to Basavangudi Main Road.	27 Poles
02	From Hayavadana Road via 4th Cross	
03	From Rama Mandira Road via 2nd Main Road.	
04	From Rama Mandira Road via 1st Main	
05	From 3rd Main via 8th Cross, 2nd Main	
06	From 5th Cross via 2nd Main	
07	From 3rd Main via 6th Cross	
08	From 1st Main via Street ID No-W0264, W0233	
09	From Street ID No-W0204 via 1st Main	
10	From Street ID No-W0268 via 2nd Main	
11	From 5th Cross via 2nd Main	
12	From 2nd Main via 4th Cross	
13	From 4th Cross via 1st Cross	

No: EE/OFC/PR/1116/2022-23, Dt: 21-10-2022

S. K. K.
Executive Engineer (OFC), BBMP

14	From 1st Cross via Street ID No-W0308, W0253
15	From 1st Cross via W0304
16	From Bugle Road via Street ID No-W0281
17	From 1st Cross via W0296
18	From Basaangudi Main Road via Rama Mandira Road, Street ID No-W0243 for total No of 27 Poles , in Ward No-142, South Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this

condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:

22. Right-of-way(ROW) for Electrical lines.-

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 33,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.


25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (South Zone) for information.
4. Copy to Zonal Chief Engineer (South Zone) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (Chickepete Division) for information.

7. Copy to the Concerned Assistant Executive Engineer of (**Kempegowda Nagar Sub Division**) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.



1116
केनरा बैंक Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP

शाखा/ Branch BCC Extension

दिनांक/ Date 21/10/2022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

बचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

3401132000010

नाम/Name Commissioner BBMP

टेलिफोन / मोबाइल नं.

Tel No./Mobile No.

राशि /Amount ₹ 400.00/-

राशि शब्दों में One hundred twenty four

Rupees in words thousand four hundred only.

चेक नं. / दिनांक तंत्र बैंक शाखा का नाम Cheque No./Date / Name of Bank & Branch	₹/P.
<u>206144 Dt: 18/10/22</u>	<u>400.00</u>

EXECUTIVE ₹ 400.00/-

अधिकारी / रोकड़िय
BRUHAT BENGALURU
1800 425 0018
Officer/Cashier

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasathanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1116 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1116

With reference to your Demand Note bearing Pole-OFC-10-2022-1116 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0852 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1116	27	124400	206144	22356	124400
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



416

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206144

18/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1116 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1116

With reference to your Demand Note bearing Pole-OFC-10-2022-1116 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0852

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1116	27	124400	206144	22356	124400
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory,



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206144**
as per details mentioned below.

18/10/2022
dated

PAYMENT REFERENCE

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17012023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 18 10 2022
दिनांक

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मांगे जाने पर
RUPEES One Lac Twenty Four Thousand Four Hundred Only
रुपये

अदा करें ₹ 124,400.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206144

Client Reference 4200008920_8

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd
Authorized Signatory
Rudresha B

SS. No. 26182
सही सही

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1116 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1116

With reference to your Demand Note bearing Pole-OFC-10-2022-1116 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0852

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1116	27	124400	206144	22356	124400
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206144**
as per details mentioned below.

18/10/2022
dated

PAYMENT REFERENCE



AXIS BANK LTD
IFS CODE - UTIB0000274

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17/10/2023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE	1	8	1	0	2	0	2	2
दिनांक								

ON DEMAND PAY. COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर
RUPEES **One Lac Twenty Four Thousand Four Hundred Only**
रुपये

₹ 124,400.00
अदा करें

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206144

Client Reference 4200008920_8

For Axis Bank Ltd
Authorised Signatory

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

Rudresha B
CS. NO. 26182



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-1116

PR Number(To be Assigned by AE/JE- CE-POLE-10-2022-1116
OFC, BBMP)

General Information

Segment ID

OFC/Pole/2022-23/W0286/1116

Street ID

33335

Street Name

NA

Zone

South

Ward No.

142

Ward Name

Sunkenahalli

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

14/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

27

No.Junction Box


27



Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	21/05/2022

Date : 17/10/2022



20221017082909



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1116

Date: 17/10/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited


GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).
2)Your request letter No. : 10-2022-1116, dated : 14/05/2022

Details of Poles added on BBMP GIS Map


(Pole Id:-OFC/Pole/2022-23/W0286/1116)



Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/6059/W- 142/117	W0225,W025 0	SHREE NILAYA	12.945725396 355483- 77.564680874 3477	6059	25/02/2022
2	EE/ OFC/pole/202 2-23/6059/W- 142/118	W0225	VISHISIT	12.945971115 482015- 77.564747929 57307	6059	25/02/2022
3	EE/ OFC/pole/202 2-23/6059/W- 142/119	W0225	HANUMADH PRASAD	12.944939877 735585- 77.564648687 83951	6059	25/02/2022
4	EE/ OFC/pole/202 2-23/6059/W- 142/120	W0233	sri venkateshwar n shivatmilka	12.944785649 163423- 77.565040290 3557	6059	25/02/2022
5	EE/ OFC/pole/202 2-23/6059/W- 142/121	W0266,W023 3	VINAYA NILAYA	12.944179190 12377- 77.565020173 78807	6059	25/02/2022

6	EE/ OFC/pole/202 2-23/6059/W- 142/122	W0266,W022 9	CHANNAPPA NIVAS	12.944175269 047603- 77.564758658 40913	6059	25/02/2022
7	EE/ OFC/pole/202 2-23/6059/W- 142/123	W0266	RAJINI NILAYA	12.944205330 630053- 77.564491778 61215	6059	25/02/2022
8	EE/ OFC/pole/202 2-23/6059/W- 142/124	W0233,W026 4	shankar brahamaiy	12.944388314 09721- 77.565095275 6405	6059	25/02/2022
9	EE/ OFC/pole/202 2-23/6059/W- 142/125	W0237	GIRIJA	12.944601358 964752- 77.565619647 50291	6059	25/02/2022
10	EE/ OFC/pole/202 2-23/6059/W- 142/126	W0258,W023 7	HOUSE NO 1991	12.944901974 112286- 77.565579414 36769	6059	25/02/2022
11	EE/ OFC/pole/202 2-23/6059/W- 142/127	W0258,W023 7	NEW GOLDEN LOOK	12.944912430 284806- 77.565615624 18939	6059	25/02/2022
12	EE/ OFC/pole/202 2-23/6059/W- 142/128	W0256,W024 3	SHRI VATSA	12.945236571 41539- 77.566115856 17065	6059	25/02/2022
13	EE/ OFC/pole/202 2-23/6059/W- 142/129	W0255,W024 6	MITRA NIVAS	12.945994641 768655- 77.566628158 09251	6059	25/02/2022
14	EE/ OFC/pole/202 2-23/6059/W- 142/130	W0257	BALAJI CHATS CENTER	12.945934519 031717- 77.566966116 42839	6059	25/02/2022
15	EE/ OFC/pole/202 2-23/6059/W- 142/131	W0257	SRINIVAS NILAYA	12.945707098 112967- 77.566968798 637397	6059	25/02/2022
16	EE/ OFC/pole/202 2-23/6059/W- 142/132	W0257	12.94715, 77.56692	12.947194479 4428- 77.566907107 83005	6059	25/02/2022
17	EE/ OFC/pole/202 2-23/6059/W- 142/133	W0257	SHRI SAI KUTEERA	12.946488693 275175- 77.566958069 80133	6059	25/02/2022
18	EE/ OFC/pole/202 2-23/6059/W- 142/134	W0249	UNIVERSAL MARKETING	12.947055936 38978- 77.566207051 27717	6059	25/02/2022
19	EE/ OFC/pole/202 2-23/6059/W- 142/135	W0249	BRINDA NILAYA	12.946752709 816325- 77.566244602 20338	6059	25/02/2022
20	EE/ OFC/pole/202 2-23/6059/W- 142/136	W0249	GURUPRASA D APPARTMEN T	12.946540973 800584- 77.566223144 53126	6059	25/02/2022
21	EE/ OFC/pole/202 2-23/6059/W- 142/137	W0265,W025 7	NIVEDITA SCHOOL	12.945184290 616377- 77.567119002 34224	6059	25/02/2022

22	EE/ OFC/pole/202 2-23/6059/W- 142/138	W0265,W029 0	MATHRU SHREE NILAYA	12.944958176 034422- 77.567069381 47545	6059	25/02/2022
23	EE/ OFC/pole/202 2-23/6059/W- 142/139	W0265,W029 6	SHRI RAGHAVEND RA KRUPA	12.944627499 42675- 77.566971480 84642	6059	25/02/2022
24	EE/ OFC/pole/202 2-23/6059/W- 142/140	W0281	SHRI SAI MALL	12.944444516 13517- 77.567727863 78862	6059	25/02/2022
25	EE/ OFC/pole/202 2-23/6059/W- 142/141	W0304,W028 1	THIRUMALA ELECTRICAL S	12.944102075 614298- 77.567561566 8297	6059	25/02/2022
26	EE/ OFC/pole/202 2-23/6059/W- 142/142	W0253,W030 6	LAKSHMI KRUPA	12.944307278 578325- 77.566549032 92656	6059	25/02/2022
27	EE/ OFC/pole/202 2-23/6059/W- 142/143	W0281	BROWN BUILDING	12.943851126 536963- 77.567430138 58797	6059	25/02/2022



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 27

Pole Charges @ Rs 1500/- Pole	40,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	199.53
Junction Box Charges @ Rs 3000/- Pole	81,000	Total (C)	199.53
Supervision Charge @ Rs 100/- Pole	2,700		
Sub Total (A)	1,24,200	GST @ 18% (B)	22,356
Grand Total (A + B + C)	1,46,755.53		

Total Amount Payable Rs: 1,46,756 In words (Rupees One Lakh Forty-Six Thousand Seven Hundred and Fifty-Six Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.

Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

No.: 10-2022-1116

Copy to

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

