



**BRUHAT BENGALURU MAHANAGARA PALIKE**

Office of the Chief Engineer (OFC-Cell), 3<sup>rd</sup> Floor, Annexe II Building,  
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1124/2022-23

Date: 20-10-2022

**Permission for Regularization for Poles**

To,  
M/s. Jio Digital Fibre Private Limited,  
RMZ ICON, No-51, Palace Road Cross,  
Vasanth Nagar, Bengaluru-52.

Sir,

**Sub :-** Permission for Regularization for poles.

**Ref :-** 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.  
2) M/s. Jio Digital Fibre Private Limited online application Dated: 14-05-2022  
3) Fee Demand Note letter No: 10-2022-1124, Date: 17-10-2022.  
4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.  
5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 19-10-2022.

\*\_\*\_\*\_\*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 14th Main via 3rd Cross, 2nd Main, 4th Cross, 14th Main.	30 Poles
02	From 3rd Cross via 12th Main	
03	From 3rd Cross via 11th Main	
04	From 3rd Cross via 10th Main	
05	From 3rd Cross via 9th Main	
06	From 3rd Cross via 8th Main	
07	From 3rd Cross via 7th Main	
08	From 3rd Cross via 6th Main	
09	From 3rd Cross via 6th Main	
10	From 3rd Cross via 5th Main	
11	From 3rd Cross via 4th Main	
12	From 3rd Cross via 3rd Main	
13	From 4th Cross via 11th Main for total No of 30 Poles, in Ward No-66, West Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

No: EE/OFC/PR/1124/2022-23, Dt: 20-10-2022

  
Executive Engineer (OFC), BBMP

**Special Condition:**

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

**Conditions for Regularization of Poles**

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.



12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be refereed to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0


23. Distance of site from Electric Lines. –No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

**Copy to:-**

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**West Zone**) for information.
4. Copy to Zonal Chief Engineer (**West Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Malleshwaram** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Malleshwaram** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

केनरा बैंक  Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP  
 शाखा/ Branch BCC Extension

दिनांक/ Date 20102022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.  
 बचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.  
8401132000010

नाम/Name Commissioner BBMP  
 टेलिफोन / मोबाइल नं  
 Tel No./Mobile No. \_\_\_\_\_

राशि /Amount 1,38,222.00 ₹ पै/P.

राशि शब्दों में  
 Rupees in words One lakh thirty eight thousand two hundred twenty two only

चेक नं. / दिनांक तथा बैंक व शाखा का नाम Cheque No./Date/Name of Bank & Branch	₹	पै/P.
<u>206160</u> <u>20/10/22</u> <u>BCC EXTENSION</u>	<u>1,38,222.00</u>	<u>00</u>

**20 OCT 2022**

अधिकारी / रोकड़िया  
 Officer/Cashier/SWO  
MAHANGABA PALIKE  
 BENGALURU  
 Canara Bank Toll Free No. 1800 425 0018



# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasathanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1124 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-1124

With reference to your Demand Note bearing Pole-OFC-10-2022-1124 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0538

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1124	30	138222	206160	24840	138222
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



1126

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**206160**

18/10/2022  
dated

---

PAYMENT REFERENCE

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1124 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)

Bruhat Bengaluru Mahanagara Palike

4<sup>th</sup> floor Annex Building, N R Square

Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-**

Pole-OFC-10-2022-1124

With reference to your Demand Note bearing Pole-OFC-10-2022-1124 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0538

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1124	30	138222	206160	24840	138222
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.





MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5 TTC INDUSTRIAL AREA RELIANCE CORPORATE PARK  
GHANSOLI THANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206160**  
as per details mentioned below.

18/10/2022  
dated

**PAYMENT REFERENCE**

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 18/10/2022  
दिनांक 18/10/2022

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौंग जाने पर  
RUPEES One Lac Thirty Eight Thousand Two Hundred Twenty Two Only

रुपये

₹ 138,222.00  
अदा करे

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206160

Client Reference 4200008920\_24

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

For Axis Bank Ltd  
Authorised Signatory  
Rudreshwar  
26/10/22

SS-NO: 26162  
Please sign above

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1124 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)

Bruhat Bengaluru Mahanagar Palike

4<sup>th</sup> floor Annex Building, N R Square

Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-1124

With reference to your Demand Note bearing Pole-OFC-10-2022-1124 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0538

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1124	30	138222	206160	24840	138222
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

1126

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREA ELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206160**  
as per details mentioned below.

18/10/2022  
dated

**PAYMENT REFERENCE**

**AXIS BANK LTD** ISSUING BRANCH  
IFS CODE - UTIB000274

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17012023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 18 10 2022  
दिनांक 18 10 2022

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मार्ग जाने पर  
RUPEES One Lac Thirty Eight Thousand Two Hundred Twenty Two Only

रुपये

अदा करे ₹ 138,222.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206160

Client Reference 4200008920 24

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

For Axis Bank Ltd  
Authorized Signatory

*Rudresha B*  
26/10/22  
SS. No. sign above





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT  
Pole Form

Application No. :10-2022-1124

PR Number(To be Assigned by AE/JE-  
OFC, BBMP)

CE-POLE-10-2022-1124

General Information

Segment ID

OFC/Pole/2022-23/W0047/1124

Street ID

16148

Street Name

NA

Zone

West

Ward No.

66

Ward Name

Subramanya Nagara

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5  
Rasta, Ambawadi, Ahmedabad, Gujarat,  
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

14/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,  
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments

Pole Related Information

No.of Poles

30

No.Junction Box

30




**Status of My Application**

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	21/05/2022
ceofc01(ceofc01)	CE	17/10/2022

Date : 17/10/2022

Time : 07:02:03

20221017070203





Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -  
560002

No. : Pole-OFC-10-2022-1124

Date: 17/10/2022

### Demand Notice

**GST No.: 29AAALBI608FIZK**

To

Shri. S. Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0


Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-1124, dated : 15/05/2022

Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0047/1124)




Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2- 23/253920212 2/W-66/116	W0090,W010 1	manjunath nilaya	13.002380760 121554- 77.556396871 8052	2539202122	29/01/2022
2	EE/ OFC/pole/202 2- 23/253920212 2/W-66/117	W0101	SWAMY NILAYA	13.002747948 043165- 77.556451857 09001	2539202122	29/01/2022
3	EE/ OFC/pole/202 2- 23/253920212 2/W-66/118	W0101	LAKSHMI NILAYA	13.003300688 97878- 77.556473314 76213	2539202122	29/01/2022
4	EE/ OFC/pole/202 2- 23/253920212 2/W-66/119	W0068,W010 1	SRINIVASA NILAYA	13.003697929 930889- 77.556545734 40553	2539202122	29/01/2022



5	EE/ OFC/pole/202 2- 23/253920212 2/W-66/120	W0105	SRI GURU KURPA	13.003188311 488758- 77.556762993 33574	2539202122	29/01/2022
6	EE/ OFC/pole/202 2- 23/253920212 2/W-66/121	W0105	SUMALATHA NILAYA	13.002613356 092288- 77.556679844 85628	2539202122	29/01/2022
7	EE/ OFC/pole/202 2- 23/253920212 2/W-66/122	W0105,W009 0	SHREE KRUPA	13.002357239 168552- 77.556636929 51204	2539202122	29/01/2022
8	EE/ OFC/pole/202 2- 23/253920212 2/W-66/123	W0090,W010 7	MANJUNATH NILAYA	13.002302356 936221- 77.556910514 83156	2539202122	29/01/2022
9	EE/ OFC/pole/202 2- 23/253920212 2/W-66/124	W0107	HOME NO 2247	13.002890380 222356- 77.557012438 77412	2539202122	29/01/2022
10	EE/ OFC/pole/202 2- 23/253920212 2/W-66/125	W0107	SRI BALAJI NILAYA	13.003257567 389793- 77.557141184 80684	2539202122	29/01/2022
11	EE/ OFC/pole/202 2- 23/253920212 2/W-66/126	W0068,W010 7	KALPANA STORES	13.003550271 36178- 77.557154595 85191	2539202122	29/01/2022
12	EE/ OFC/pole/202 2- 23/253920212 2/W-66/127	W0109	KESHAV NILAYA	13.003227512 944559- 77.557434886 69397	2539202122	29/01/2022
13	EE/ OFC/pole/202 2- 23/253920212 2/W-66/128	W0109	KUSUMA NILAYA	13.002883846 637937- 77.557390630 24522	2539202122	29/01/2022
14	EE/ OFC/pole/202 2- 23/253920212 2/W-66/129	W0109,W009 0	BHIRESHWA RA NILAYA	13.002240941 090415- 77.557227015 4953	2539202122	29/01/2022
15	EE/ OFC/pole/202 2- 23/253920212 2/W-66/130	W0090	SRI LAKSHMI VENKATESH WARA NILAY	13.002179525 229392- 77.557539492 84555	2539202122	29/01/2022
16	EE/ OFC/pole/202 2- 23/253920212 2/W-66/131	W0111	PADHMA NILAYA	13.002554553 760717- 77.557636052 37009	2539202122	29/01/2022
17	EE/ OFC/pole/202 2- 23/253920212 2/W-66/132	W0111	MANJUSHRE E	13.003078547 379607- 77.557754069 56673	2539202122	29/01/2022

18	EE/ OFC/pole/202 2- 23/253920212 2/W-66/133	W0035,W011 1,10096	SRI DEVI NILAYA	13.001230844 253849- 77.557300776 24322	2539202122	29/01/2022
19	EE/ OFC/pole/202 2- 23/253920212 2/W-66/134	W0109,10096	HERBAL BEAUTY PARLOUR	13.001239991 332909- 77.557058036 32738	2539202122	29/01/2022
20	EE/ OFC/pole/202 2- 23/253920212 2/W-66/135	W0109	HOME NO 2599A	13.001584966 64004- 77.557110339 40315	2539202122	29/01/2022
21	EE/ OFC/pole/202 2- 23/253920212 2/W-66/136	W0109	SRI RANGASWA MY PRASANNA	13.001983517 060633- 77.557133138 17978	2539202122	29/01/2022
22	EE/ OFC/pole/202 2- 23/253920212 2/W-66/137	10096,W0107	SRI NITHYANAN DHA KRURA	13.001256978 76457- 77.556781768 79884	2539202122	29/01/2022
23	EE/ OFC/pole/202 2- 23/253920212 2/W-66/138	W0107	VAGISH NILAYA	13.001498722 858225- 77.556781768 79884	2539202122	29/01/2022
24	EE/ OFC/pole/202 2- 23/253920212 2/W-66/139	W0107	SRI MANJUNATH A	13.001855458 306771- 77.556820660 82956	2539202122	29/01/2022
25	EE/ OFC/pole/202 2- 23/253920212 2/W-66/140	W0107	SRI GANESH TAILORS	13.002065840 510367- 77.556886374 95042	2539202122	29/01/2022
26	EE/ OFC/pole/202 2- 23/253920212 2/W-66/141	W0105,10096	SHREE MANJUNATH A NILAYA	13.001273966 19506- 77.556525617 8379	2539202122	29/01/2022
27	EE/ OFC/pole/202 2- 23/253920212 2/W-66/142	W0105	SAPTHAGIRI NILAYA	13.001635928 860672- 77.556581944 22723	2539202122	05/02/2022
28	EE/ OFC/pole/202 2- 23/253920212 2/W-66/143	W0105	SRI LAKSHMI NILAYA	13.001928634 745635- 77.556571885 94343	2539202122	29/01/2022
29	EE/ OFC/pole/202 2- 23/253920212 2/W-66/144	W0105	SRI PRASAD NILAYA	13.002160577 77984- 77.556661739 94541	2539202122	29/01/2022
30	EE/ OFC/pole/202 2- 23/253920212 2/W-66/145	W0027,W010 5,10096	SEETHA RAM NILAYA	13.001260245 578223- 77.556465268 13509	2539202122	29/01/2022



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

**Total No. of Poles 30**

Pole Charges @ Rs 1500/- Pole	45,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	221.7
Junction Box Charges @ Rs 3000/- Pole	90,000	Total (C)	221.7
Supervision Charge @ Rs 100/- Pole	3,000		
Sub Total (A)	1,38,000	GST @ 18% (B)	24,840
Grand Total (A + B + C)	1,63,061.7		

**Total Amount Payable Rs: 1,63,062 In words (Rupees One Lakh Sixty-Three Thousand and Sixty-Two Only)**

**Note:** The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.

Yours faithfully,


Executive Engineer (OFC-Cell)



Copy to

No.: 10-2022-1124

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



# BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-1124

1/2

@RIL.COM

OFC/Pole/2022-23/W0403/1132    10-2022-1132    Pending    ceofc01(ceofc01)    Pole Work Created    [Demand Notice](#)    [Permission Letter](#)    [View/Submit](#)

## Pole Details



10-2022-1124

OFC/Pole/2022-23/W0120/1113    10-2022-1113    Pending    ceofc01(ceofc01)    Pole Work Created    [Demand Notice](#)    [Permission Letter](#)    [View/Submit](#)

*S. Jyoti*  
EXECUTIVE ENGINEER  
OFC CELL

BENGALURU