



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1125/2022-23

Date: 20-10-2022

168

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

Ref :- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
2) M/s. Jio Digital Fibre Private Limited online application Dated: 15-05-2022
3) Fee Demand Note letter No: 10-2022-1125, Date: 17-10-2022.
4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 19-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

| Sl No | Name of the Road and Route | No of Poles |
|-------|---|-------------|
| 01 | Permission for Regularization for poles from 7 th Main Road via 2 nd Cross Road, 3 rd Cross, Street ID No-W0065, W0096, W0073, 4 th Main, 4 th Cross, 6 th Main, 1 st Main Road, 7 th Main Road, 2 nd Cross Road, 8 th Main Road, 1 st Cross Road, 6 th Cross Road, 4 th Cross, W0085, W0092, W0035, W0054, 2 nd Main Road, 3 rd Main Road for total No of 82 Poles, in Ward No-43, West Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates. | 82 Poles |

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.

No: EE/OFC/PR/1125/2022-23, Dt: 20-10-2022

Executive Engineer (OFC), BBMP

Ab.

2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.

14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

| Sl No | Transmission Voltage | Width of the Right-of-way(ROW) in meters. |
|-------|----------------------|---|
| 01 | 11kV | 7.0 |
| 02 | 33kV | 15.0 |
| 03 | 66kV | 18.0 |
| 04 | 110kV | 22.0 |
| 05 | 132kV | 27.0 |
| 06 | 220kV | 35.0 |
| 07 | 400kV | 52.0 |


23. Distance of site from Electric Lines. –No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

| | | Vertically in m. | Horizontally in m. |
|-----|---|--|--|
| i | Low and medium voltage lines and service lines | 2.5 | 1.2 |
| ii | High voltage lines upto and including 33,000 V. | 3.7 | 2.0 |
| iii | Extra high voltage lines beyond 33000 v. | 3.7 (plus 0.3m for every additional 33,000 V. or part thereof) | 2.0 (plus 0.3m for every additional 13,000 V. or part thereof) |

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**West Zone**) for information.
4. Copy to Zonal Chief Engineer (**West Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Mahalakshmi Layout Division**) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Mahalakshmi Layout Sub Division**) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

केन्द्रीय बैंक  Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP
 शाखा/ Branch BCC Extension

दिनांक/ Date 20 10 2022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.
 बचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

8401132000010

नाम/Name Comm: J. Chav 13/3002

टेलिफोन / मोबाइल नं
 Tel No. / Mobile No.

राशि / Amount ₹ 3,77,806.00 पै/P.

राशि शब्दों में
 Rupees in words Three Lakh Seventy seven thousand eight hundred six only.

| चेक नं. / दिनांक तथा बैंक व शाखा का नाम Cheque No. / Date / Name of Bank & Branch | ₹ | पै/P. |
|--|------------------|-----------|
| <u>206180</u> <u>20/10/22</u> <u>BANK</u> | <u>3,77,806.</u> | <u>00</u> |
| <u>20/10/22</u> | <u>7,806.</u> | <u>00</u> |
| <u>EXECUTIVE</u> | <u>7,806.</u> | <u>00</u> |

अधिकारी / रिजिस्ट्रार
 BRUHAT BENGALURU MAHANAGARA PALIKE
 Officer / Cashier BENGALURU
 Canara Bank Toll Free No. 1800 425 0018

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1125 /DD

Date: 18-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1125

With reference to your Demand Note bearing Pole-OFC-10-2022-1125 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0469 .

| Application No. | Poles | Poles Charges (Rs.) | DD No. | GST (through RCM) Rs. | Total Amount |
|-----------------|-------|---------------------|------------|-----------------------|--------------|
| 10-2022-1125 | 82 | 377806 | 206180 | 67896 | 377806 |
| | | | Dated | | |
| | | | 18-10-2022 | | |


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



1125

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

20618018/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1125 /DD

Date: 18-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1125

With reference to your Demand Note bearing Pole-OFC-10-2022-1125 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0469 .

| Application No. | Poles | Poles Charges (Rs.) | DD No. | GST (through RCM) Rs. | Total Amount |
|-----------------|-------|------------------------|------------|-----------------------------|--------------|
| 10-2022-1125 | 82 | 377806 | 206180 | 67896 | 377806 |
| | | | Dated | | |
| | | | 18-10-2022 | | |


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206180

18/10/2022
dated

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17/01/2023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE | D⁸ D¹ M⁰ M² Y⁰ Y² Y² Y²
दिनांक

ON DEMAND PAY · COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौजे जाने पर
RUPEES Three Lacs Seventy Seven Thousand Eight Hundred Six Only

रुपये

अदा करे ₹ 377,806.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206180

Client Reference 4200008920_44

For Axis Bank Ltd

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

Authorized Signatory
Rudresh B
SS No: 24004

CODE NO:

Rudresh B
SS. No. 24004

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1125 /DD

Date: 18-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1125

With reference to your Demand Note bearing Pole-OFC-10-2022-1125, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0469.

| Application No. | Poles | Poles Charges (Rs.) | DD No. | GST (through RCM) Rs. | Total Amount |
|-----------------|-------|------------------------|------------|--------------------------------|--------------|
| 10-2022-1125 | 82 | 377806 | 206180 | 67896 | 377806 |
| | | | Dated | | |
| | | | 18-10-2022 | | |

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE
Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206180

18/10/2022
dated

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17012023

Payee / Beneficiary

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE / दिनांक: D⁸ D¹ M⁰ M² Y⁰ Y² Y² Y

ON DEMAND PAY - COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौजे जाने पर
RUPEES Three Lacs Seventy Seven Thousand Eight Hundred Six Only

रुपये

अदा करे

₹ 377,806.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No: 206180

Client Reference 4200008920_44

For Axis Bank Ltd
Authorized Signatory

Under CMS Arrangement:
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

Rudresha B
Sr. No. 1125



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT
Pole Form

Application No. :10-2022-1125

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-1125

General Information

Segment ID

OFC/Pole/2022-23/W0147/1125

Street ID

19492

Street Name

NA

Zone

West

Ward No.

43

Ward Name

Nandini Layout

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

15/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

82

No.Junction Box

82




Status of My Application

| Approver Name | Designation | Date |
|------------------|-------------|------------|
| ceofc01(ceofc01) | CE | 20/05/2022 |
| ceofc01(ceofc01) | CE | 17/10/2022 |

Date : 17/10/2022

Time : 06:38:21

20221017063821





Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1125

Date: 17/10/2022

Demand Notice


GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0



Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).
2)Your request letter No. : 10-2022-1125, dated : 15/05/2022

Details of Poles added on BBMP GIS Map (Pole Id:-OFC/Pole/2022-23/W0147/1125)

| Sr No. | Unique PoleId. | Street Id | Landmark or address | Coordinates | Permission Letter No. | Permission Letter Date |
|--------|--|-----------------|-----------------------------|--|-----------------------|------------------------|
| 1 | EE/ OFC/pole/202 2-23/1115/W- 43/61 | W0052 | PL1301 #68 | 13.018207242 343713- 77.535887360 57283 | 1115 | 02/03/2021 |
| 2 | EE/ OFC/pole/202 2-23/1115/W- 43/62 | W0043,W005 2 | PL1302 L R ENTR | 13.018350972 278768- 77.535460889 33945 | 1115 | 02/03/2021 |
| 3 | EE/ OFC/pole/202 2-23/1115/W- 43/63 | W0052 | PL1303 ANGEL PARLOUR | 13.018499928 668952- 77.535012960 43397 | 1115 | 02/03/2021 |
| 4 | EE/ OFC/pole/202 2-23/1115/W- 43/64 | W0021,W005 4 | PL1402 NANDINI BEKERY | 13.018377104 985275- 77.534532845 02031 | 1115 | 02/03/2021 |
| 5 | EE/ OFC/pole/202 2-23/1115/W- 43/65 | W0054,W003 5 | BGLRBD0628 577 #129 | 13.018238601 60937- 77.534948587 41762 | 1115 | 02/03/2021 |


| | | | | | | |
|----|--|-----------------|-----------------------|---|------|------------|
| 6 | EE/ OFC/pole/202 2-23/1115/W- 43/66 | W0068 | PL1105 #107 | 13.017898876 019947- 77.534905672 07338 | 1115 | 02/03/2021 |
| 7 | EE/ OFC/pole/202 2-23/1115/W- 43/67 | W0035,W006 8 | PL1104 #94 | 13.017925008 774126- 77.534811794 75786 | 1115 | 02/03/2021 |
| 8 | EE/ OFC/pole/202 2-23/1115/W- 43/68 | W0092 | BGLRBD1355 960 #92 | 13.017585282 754819- 77.534511387 34819 | 1115 | 02/03/2021 |
| 9 | EE/ OFC/pole/202 2-23/1115/W- 43/69 | W0092 | PL1002 #76 | 13.017342247 701398- 77.535273134 70842 | 1115 | 02/03/2021 |
| 10 | EE/ OFC/pole/202 2-23/1115/W- 43/70 | W0100 | PL0906 #64 | 13.017164544 500757- 77.534921765 32747 | 1115 | 02/03/2021 |
| 11 | EE/ OFC/pole/202 2-23/1115/W- 43/71 | W0100,W008 5 | PL0904 #43 | 13.017130571 815532- 77.534876167 77421 | 1115 | 02/03/2021 |
| 12 | EE/ OFC/pole/202 2-23/1115/W- 43/72 | W0081 | PL0907 #44 | 13.017201130 464247- 77.534540891 64735 | 1115 | 02/03/2021 |
| 13 | EE/ OFC/pole/202 2-23/1115/W- 43/73 | W0081,W013 4 | PL0804 #147 | 13.016947641 891996- 77.534489929 67607 | 1115 | 02/03/2021 |
| 14 | EE/ OFC/pole/202 2-23/1115/W- 43/74 | W0134 | PL0803 #24 | 13.016911055 891077- 77.534618675 70877 | 1115 | 02/03/2021 |
| 15 | EE/ OFC/pole/202 2-23/1115/W- 43/75 | W0134 | PL0805 #626 | 13.016837883 873059- 77.534886896 610272 | 1115 | 02/03/2021 |
| 16 | EE/ OFC/pole/202 2-23/1115/W- 43/76 | W0134 | PL0804 #28 | 13.016725512 517603- 77.535206079 48305 | 1115 | 02/03/2021 |
| 17 | EE/ OFC/pole/202 2-23/1115/W- 43/77 | W0134 | PL0802 #17 | 13.016832657 29952- 77.534715235 23332 | 1115 | 02/03/2021 |
| 18 | EE/ OFC/pole/202 2-23/1115/W- 43/78 | W0134 | PL0801 SRINIKENT | 13.016715059 36567- 77.535117566 58554 | 1115 | 02/03/2021 |
| 19 | EE/ OFC/pole/202 2-23/1115/W- 43/79 | W0081,W014 0 | PL0701 #51 | 13.016631434 134318- 77.534342408 18025 | 1115 | 02/03/2021 |
| 20 | EE/ OFC/pole/202 2-23/1115/W- 43/80 | W0140 | PL0703 #6 | 13.016563488 613071- 77.534599900 24568 | 1115 | 02/03/2021 |
| 21 | EE/ OFC/pole/202 2-23/1115/W- 43/81 | W0140 | PL0601 ADITHY | 13.016524289 265417- 77.534803748 13081 | 1115 | 02/03/2021 |

| | | | | | | |
|----|--|----------------------------------|---|--|------|------------|
| 22 | EE/ OFC/pole/202 2-23/1115/W- 43/82 | W0140 | PL0602 #10 | 13.016466796 877644- 77.535047829 15117 | 1115 | 02/03/2021 |
| 23 | EE/ OFC/pole/202 2-23/1115/W- 43/83 | W0140 | PL0702 VAJRAKAYA | 13.016563488 613071- 77.534457743 16789 | 1115 | 02/03/2021 |
| 24 | EE/ OFC/pole/202 2-23/1115/W- 43/84 | W0144 | PL0201 RUDRESHW ARA NILAYA | 13.016236827 193184- 77.534921765 32747 | 1115 | 02/03/2021 |
| 25 | EE/ OFC/pole/202 2-23/1115/W- 43/85 | W0144 | PL0201 MANJUNATH A NILAYA | 13.016343972 186355- 77.534567713 7375 | 1115 | 02/03/2021 |
| 26 | EE/ OFC/pole/202 2-23/1115/W- 43/86 | W0144 | BGLRBD1355 631 #32 | 13.016474636 749496- 77.534240484 23769 | 1115 | 02/03/2021 |
| 27 | EE/ OFC/pole/202 2-23/1115/W- 43/87 | W0150 | PL0301 #65/1 | 13.016025150 363216- 77.534900307 65533 | 1115 | 02/03/2021 |
| 28 | EE/ OFC/pole/202 2-23/1115/W- 43/88 | W0150 | PL0302 #56 | 13.016121842 270937- 77.534586489 2006 | 1115 | 02/03/2021 |
| 29 | EE/ OFC/pole/202 2-23/1115/W- 43/89 | W0150 | BGLRBD0006 132 #115 #GANESH JEWELERS | 13.016283866 464189- 77.534009814 2624 | 1115 | 02/03/2021 |
| 30 | EE/ OFC/pole/202 2-23/1115/W- 43/90 | W0154;W008- 7,W0147,W01 52 | PL0603 WATER TANK | 13.015685421 739697- 77.534996867 17988 | 1115 | 02/03/2021 |
| 31 | EE/ OFC/pole/202 2-23/1115/W- 43/91 | W0152 | PL0604 #209 | 13.015821313 244988- 77.534506022 93016 | 1115 | 02/03/2021 |
| 32 | EE/ OFC/pole/202 2-23/1115/W- 43/92 | W0152 | BGLRBD0060 511 ROYAL SALON | 13.015980724 338911- 77.533932030 20096 | 1115 | 02/03/2021 |
| 33 | EE/ OFC/pole/202 2-23/1115/W- 43/93 | W0152 | PL0502 SHREYSIN INFO TECH | 13.016017310 477165- 77.533819377 42235 | 1115 | 02/03/2021 |
| 34 | EE/ OFC/pole/202 2-23/1115/W- 43/94 | W0150 | BGLRBD1355 439 SAI SRI STEEL | 13.016309999 388666- 77.533902525 90181 | 1115 | 02/03/2021 |
| 36 | EE/ OFC/pole/202 2-23/1115/W- 43/95 | W0144 | PL0103 SRIVIVASA CLINIC | 13.016532129 13545- 77.534055411 81566 | 1115 | 02/03/2021 |
| 37 | EE/ OFC/pole/202 2-23/1115/W- 43/96 | W0079 | BGLRBD0006 041 LAKSHMI JELWS | 13.016647113 867347- 77.534001767 63536 | 1115 | 02/03/2021 |
| 38 | EE/ OFC/pole/202 2-23/1115/W- 43/97 | W0079 | BGLRBD1355 749 #265/1 | 13.016824817 439005- 77.534042000 77058 | 1115 | 02/03/2021 |

| | | | | | | |
|----|---|-----------------------|------------------------------------|---|------|------------|
| 39 | EE/ OFC/pole/202 2-23/1115/W- 43/98 | W0079 | PL0104 #SHIKSHAN | 13.017096599 125663- 77.534114420 41399 | 1115 | 02/03/2021 |
| 40 | EE/ OFC/pole/202 2-23/1115/W- 43/99 | W0079 | PL0102 SAMRT PEARL SCHOOL | 13.017054786 577873- 77.534154653 54921 | 1115 | 02/03/2021 |
| 41 | EE/ OFC/pole/202 2-23/1115/W- 43/100 | W0079 | PL0101 #57 | 13.017300435 195057- 77.534221708 77458 | 1115 | 02/03/2021 |
| 42 | EE/ OFC/pole/202 2-23/1115/W- 43/101 | W0019 | PL6002 #141 | 13.018280413 95742- 77.534146606 92216 | 1115 | 02/03/2021 |
| 43 | EE/ OFC/pole/202 2-23/1115/W- 43/102 | W0017 | PL6005 #153 | 13.018484249 053145- 77.533838152 88544 | 1115 | 02/03/2021 |
| 44 | EE/ OFC/pole/202 2-23/1115/W- 43/103 | W0017 | PL6006 #147 | 13.018256894 512524- 77.533792555 3322 | 1115 | 02/03/2021 |
| 45 | EE/ OFC/pole/202 2-23/1115/W- 43/104 | W0017,W007 3,W0092 | PL6004 #146 | 13.017760372 376774- 77.533725500 10683 | 1115 | 02/03/2021 |
| 46 | EE/ OFC/pole/202 2-23/1115/W- 43/105 | W0092 | PL6003 SANSI SCHOOL | 13.017820477 740862- 77.533033490 48098 | 1115 | 02/03/2021 |
| 47 | EE/ OFC/pole/202 2-23/1115/W- 43/106 | W0092,W006 5 | PL5902RREM A | 13.017862290 15947- 77.532491683 95998 | 1115 | 02/03/2021 |
| 48 | EE/ OFC/pole/202 2-23/1115/W- 43/107 | W0092 | BGLRBD1243 326 #173 | 13.017919782 223501- 77.531987428 665187 | 1115 | 02/03/2021 |
| 49 | EE/ OFC/pole/202 2-23/1115/W- 43/108 | W0092 | PL5901.#179 | 13.017864903 435393- 77.532049119 47252 | 1115 | 02/03/2021 |
| 50 | EE/ OFC/pole/202 2-23/1115/W- 43/109 | W0065 | PL5903 NAVSANITH | 13.017789118 422295- 77.532489001 75096 | 1115 | 02/03/2021 |
| 51 | EE/ OFC/pole/202 2-23/1115/W- 43/110 | W0096,W006 5 | PL5803 #221 | 13.017462458 617825- 77.532451450 82475 | 1115 | 02/03/2021 |
| 52 | EE/ OFC/pole/202 2-23/1115/W- 43/111 | W0096 | PL5802 #217 | 13.017480751 578253- 77.532191276 55031 | 1115 | 02/03/2021 |
| 53 | EE/ OFC/pole/202 2-23/1115/W- 43/112 | W0096 | PL5801 #215 | 13.017514724 215465- 77.531823813 91527 | 1115 | 02/03/2021 |
| 54 | EE/ OFC/pole/202 2-23/1115/W- 43/113 | W0096 | PL5701 #197 | 13.017467685 17808- 77.532864511 01305 | 1115 | 02/03/2021 |

| | | | | | | |
|----|---|-----------------|-----------------------------|---|------|------------|
| 55 | EE/ OFC/pole/202 2-23/1115/W- 43/114 | W0096 | PL5702 #193 | 13.017425872 69291- 77.533237338 06612 | 1115 | 02/03/2021 |
| 56 | EE/ OFC/pole/202 2-23/1115/W- 43/115 | W0073,W009 6 | PL5705 JAMADAGI | 13.017394513 324406- 77.533516287 80366 | 1115 | 02/03/2021 |
| 57 | EE/ OFC/pole/202 2-23/1115/W- 43/116 | W0136 | PL5704 #54 | 13.017146251 516984- 77.533231973 64809 | 1115 | 02/03/2021 |
| 58 | EE/ OFC/pole/202 2-23/1115/W- 43/117 | W0136 | PL5603 #14 | 13.017188064 049328- 77.532888650 89418 | 1115 | 02/03/2021 |
| 59 | EE/ OFC/pole/202 2-23/1115/W- 43/118 | W0136 | BGLRBD0858 785 #21/3 | 13.017125345 248164- 77.533054947 8531 | 1115 | 02/03/2021 |
| 60 | EE/ OFC/pole/202 2-23/1115/W- 43/119 | W0136 | PL5604 #27 | 13.017211583 595673- 77.532609701 15662 | 1115 | 02/03/2021 |
| 61 | EE/ OFC/pole/202 2-23/1115/W- 43/120 | W0136 | BGLRBD0634 302 #5 | 13.017159317 934103- 77.532730400 5623 | 1115 | 02/03/2021 |
| 62 | EE/ OFC/pole/202 2-23/1115/W- 43/121 | W0063,W013 6 | PL5602 #22 | 13.017229876 574625- 77.532314658 16499 | 1115 | 02/03/2021 |
| 63 | EE/ OFC/pole/202 2-23/1115/W- 43/122 | W0136 | PL5601 #14 | 13.017237716 422342- 77.531947195 52995 | 1115 | 02/03/2021 |
| 64 | EE/ OFC/pole/202 2-23/1115/W- 43/123 | W0138 | PL5501 SV, INNOVATION | 13.016973774 746475- 77.532486319 541957 | 1115 | 02/03/2021 |
| 65 | EE/ OFC/pole/202 2-23/1115/W- 43/124 | W0063,W014 2 | PL5506 #46 | 13.016890149 602425- 77.532212734 22243 | 1115 | 02/03/2021 |
| 66 | EE/ OFC/pole/202 2-23/1115/W- 43/125 | W0142 | PL5505#44 | 13.016887536 316222- 77.531920373 4398 | 1115 | 02/03/2021 |
| 67 | EE/ OFC/pole/202 2-23/1115/W- 43/126 | W0001 | PL5501 #VINTAGE | 13.017127958 53186- 77.531622648 23915 | 1115 | 02/03/2021 |
| 68 | EE/ OFC/pole/202 2-23/1115/W- 43/127 | W0150 | PL5404 GANAPATHI WOOD | 13.016566101 902695- 77.532459497 4518 | 1115 | 02/03/2021 |
| 69 | EE/ OFC/pole/202 2-23/1115/W- 43/128 | W0150 | PL5404B#172 | 13.016584394 929293- 77.532073259 35365 | 1115 | 02/03/2021 |
| 70 | EE/ OFC/pole/202 2-23/1115/W- 43/129 | W0150 | PL5401 #181 | 13.016623594 267429- 77.531821131 70625 | 1115 | 02/03/2021 |

| | | | | | | |
|----|---|------------------|---|---|------|------------|
| 71 | EE/ OFC/pole/202 2-23/1115/W- 43/130 | W0001,W015 0 | BGLRBD0059 752 KARNATAKA BATTERT | 13.016657567 022143- 77.531512677 66954 | 1115 | 02/03/2021 |
| 72 | EE/ OFC/pole/202 2-23/1115/W- 43/131 | W0063,W015 2 | PL5302 PRAGATHI | 13.016309999 388666- 77.532100081 44379 | 1115 | 02/03/2021 |
| 73 | EE/ OFC/pole/202 2-23/1115/W- 43/132 | W0152 | PL5304 #241 | 13.016343972 186355- 77.531842589 37837 | 1115 | 02/03/2021 |
| 74 | EE/ OFC/pole/202 2-23/1115/W- 43/133 | W0152 | PL5303 NANJU NILAYA | 13.016372718 396157- 77.531577050 6859 | 1115 | 02/03/2021 |
| 75 | EE/ OFC/pole/202 2-23/1115/W- 43/134 | W0152 | PL5301 #239 | 13.016278639 878959- 77.532411217 68951 | 1115 | 02/03/2021 |
| 76 | EE/ OFC/pole/202 2-23/1115/W- 43/135 | W0152 | BGLRBD0616 639 KALA FAHION | 13.016228987 313815- 77.533038854 59901 | 1115 | 02/03/2021 |
| 77 | EE/ OFC/pole/202 2-23/1115/W- 43/136 | W0150 | PL5203 RAVI KRISHAN | 13.016537355 715323- 77.532902061 93925 | 1115 | 02/03/2021 |
| 78 | EE/ OFC/pole/202 2-23/1115/W- 43/137 | W0150 | PL5201 SAMRUDHI | 13.016333519 018328- 77.533725500 10683 | 1115 | 02/03/2021 |
| 79 | EE/ OFC/pole/202 2-23/1115/W- 43/138 | W0073,W014- 4 | PL5105 #19/A | 13.016715059 36567- 77.533328533 17261 | 1115 | 02/03/2021 |
| 80 | EE/ OFC/pole/202 2-23/1115/W- 43/139 | W0138 | PL5104 #54 | 13.016890149 602425- 77.533194422 721887 | 1115 | 02/03/2021 |
| 81 | EE/ OFC/pole/202 2-23/1115/W- 43/140 | W0138 | PL5103 #51 | 13.016913669 177038- 77.532979846 00069 | 1115 | 02/03/2021 |
| 82 | EE/ OFC/pole/202 2-23/1115/W- 43/141 * | W0138 | PL5101 #50 | 13.016934575 463718- 77.532770633 69752 | 1115 | 02/03/2021 |
| 83 | EE/ OFC/pole/202 2-23/1115/W- 43/142 | W0138 | PL5102 #NCROTEK | 13.016945028 60639- 77.532582879 06648 | 1115 | 02/03/2021 |



In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 82


| | | | |
|---------------------------------------|-------------|---|--------|
| Pole Charges @ Rs 1500/- Pole | 1,23,000 | Worker Welfare Cess Amount @ Rs 7.39/- Pole | 605.98 |
| Junction Box Charges @ Rs 3000/- Pole | 2,46,000 | Total (C) | 605.98 |
| Supervision Charge @ Rs 100/- Pole | 8,200 | | |
| Sub Total (A) | 3,77,200 | GST @ 18% (B) | 67,896 |
| Grand Total (A + B + C) | 4,45,701.98 | | |

Total Amount Payable Rs: 4,45,702 In words (Rupees Four Lakh Forty-Five Thousand Seven Hundred and wo Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-1125

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

BABU.VEERABHADRE@RIL.COM

OFC/Pole/2022-23/W0069/1132 10-2022-1133 Pending ceofc01(ceofc01) Demand note approved [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

Pole Details

OFC/Pole/2022-23/W0286/1115 10-2022-1115 Pending ceofc01(ceofc01) Pole Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

EXCISE CELL
OFC CELL
BENGALURU
BENGALURU