



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rd Floor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1141/2022-23

Date: 20-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

Ref :- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
2) M/s. Jio Digital Fibre Private Limited online application Dated: 16-05-2022
3) Fee Demand Note letter No: 10-2022-1141, Date: 17-10-2022.
4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 19-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from Street ID No-W0318 via Ashokapuram Main Road, RMC Road, Yashwanthpura Road up to Street ID No-W0372.	41 Poles
02	From Street ID No-W0366 via W0350, W0378, W039, W0384, W0384, W0385, W0369, W0367, W0372, W0309 up to W0369, for total No of 41 Poles, in Ward No-44, West Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.

No: EE/OFC/PR/1141/2022-23, Dt: 20-10-2022

Executive Engineer (OFC), BBMP

2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be refereed to and the decision of the arbitrators shall be final and binding on both the parties.

14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0


23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**West Zone**) for information.
4. Copy to Zonal Chief Engineer (**West Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Mahalakshmi Layout Division**) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Mahalakshmi Layout Sub Division**) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

1141
केनरा बैंक  Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP

शाखा/ Branch BCC Extension

दिनांक/ Date 20102022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.
बचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

8401132000010

नाम/Name Commissioner BBMP

टेलिफोन / मोबाइल नं
Tel No./Mobile No.

राशि /Amount 1,88,903.00/-

राशि शब्दों में
Rupees in words One lakh eighty eight thousand nine hundred three only-

चेक नं. / दिनांक तथा बैंक व शाखा का नाम Cheque No./Date / Name of Bank & Branch	₹	₹/P.
<u>206229 07-12-2022</u>	<u>1,88,903.00/-</u>	

EXCISE
कुल / Total 1,88,903.00/-

अधिकारी/अधिकारिया/ BBMP
जिस बैंक कोल फी 24 घंटे कॉल सेंटर

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1141 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1141

With reference to your Demand Note bearing Pole-OFC-10-2022-1141 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0439 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1141	41	188903	206229	33948	188903
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.





1141

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206229

dated 18/10/2022

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1141 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1141

With reference to your Demand Note bearing Pole-OFC-10-2022-1141, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0439.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1141	41	188903	206229	33948	188903
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREA RELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206229

dated 18/10/2022

PAYMENT REFERENCE

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17/01/2023

DATE 18 10 2022
दिनांक

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर

RUPEES One Lac Eighty Eight Thousand Nine Hundred Three Only

रुपये

अदा करे

₹ 188,903.00



Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206229

Client Reference 4200008920_93

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

5516124004
Authorised Signatory

Authorised Signatory

Request No. 20182

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1141 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru – 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1141

With reference to your Demand Note bearing Pole-OFC-10-2022-1141 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0439 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1141	41	188903	206229	33948	188903
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206229

dated 18/10/2022

PAYMENT REFERENCE

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17012023

DATE 18/10/2022
दिनांक

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौंगे जाने पर
RUPEES One Lac Eighty Eight Thousand Nine Hundred Three Only
रुपये

₹ 188,903.00
अदा करें

Payable at par at all Branches of AXIS Bank Ltd .

DD Sr. No. 206229

Client Reference 4200008920_93

For Axis Bank Ltd
Authorized Signatory

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

Rudra...
No. 20192



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT
Pole Form

Application No. :10-2022-1141

PR Number(To be Assigned by AE/JE- OFC, BBMP) CE-POLE-10-2022-1141

General Information

Segment ID

OFC/Pole/2022-23/W0366/1140

Street ID

18926

Street Name

NA

Zone

West

Ward No.

44

Ward Name

Marappana Palya

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

16/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

41

No.Junction Box

41




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	20/05/2022
ceofc01(ceofc01)	CE	17/10/2022

Date : 17/10/2022

Time : 06:50:56

20221017065056





Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1141

Date: 17/10/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Shri. J. Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-1141, dated : 16/05/2022


Details of Poles added on BBMP GIS Map (Pole Id:-OFC/Pole/2022-23/W0366/1140)

Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/1867/W- 44/61	W0359	PL0901 APEX TEST TECHNOLOG Y	13.015748140 905249- 77.548815608 0246	1867	30/06/2021
2	EE/ OFC/pole/202 2-23/1867/W- 44/62	W0359	PL0905 SRI KUMAR AGENCY	13.015758594 097958- 77.548778057 0984	1867	30/06/2021
3	EE/ OFC/pole/202 2-23/1867/W- 44/63	W0369	PL5501 ASSTES LUMOS APPArtemt	13.015068682 433228- 77.549808025 36012	1867	30/06/2021
4	EE/ OFC/pole/202 2-23/1867/W- 44/64	W0369,W037 2	BGLRBD0324 688 VAIBHAV SHANA	13.014248103 18032- 77.549432516 09804	1867	30/06/2021
5	EE/ OFC/pole/202 2-23/1867/W- 44/65	W0372	PL5401 ESTEEM CLASIC APP	13.014372235 566526- 77.550430297 85158	1867	30/06/2021

6	EE/ OFC/pole/202 2-23/1867/W- 44/66	W0367	PL5304 MYSOSE SOPA FACTORY	13.014248103 18032- 77.551449537 27722	1867	30/06/2021
7	EE/ OFC/pole/202 2-23/1867/W- 44/67	W0369	PL5303 TAMPEL BELL APPARTMEN T	13.012664429 808778- 77.552082538 60475	1867	30/06/2021
8	EE/ OFC/pole/202 2-23/1867/W- 44/68	W0369	PL5302 SATHYA STORE	13.012606936 525792- 77.551068663 59712	1867	30/06/2021
9	EE/ OFC/pole/202 2-23/1867/W- 44/69	W0369	PL5301 ARAVINDA TOYOTA	13.013213228 657238- 77.549588084 2209	1867	30/06/2021
10	EE/ OFC/pole/202 2-23/1867/W- 44/70	W0384,W038 7	PL0202/0201 NANDINI HOUSE NAME	13.012047682 986505- 77.550172805 78615	1867	30/06/2021
11	EE/ OFC/pole/202 2-23/1867/W- 44/71	W0384,W038 9	PL0204/0203 VISHANTH	13.012037229 637325- 77.550441026 68764	1867	30/06/2021
12	EE/ OFC/pole/202 2-23/1867/W- 44/72	W0384,W039 5	PL0206/0205 #24	13.012032002 962558- 77.550778985 02351	1867	30/06/2021
13	EE/ OFC/pole/202 2-23/1867/W- 44/73	W0384	BGLRBD1169 322 BEENAKA APPARTMEN T	13.012021549 612705- 77.549362778 66365	1867	30/06/2021
14	EE/ OFC/pole/202 2-23/1867/W- 44/74	W0386	BGLRBD1169 322 PRESICE ENCLAVE	13.011728855 637864- 77.548890709 87703	1867	30/06/2021
15	EE/ OFC/pole/202 2-23/1867/W- 44/75	W0386	BGLRBD0627- 116-PRESICE KRISHAN	13.011655682 090163- 77.549453973 77016	1867	30/06/2021
6	EE/ OFC/pole/202 2-23/1867/W- 44/76	W0386	PL0102/0101 PRISECE KRISHNA APPARTMEN T NEAR	13.011608641 940958- 77.550054788 58948	1867	30/06/2021
17	EE/ OFC/pole/202 2-23/1867/W- 44/77	W0381	PL0303 SUKRUTHI APPARTMEN T	13.012146989 781867- 77.548542022 70509	1867	30/06/2021
18	EE/ OFC/pole/202 2-23/1867/W- 44/78	W0382,W038 1	PL0301 SUKRUTHI APPARTMEN T	13.012460589 927093- 77.548413276 67238	1867	30/06/2021
19	EE/ OFC/pole/202 2-23/1867/W- 44/79	W0382	PL0302 SUKRUTHI APPATMENT NEAR AND #103	13.012439683 263084- 77.548091411 59059	1867	30/06/2021
20	EE/ OFC/pole/202 2-23/1867/W- 44/80	W0386,W037 1	BGLRBD0868 918 SRI SAI NIVASA	13.012099949 725863- 77.548048496 24635	1867	30/06/2021

21	EE/ OFC/pole/202 2-23/1867/W- 44/81	W0375	PL1309 #81	13.011195733 581589- 77.547930479 0497	1867	30/06/2021
22	EE/ OFC/pole/202 2-23/1867/W- 44/82	W0371,W037 3	PL1306/1304 # NARAYANA NIVASHA	13.011603415 25717- 77.547195553 77962	1867	30/06/2021
23	EE/ OFC/pole/202 2-23/1867/W- 44/83	W0373	PL1302 #67	13.011284587 337238- 77.547512054 44337	1867	30/06/2021
24	EE/ OFC/pole/202 2-23/1867/W- 44/84	W0373	PL1301 #72	13.011002345 885714- 77.547495961 18928	1867	30/06/2021
25	EE/ OFC/pole/202 2-23/1867/W- 44/85	W0371	PL1303 ABHUDAYA	13.011493654 871991- 77.547023892 40266	1867	30/06/2021
26	EE/ OFC/pole/202 2-23/1867/W- 44/86	W0382,W035 9	PL0407 #27	13.012154829 790328- 77.547597885 13184	1867	30/06/2021
27	EE/ OFC/pole/202 2-23/1867/W- 44/87	W0382	PL0406 #33	13.012079043 031449- 77.547458410 26308	1867	30/06/2021
28	EE/ OFC/pole/202 2-23/1867/W- 44/88	W0382	PL0404 #LITTLE JULY	13.011932696 121145- 77.547222375 86977	1867	30/06/2021
29	EE/ OFC/pole/202 2-23/1867/W- 44/89	W0382	PL0403 #PARK STEPS	13.011707948 912152- 77.546967566 01335	1867	30/06/2021
30	EE/ OFC/pole/202 2-23/1867/W- 44/90	W0380	PL0408 #1	13.012329923 24812- 77.546849548 81668	1867	30/06/2021
31	EE/ OFC/pole/202 2-23/1867/W- 44/91	W0380	PL0409 BBMP PARK	13.012350829 92138- 77.547292113 30415	1867	30/06/2021
32	EE/ OFC/pole/202 2-23/1867/W- 44/92	W0359,W038 0	PL0405 #199	13.012376963 260486- 77.547587156 29578	1867	30/06/2021
33	EE/ OFC/pole/202 2-23/1867/W- 44/93	W0378	PL0502 #172	13.012729763 068737- 77.547817826 27107	1867	30/06/2021
34	EE/ OFC/pole/202 2-23/1867/W- 44/94	W0378	PL0501 #176	13.012787256 323238- 77.548255026 3405	1867	23/06/2021
35	EE/ OFC/pole/202 2-23/1867/W- 44/95	W0378,W035 3	PL0504 #SAPATHGIR I	13.012656589 816434- 77.547069489 95592	1867	23/06/2021
36	EE/ OFC/pole/202 2-23/1867/W- 44/96	W0359	PL0702 DO ALL ENGG	13.014634873 357704- 77.548327445 98389	1867	23/06/2021

37	EE/ OFC/pole/202 2-23/1867/W- 44/97	W0359	BGLRBD0112 774 SILVERACK FOODS	13.015298653 201494- 77.548606395 72145	1867	30/06/2021
38	EE/ OFC/pole/202 2-23/1867/W- 44/98	W0352	BGLRBD0139 72 BBMP PARK LINE	13.015126175 145303- 77.548171877 86104	1867	30/06/2021
39	EE/ OFC/pole/202 2-23/1867/W- 44/99	W0352	BGLRBD0123 231 BBMP PARK GYM	13.015377052 278287- 77.547817826 27107	1867	30/06/2021
40	EE/ OFC/pole/202 2-23/1867/W- 44/100	W0352	BGLRBD0288 504 BRUNDAVAN A APPT	13.015722007 921525- 77.547340393 06642	1867	30/06/2021
41	EE/ OFC/pole/202 2-23/1867/W- 44/101	10297,W0330	PL1401 KRISHAN ELEGENTS APPT	13.016662793 599382- 77.547469139 09914	1867	30/06/2021



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 41

Pole Charges @ Rs 1500/- Pole	61,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	302.99
Junction Box Charges @ Rs 3000/- Pole	1,23,000	Total (C)	302.99
Supervision Charge @ Rs 100/- Pole	4,100		
Sub Total (A)	1,88,600	GST @ 18% (B)	33,948
Grand Total (A + B + C)	2,22,850.99		

Total Amount Payable Rs: 2,22,851 In words (Rupees Two Lakh Twenty-Two Thousand Eight Hundred and Fifty-One Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

No.: 10-2022-1141



BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

OFC/Pole/2022-23/W0195/1152 10-2022-1153 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

Pole Details



OFC/Pole/2022-23/W0069/1132 10-2022-1133 Pending ceofc01(ceofc01) Demand note approved Demand Notice Permission Letter View/Submit

EXECUTIVE ENGINEER

OFC CELL

BENGALURU