



**BRUHAT BENGALURU MAHANAGARA PALIKE**

Office of the Chief Engineer (OFC-Cell), 3<sup>rd</sup> Floor, Annexe II Building,  
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1143/2022-23

Date: 02-11-2022

**Permission for Regularization for Poles**

To,  
M/s. Jio Digital Fibre Private Limited,  
RMZ ICON, No-51, Palace Road Cross,  
Vasanth Nagar, Bengaluru-52.

Sir,

**Sub :-** Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
  - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 16-05-2022
  - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : **15-10-2022**.
  - 4) Fee Demand Note letter No: 10-2022-1143, Date: **19-10-2022**.
  - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: **25-10-2022**.

\*\_\*\_\*\_\*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from BTS Road via 7th Cross up to 2nd Main.	38 Poles
02	From BTS Road via 8th 'B' Main	
03	From BTS Road via 9th Main	
04	From 2nd Main via 9th Main, 1st Main up to Devarakodi Chikkanahalli Main Road.	
05	From 2nd Main via 10th main up to 1st Main.	
06	From 1st Main via Street ID No-W0451	
07	From 1st Main via Street ID No-W0447	
08	From 1st Main via Street ID No-W0433, W0274, W0439	
09	From Street ID No-W0274 via W0437	
10	From Street ID No-W0274 via W0435, W0439 up to W0274.	
11	From Devarakodi Chikkanahalli Main Road via Street ID No-W0264 for total No of <b>38 Poles, in Ward No-193, Bommanahalli Zone.</b> <b>Ref: As per drawing enclosed &amp; demand note GIS co-ordinates.</b>	

**Special Condition:**

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

No: EE/OFC/PR/1143/2022-23, Dt: 02-11-2022

  
Executive Engineer (OFC), BBMP



**Conditions for Regularization of Poles**

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do the same at its own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at its own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to poles and resultant losses, if any during performance of official duties by any employee of corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlined in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the



agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. If any dispute arise it will be settled as per the MOU.

14. Operational and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operational and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;


		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

**Copy to:-**

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**Bommanahalli** Zone) for information.
4. Copy to Zonal Chief Engineer (**Bommanahalli** Zone) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Bommanahalli** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Bommanahalli** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

1143

केनरा बैंक  Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP

शाखा/ Branch B.C.C. - In Town

दिनांक/ Date 21/10/2022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

वचन / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

8401132000010

नाम/Name Commissioner BBmp

टेलिफोन / मोबाइल नं

Tel No./Mobile No. \_\_\_\_\_ ₹ \_\_\_\_\_ पै/P.

रशि / Amount 1,75,081 -

रशि शब्दों में  
Rupees in words One lac seventy five

thousand & eighty one only

चेक नं. / दिनांक तथा बैंक शाखा का नाम Cheque No./Date & Name of Bank & Branch	₹	पै/P.
<u>206334</u>	<u>1,75,081 -</u>	<u>2</u>
Total		<u>1,75,081 - 1</u>

अधिकारी / रोकाइश / Officer/Cashier/SWO  
कनरा बैंक टोल फ्री 24 घंटे कॉल सेंटर  
Canara Bank Toll Free No. 1800 425 0018

MAHANAGARA PALIKE

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1143 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :- Pole-OFC-10-2022-1143**

With reference to your Demand Note bearing Pole-OFC-10-2022-1143 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1031 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1143	38	175081	206334	31464	175081
			Dated		
			19-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.





MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**206334**

19/10/2022  
dated

---

PAYMENT REFERENCE

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1143 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-1143

With reference to your Demand Note bearing Pole-OFC-10-2022-1143, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1031

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1143	38	175081	206334	31464	175081
			Dated		
			19-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.





MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**206334**

19/10/2022  
dated

**PAYMENT REFERENCE**

ISSUING BRANCH - Centralised Collection and Payment Hub (CCPH)

Valid Until: 18/01/2023

DATE	19	10	2022
दिनांक	19	10	2022

Payee  
Negotiable

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY - COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर

RUPEES One Lac Seventy Five Thousand Eighty One Only

रुपये

अदा करे

₹ 175,081.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206334

Client Reference 4200009020\_30

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

For Axis Bank Ltd

*(Signature)*  
Authorised Signatory

*(Signature)*  
Authorised Signatory

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1143 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru – 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-1143

With reference to your Demand Note bearing Pole-OFC-10-2022-1143, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1031

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1143	38	175081	206334	31464	175081
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**206334**

19/10/2022  
dated

**PAYMENT REFERENCE**

ISSUING BRANCH - Centralised Collection and Payment Hub (CCPH)

Valid Until: 18/12/2023

DATE 19 10 2022  
दिनांक 19 10 2022

Payee  
Negotiable

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मांगे जाने पर

RUPEES One Lac Seventy Five Thousand Eighty One Only

रुपये

अदा करे

₹ 175,081.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206334

Client Reference 4200009020\_30

For Axis Bank Ltd

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

Authorized Signatory  
Authorized Signatory

Pratishtha B  
25/10/2022  
Sign above





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-1143

PR Number(To be Assigned by AE/JE-  
OFC, BBMP)

CE-POLE-10-2022-1143

General Information

Segment ID

OFC/Pole/2022-23/W0439/1143

Street ID

90428

Street Name

NA

Zone

Bommanahalli

Ward No.

193

Ward Name

Arakere

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5  
Rasta, Ambawadi, Ahmedabad, Gujarat,  
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

16/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,  
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

38

No.Junction Box

38




**Status of My Application**

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	21/05/2022

Date : 19/10/2022

20221019034058





Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -  
560002

No. : Pole-OFC-10-2022-1143

Date: 19/10/2022

**Demand Notice**

**GST No.: 29AAALBI608FIZK**

**To**

Babu Veerabhadre


M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

**Sub:-** Permission for Poles(Regularization)

**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).  
2)Your request letter No. : 10-2022-1143, dated : 16/05/2022

Details of Poles added on BBMP GIS Map (Pole Id:-OFC/Pole/2022-23/W0439/1143)




Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
2	EE/ OFC/pole/202 2-23/4142/W- 193/434	W0379	PARK SQUARE	12.886793396 906079- 77.608413780 05323	4142	19/03/2022
3 *	EE/ OFC/pole/202 2-23/4142/W- 193/435	W0379	KAMBANI *	12.887541186 037485- 77.608370870 91647	4142	19/03/2022
4	EE/ OFC/pole/202 2-23/4142/W- 193/436	W0381	SUBAM	12.887724211 009226- 77.608778507 71548	4142	19/03/2022
5	EE/ OFC/pole/202 2-23/4142/W- 193/437	W0433	SIGMA	12.886249548 862548- 77.608601507 52644	4142	19/03/2022
6	EE/ OFC/pole/202 2-23/4142/W- 193/438	W0264	CRR	12.886020504 8777- 77.609585294 59188	4142	19/03/2022



7	EE/ OFC/pole/202 2-23/4142/W- 193/439	W0433	SINOPIA	12.885549865 76409- 77.608619839 01525	4142	19/03/2022
8	EE/ OFC/pole/202 2-23/4142/W- 193/440	W0264	VRS	12.886080119 229984- 77.608897511 89592	4142	19/03/2022
9	EE/ OFC/pole/202 2-23/4142/W- 193/441	W0437	NAIMI	12.885463059 025305- 77.609020875 66404	4142	19/03/2022
10	EE/ OFC/pole/202 2-23/4142/W- 193/442	W0274	LAKSHMI	12.885316637 736622- 77.609369512 40004	4142	19/03/2022
11	EE/ OFC/pole/202 2-23/4142/W- 193/443	W0274	BALAJI	12.885321867 069825- 77.608902875 53802	4142	19/03/2022
12	EE/ OFC/pole/202 2-23/4142/W- 193/444	W0276,W043 9	KAVYA	12.885018565 56301- 77.609696694 56769	4142	19/03/2022
13	EE/ OFC/pole/202 2-23/4142/W- 193/445	W0276	CHAKRA	12.885008106 883806- 77.608725875 34895	4142	19/03/2022
14	EE/ OFC/pole/202 2-23/4142/W- 193/446	W0272,W042 9	AMAR	12.885415995 049- 77.608189511 1397	4142	19/03/2022
15	EE/ OFC/pole/202 2-23/4142/W- 193/447	W0276,W042 9	NISARGA	12.885102234 98089- 77.608130511 07667	4142	19/03/2022
16	EE/ OFC/pole/202 2-23/4142/W- 193/448	W0276,W042 7	SRI RANGHAS	12.885196363 042581- 77.607647783 28837	4142	19/03/2022
17	EE/ OFC/pole/202 2-23/4142/W- 193/449	W0264	VSS	12.886012138 095518- 77.609970240 31441	4142	19/03/2022
18	EE/ OFC/pole/202 2-23/4142/W- 193/450	W0276,W044 1	LAVANYA	12.885285261 735053- 77.607100691 79494	4142	19/03/2022
19	EE/ OFC/pole/202 2-23/4142/W- 193/451	W0421	NAVANEET	12.885572874 935654- 77.606886146 11122	4142	19/03/2022
20	EE/ OFC/pole/202 2-23/4142/W- 193/452	W0421	NO 52	12.886127183 08151- 77.607014873 52145	4142	19/03/2022
21	EE/ OFC/pole/202 2-23/4142/W- 193/453	W0421	ROLAN	12.885081317 629034- 77.606752055 05889	4142	19/03/2022
22	EE/ OFC/pole/202 2-23/4142/W- 193/454	W0421	NO 17	12.884716309 701687- 77.606656628 0669	4142	19/03/2022

23	EE/ OFC/pole/202 2-23/4142/W- 193/455	W0421	A1	12.884308420 397078- 77.606554718 86716	4142	19/03/2022
24	EE/ OFC/pole/202 2-23/4142/W- 193/456	W0421	SDG	12.883931906 603268- 77.606452809 66739	4142	19/03/2022
25	EE/ OFC/pole/202 2-23/4142/W- 193/457	W0441	NO 553	12.884956859 493037- 77.607032083 01341	4142	19/03/2022
26	EE/ OFC/pole/202 2-23/4142/W- 193/458	W0441	NO 553	12.884658786 891272- 77.606967719 30827	4142	19/03/2022
27	EE/ OFC/pole/202 2-23/4142/W- 193/459	W0441	NO 554	12.884308420 397078- 77.606892628 31902	4142	19/03/2022
28	EE/ OFC/pole/202 2-23/4142/W- 193/460	W0441	NO 555	12.883754108 226142- 77.606742446 34039	4142	19/03/2022
29	EE/ OFC/pole/202 2-23/4142/W- 193/461	W0445	NO 556	12.884820896 595873- 77.607933174 88493	4142	19/03/2022
30	EE/ OFC/pole/202 2-23/4142/W- 193/462	W0282,W044 5	NO 556	12.884449612 92385- 77.607847356 61147	4142	19/03/2022
31	EE/ OFC/pole/202 2-23/4142/W- 193/463	W0290;W044 5	NO 557	12.883963282 774372- 77.607740083 76963	4142	19/03/2022
32	EE/ OFC/pole/202 2-23/4142/W- 193/464	W0445	NO 558	12.883482181 052289- 77.607627447 28568	4142	19/03/2022
33	EE/ OFC/pole/202 2-23/4142/W- 193/465	W0443	NO 446	12.884909795 421608- 77.607359265 18103	4142	19/03/2022
34	EE/ OFC/pole/202 2-23/4142/W- 193/466	W0282,W044 3	NO 667	12.884575117 325268- 77.607257355 98128	4142	19/03/2022
35	EE/ OFC/pole/202 2-23/4142/W- 193/467	W0443	NO 778	12.884188145 218905- 77.607155446 78152	4142	19/03/2022
36	EE/ OFC/pole/202 2-23/4142/W- 193/468	W0443	NO 668	12.883717502 66223- 77.607010628 44504	4142	19/03/2022
37	EE/ OFC/pole/202 2-23/4142/W- 193/469	W0282	NO 665	12.884512365 132414- 77.607552356 2964	4142	19/03/2022
38	EE/ OFC/pole/202 2-23/4142/W- 193/470	W0288	NO 765	12.884261356 203796- 77.607391447 03358	4142	19/03/2022


39	EE/ OFC/pole/202 2-23/4142/W- 193/471	W0290	NO 766	12.884020805 744516- 77.607321719 68641	4142	19/03/2022
----	--	-------	--------	--	------	------------



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

**Total No.of Poles 38**

Pole Charges @ Rs 1500/- Pole	57,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	280.82
Junction Box Charges @ Rs 3000/- Pole	1,14,000	Total (C)	280.82
Supervision Charge @ Rs 100/- Pole	3,800		
Sub Total (A)	1,74,800	GST @ 18% (B)	31,464
Grand Total (A + B + C)	2,06,544.82		



**Total Amount Payable Rs: 2,06,545 In words (Rupees Two Lakh Six Thousand Five Hundred and Forty-Five Only)**

**Note:**The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.

Yours faithfully,




Executive Engineer (OFC-Cell)  
Bruhat Bangalore Mahanagara Palike

**Copy to**

No.: 10-2022-1143

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner. (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



# BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

BABU.VEERABHADRE@RIL.COM

**Pole Details**

The map displays a cluster of blue location pins in the Electronic City area. Key landmarks and roads labeled include:
 

- Hotels/Restaurants:** Hotel Metrovista, Aashray, Stone Park.
- Hospitals/Clinics:** Arakere Govt Hospital, Primary Health Center, Arakere, SCENTS Hospital (Old Smruthi ENT clinic).
- Business/Office:** Bosch Learning Campus (BLC), Electronic City (A-51) RTO Office, WeWork Salarpuria Symbiosis, Vodafone idea store, Paramount Pilatus Apartment, Mahaveer Rhyolite, Mahaveer Calyx.
- Roads:** 1st B Main Rd, 2nd Cross Rd, 1st Cross Rd, Venu Gopal Reddy Ln, DV Gundappa Rd, 19th Main Rd, 20th Main Rd, 1st Cross Rd, 1st Main Rd, CMR Rd, Vysya Bank Colony Main Rd.
- Other:** Arekere Lake (highlighted in blue), Overhead Water Tank, Sumukha Serenit.

*S. Jyoti*  
 ASSISTANT EXECUTIVE ENGINEER  
 OFC CELL  
 BRUHAT BENGALURU MAHANAGARA PALIKE  
 BENGALURU

EXECUTIVE ENGINEER  
 OFC CELL  
 BRUHAT BENGALURU MAHANAGARA PALIKE  
 BENGALURU