



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rd Floor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1165/2022-23

Date: 31-10-2022

Permission for Regularization for Poles

To,

M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 17-05-2022
 - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 4) Fee Demand Note letter No: 10-2022-1165, Date: 19-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 25-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 5th Main Road via Right/Left side 12th Cross Road up to 2nd Main Road.	29 Poles
02	From 5th Main Road via Left/Right side 12th Cross Road up to Chinmayya Hospital.	
03	From 5th Main Road via Right/Left side 11th Cross Road up to 2nd Main Road.	
04	From 5th Main Road via Left/Right side 11th Cross Road up to Chinmayya Hospital.	
05	From 5th Main Road via Right/Left side 10th Cross Road up to 2nd Main Road.	
06	From 5th Main Road via Left/Right side 10th Cross Road up to Chinmayya Hospital.	
07	From 5th Main Road via Right/Left side 9th Cross Road up to Chinmayya Hospital.	
08	From 5th Main Road via Right/Left side 7th Cross Road up to Chinmayya Hospital.	
09	From 5th Main Road via Right/Left side 6th Cross Road up to Chinmayya Hospital.	
10	From Double Road via 5th Main Road up to 100feet Road for total No of 29 Poles in Ward No-80, East Zone Ref: As per drawing enclosed & demand note GIS co-ordinates	

No: EE/OFC/PR/1165/2022-23, Dt: 31-10-2022

Executive Engineer (OFC), BBMP

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be refereed to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. –No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**East Zone**) for information.
4. Copy to Zonal Chief Engineer (**East Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**C.V.Raman Nagar** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Jeevanbhima Nagar** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1165 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1165

With reference to your Demand Note bearing Pole-OFC-10-2022-1165 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1612 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1165	29	133614	206516	24012	133614
			Dated		
			19-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



1165

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206516

19/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1165 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1165

With reference to your Demand Note bearing Pole-OFC-10-2022-1165, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1612.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1165	29	133614	206516	24012	133614
			Dated		
			19-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206516

19/10/2022
dated

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 18012023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE
दिनांक

I	D	1	9	1	0	2	0	2	2	3
D	D	M	M	P	Y	P	Y	P	Y	P

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौगे जाने पर
RUPEES Three Lacs Thirty Six Thousand Three Hundred Thirty Nine Only

रुपये

अदा करे ₹ 336,339.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206516

Client Reference 4200009020_212

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO:

For Axis Bank Ltd

[Signature]
SSNo: 24064
Authorised Signatory

[Signature]
Authorised Signatory

Rudresha B
Please sign above
SS No: 26187

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1165 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru – 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1165

With reference to your Demand Note bearing Pole-OFC-10-2022-1165 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1612 .


Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1165	29	133614	206516	24012	133614
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully, ®

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

1165

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206516

19/10/2022
dated

PAYMENT REFERENCE

- Centralised Collection and Payment Hub (CCPH) Valid Until: 18/01/2023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 19 10 2022
दिनांक 19 10 2022

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उक्ते आदेश पर

मौजे जाने पर
RUPEES Three Lacs Thirty Six Thousand Three Hundred Thirty Nine Only

रुपये

अदा करे

₹ 336,339.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206516

Client Reference 4200009020_212

For Axis Bank Ltd
Authorized Signatory
Rudresha B

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

Rudresha B
Please sign above
SS No. 26187



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT
Pole Form

Application No. :10-2022-1165

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-1165

General Information

Segment ID

OFC/Pole/2022-23/W0193/1165

Street ID

44265

Street Name

NA

Zone

East

Ward No.

80

Ward Name

Hoysala Nagara

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

17/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

ofc laying

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

29

No.Junction Box

29




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	21/05/2022

Date : 18/10/2022

Time : 12:30:04

20221018123004





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1165

Date: 19/10/2022


Demand Notice
GST No.: 29AAALBI608FIZK

To

Jabu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

**Sub:-** Permission for Poles(Regularization)


Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).
2)Your request letter No. : 10-2022-1165, dated : 17/05/2022

Details of Poles added on BBMP GIS Map (Pole Id:-OFC/Pole/2022-23/W0193/1165)

Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/4811/W- 80/1	W0189	vada paav	12.982164985 64003- 77.637795209 88466	4811	28/12/2021
2	EE/ OFC/pole/202 2-23/4811/W- 80/2	W0189	rv lingappa house	12.981569072 301415- 77.637805938 72072	4811	28/12/2021
3	EE/ OFC/pole/202 2-23/4811/W- 80/3	W0189	house #25	12.981046340 12626- 77.637838125 2289	4811	28/12/2021
4	EE/ OFC/pole/202 2-23/4811/W- 80/4	W0044	dr krishnan house	12.982766124 840921- 77.638723254 20381	4811	28/12/2021
5	EE/ OFC/pole/202 2-23/4811/W- 80/5	W0044	ramya recidency	12.982823625 036117- 77.639120221 13801	4811	28/12/2021

6	EE/ OFC/pole/202 2-23/4811/W- 80/6	W0044	house 635	12.982781806 71366- 77.639184594 15437	4811	28/12/2021
7	EE/ OFC/pole/202 2-23/4811/W- 80/7	W0044	house 648	12.982839306 90523- 77.639876604 08021	4811	28/12/2021
8	EE/ OFC/pole/202 2-23/4811/W- 80/8	W0044	vox tbv	12.982849761 484076- 77.640155553 81776	4811	28/12/2021
10	EE/ OFC/pole/202 2-23/4811/W- 80/9	W0191	house #37	12.981621345 45847- 77.638235092 1631	4811	28/12/2021
11	EE/ OFC/pole/202 2-23/4811/W- 80/10	W0191	house 95	12.981527253 767872- 77.638288736 3434	4811	28/12/2021
12	EE/ OFC/pole/202 2-23/4811/W- 80/11	W0191	house 91	12.981213614 541936- 77.638288736 3434	4811	28/12/2021
13	EE/ OFC/pole/202 2-23/4811/W- 80/12	W0191	house 47	12.980858156 274076- 77.638256549 83522	4811	28/12/2021
14	EE/ OFC/pole/202 2-23/4811/W- 80/13	W0191	house 86	12.980753609 627966- 77.638310194 01552	4811	28/12/2021
15	EE/ OFC/pole/202 2-23/4811/W- 80/14	W0191	house 50	12.980439969 425777- 77.638278007 50734	4811	28/12/2021
16	EE/ OFC/pole/202 2-23/4811/W- 80/15	W0191	house 83	12.980429514 74556- 77.638342380 52368	4811	28/12/2021
17	EE/ OFC/pole/202 2-23/4811/W- 80/16	W0193	house 117	12.980408605 383806- 77.638739347 4579	4811	28/12/2021
18	EE/ OFC/pole/202 2-23/4811/W- 80/17	W0193	house 112	12.980858156 274076- 77.638717889 78577	4811	28/12/2021
19	EE/ OFC/pole/202 2-23/4811/W- 80/18	W0193	house 140	12.980858156 274076- 77.638782262 80214	4811	28/12/2021
20	EE/ OFC/pole/202 2-23/4811/W- 80/19	W0193	house 109	12.981286797 06338- 77.638707160 9497	4811	28/12/2021
21	EE/ OFC/pole/202 2-23/4811/W- 80/20	W0193	house 105	12.981537708 401907- 77.638728618 62184	4811	28/12/2021
22	EE/ OFC/pole/202 2-23/4811/W- 80/21	W0193	house 102	12.981955893 403246- 77.638653516 76942	4811	28/12/2021

23	EE/ OFC/pole/202 2-23/4811/W- 80/22	W0193	cadd print point	12.981945438 786779- 77.638707160 9497	4811	28/12/2021
24	EE/ OFC/pole/202 2-23/4811/W- 80/23	W0070	house135	12.979885870 768072- 77.637977600 09766	4811	28/12/2021
25	EE/ OFC/pole/202 2-23/4811/W- 80/24	W0191	pavan kumar	12.979572229 470996- 77.638320922 85156	4811	28/12/2021
26	EE/ OFC/pole/202 2-23/4811/W- 80/25	W0191	house 78	12.979530410 601486- 77.638396024 704	4811	28/12/2021
27	EE/ OFC/pole/202 2-23/4811/W- 80/26	W0191	sharma sharada	12.979321316 1484- 77.638342380 52368	4811	28/12/2021
28	EE/ OFC/pole/202 2-23/4811/W- 80/27	W0191	house 81	12.978991992 028147- 77.638342380 52368	4811	28/12/2021
29	EE/ OFC/pole/202 2-23/4811/W- 80/28	W0191	house 72	12.978976309 916305- 77.638422846 79414	4811	28/12/2021
30	EE/ OFC/pole/202 2-23/4811/W- 80/29	W0191	basheera nilya	12.978720168 616098- 77.638369202 61384	4811	28/12/2021



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 29

Pole Charges @ Rs 1500/- Pole	43,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	214.31
Junction Box Charges @ Rs 3000/- Pole	87,000	Total (C)	214.31


Supervision Charge @ Rs 100/- Pole	2,900		
Sub Total (A)	1,33,400	GST @ 18% (B)	24,012
Grand Total (A + B + C)	1,57,626.31		

Total Amount Payable Rs: 1,57,626 In words (Rupees One Lakh Fifty-Seven Thousand Six Hundred and Twenty-Six Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

No.: 10-2022-1165

OFC/Pole/2022-23/W0159/1174 10-2022-1178 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

Pole Details

Map showing pole locations in Indiranagar. Key landmarks include Salarpuria Adonis, Garden City University - City Office, Sir CV Raman General Hospital, and various commercial establishments like RDS Aviary, Lakshmi Puram Graveyard, and several restaurants and bookstores. The map also shows major roads like Old Madras Rd and 17th C Cross Rd.

OFC/Pole/2022-23/W0136/1152 10-2022-1152 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

(Handwritten Signature)
 ASSISTANT EXECUTIVE ENGINEER
 OFC CELL
 BRUHAT BENGALURU MAHANAGARA PALIKE
 BENGALURU

EXECUTIVE ENGINEER
 OFC CELL
 BRUHAT BENGALURU MAHANAGARA PALIKE
 BENGALURU