



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rd Floor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1169/2022-23

Date: 20-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 17-05-2022
 - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 4) Fee Demand Note letter No: 10-2022-1169, Date: 20-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 19-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

SI No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 80feet Road via 1st cross, 4th Main, 3rd Cross, 3rd Main, 4th Cross up to 80feet Road.	26 Poles
02	From 80feet Road via 2nd Main, 1st 'B' Main, 1st Cross, 1st 'A' Main, Street ID No-W0289 up to Outer Ring Road.	
03	From 1st Cross via 3rd Main up to 3rd Cross.	
04	From 1st Cross via 4th Main	
05	From 4th Cross via 2nd Main	
06	From 2nd Main Road via 2nd Cross	
07	From 1st Main via 1st cross, 1st 'A' Main	
08	From 1st cross via 2nd Main	
09	From Street ID No-W0289 via W0252, 2nd Cross for total No of 26 Poles, in Ward No-162, South Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

No: EE/OFC/PR/1169/2022-23, Dt: 20-10-2022

Executive Engineer (OFC), BBMP

Ab.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.

13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlined in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be undertaken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exist, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way (ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way (ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. –No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**South Zone**) for information.
4. Copy to Zonal Chief Engineer (**South Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Basavanagudi** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Giri Nagar** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

10 - 2022 - 1169
Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP
शाखा/ Branch SCC Extn

दिनांक/ Date 20/10/2022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.
बचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.
8401132000010

नाम/Name Umesh Kumar Singh
टेलिफोन / मोबाइल नं
Tel No./Mobile No.

राशि /Amount 1,19,792.00 पै/P.
राशि शब्दों में
Rupees in words One Lakh Nineteen Thousand Seven Hundred and Ninety Two only

चेक नं. / दिनांक तथा बैंक व शाखा का नाम Cheque No./Date / Name of Bank & Branch	पै/P
<u>2060150116011119</u>	<u>792.00</u>

Total 1,19,792.00

अधिकारी / रोकड़िया
Officer/Cashier/SWO
BRIHAT BENGALURU MAHANAGAR PALIKE
BENGALURU
Canara Bank Toll Free No. 1800 420 000

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasathanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1169 /DD

Date: 18-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1169

With reference to your Demand Note bearing Pole-OFC-10-2022-1169 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0824

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1169	26	119792	206215	21528	119792
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.





1169

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206215

18/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1169 /DD

Date: 18-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1169

With reference to your Demand Note bearing Pole-OFC-10-2022-1169, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0824.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1169	26	119792	206215	21528	119792
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE
Thane-400701

We are pleased to send to you Demand Draft No. **206215**
as per details mentioned below.

18/10/2022
dated

PAYMENT REFERENCE

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 8 10 2022
दिनांक D D M M Y Y Y Y

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौजे जाने पर
RUPEES One Lac Nineteen Thousand Seven Hundred Ninety Two Only

रुपये

अदा करे ₹ 119,792.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206215

Client Reference 4200008920_79

For Axis Bank Ltd

Under CMS Arrangement:
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

[Signature]
SSN: 24004
Authorised Signatory

[Signature]
Rudresh B
Please sign above
CC No.

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1169 /DD

Date: 18-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru – 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1169

With reference to your Demand Note bearing Pole-OFC-10-2022-1169 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0824 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1169	26	119792	206215	21528	119792
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

206215

18/10/2022
dated

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17/01/2023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE
दिनांक

D	D	M	M	Y	Y	Y	Y
---	---	---	---	---	---	---	---

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

RUPEES: One Lac Nineteen Thousand Seven Hundred Ninety Two Only

रुपये

अदा करे ₹ 119,792.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206215

Client Reference 4200008920_79

For Axis Bank Ltd
Authorized Signatory

Under CMS Arrangement:
Centralised Collections & Payment Hub
Mumbai.

CODE NO:

PLEASE sign above
No. 206215



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-1169

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-1169

General Information

Segment ID

OFC/Pole/2022-23/W0289/1168

Street ID

36456

Street Name

NA

Zone

South

Ward No.

162

Ward Name

Girinagara

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

17/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

26

No.Junction Box

26




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	21/05/2022

Date : 20/10/2022

Time : 12:13:22

20221020121322





Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1169

Date: 20/10/2022

Demand Notice
GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre


M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).
2)Your request letter No. : 10-2022-1169, dated : 17/05/2022


Details of Poles added on BBMP GIS Map (Pole Id:-OFC/Pole/2022-23/W0289/1168)



Sr No.	Unique Poleld.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/5854/W- 162/377	W0295	12.93108- 77.54329	12.931088987 354258- 77.543295621 87196	5854	21/01/2022
2	EE/ OFC/pole/202 2-23/5854/W- 162/378	W0295	12.93143- 77.54350	12.931439288 295527- 77.543504834 17512	5854	21/01/2022
3	EE/ OFC/pole/202 2-23/5854/W- 162/379	W0295	12.93172- 77.543692	12.931726848 402162- 77.543692588 80617	5854	21/01/2022
4	EE/ OFC/pole/202 2-23/5854/W- 162/380	W0295	12.93197- 77.543858	12.931977809 678973- 77.543858885 76509	5854	21/01/2022
5	EE/ OFC/pole/202 2-23/5854/W- 162/381	W0295	12.932265- 77.544025	12.932265369 165032- 77.544025182 72401	5854	21/01/2022

6	EE/ OFC/pole/202 2-23/5854/W- 162/382	W0248,W029 5	12.932526- 77.544196	12.932526786 592035- 77.544196844 10097	5854	21/01/2022
7	EE/ OFC/pole/202 2-23/5854/W- 162/383	W0252	12.932118- 77.543660	12.932118975 286267- 77.543660402 29799	5854	21/01/2022
8	EE/ OFC/pole/202 2-23/5854/W- 162/384	W0289	12.93209- 77.54346	12.932098061 868007- 77.543461918 83089	5854	21/01/2022
9	EE/ OFC/pole/202 2-23/5854/W- 162/385	W0256,W028 9	12.93178- 77.54331	12.931784360 38373- 77.543311715 12605	5854	21/01/2022
10	EE/ OFC/pole/202 2-23/5854/W- 162/386	W0289	12.93156- 77.54317	12.931564769 110091- 77.543177604 67531	5854	21/01/2022
11	EE/ OFC/pole/202 2-23/5854/W- 162/387	W0289	12.93115- 77.54295	12.931156956 23206- 77.542952299 11806	5854	21/01/2022
12	EE/ OFC/pole/202 2-23/5854/W- 162/388	W0246,W028 9	12.93256- 77.54357	12.932563385 009965- 77.543579936 02753	5854	21/01/2022
13	EE/ OFC/pole/202 2-23/5854/W- 162/389	W0289	12.93289- 77.54367	12.932897998 867793- 77.543671131 13405	5854	21/01/2022
14	EE/ OFC/pole/202 2-23/5854/W- 162/390	W0246	12.93265- 77.54339	12.932657495 202829- 77.543397545 81453	5854	21/01/2022
15	EE/ OFC/pole/202 2-23/5854/W- 162/391	W0246	12.93273- 77.54315	12.932735920 336444- 77.543156147 00319	5854	21/01/2022
16	EE/ OFC/pole/202 2-23/5854/W- 162/392	W0246	12.93287- 77.54267	12.932877085 514836- 77.542673349 38051	5854	21/01/2022
17	EE/ OFC/pole/202 2-23/5854/W- 162/393	W0246	12.93275- 77.54288	12.932751605 360211- 77.542882561 68365	5854	21/01/2022
18	EE/ OFC/pole/202 2-23/5854/W- 162/394	W0246	12.932950- 77.54242	12.932950282 242558- 77.542421221 73311	5854	21/01/2022
19	EE/ OFC/pole/202 2-23/5854/W- 162/395	W0252	12.93266- 77.54186	12.932667951 88874- 77.541863322 258	5854	21/01/2022
20	EE/ OFC/pole/202 2-23/5854/W- 162/396	W0252	12.93257- 77.54226	12.932573841 699808- 77.542260289 19221	5854	21/01/2022
21	EE/ OFC/pole/202 2-23/5854/W- 162/397	W0252	12.93243- 77.54254	12.932432676 349872- 77.542549967 76581	5854	21/01/2022

22	EE/ OFC/pole/202 2-23/5854/W- 162/398	W0252	12.93231- 77.54289	12.932312424 322104- 77.542893290 51971	5854	21/01/2022
23	EE/ OFC/pole/202 2-23/5854/W- 162/399	W0256	12.93231- 77.54175	12.932317652 672337- 77.541756033 89741	5854	21/01/2022
24	EE/ OFC/pole/202 2-23/5854/W- 162/400	W0256	12.93218- 77.54213	12.932181715 53054- 77.542136907 57753	5854	21/01/2022
25	EE/ OFC/pole/202 2-23/5854/W- 162/401	W0256	12.93204- 77.54246	12.932045778 314686- 77.542469501 49538	5854	21/01/2022
26	EE/ OFC/pole/202 2-23/5854/W- 162/402	W0256	12.93194- 77.54279	12.931946439 533174- 77.542791366 57716	5854	21/01/2022



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP-Bangalore" within seven(7) days. Then only your request can be processed further.

Total No. of Poles 26

Pole Charges @ Rs 1500/- Pole	39,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	192.14
Junction Box Charges @ Rs 3000/- Pole	78,000	Total (C)	192.14
Supervision Charge @ Rs 100/- Pole	2,600		
Sub Total (A)	1,19,600	GST @ 18% (B)	21,528
Grand Total (A + B + C)	1,41,320.14		

Total Amount Payable Rs: 1,41,320 In words (Rupees One Lakh Forty-One Thousand Three Hundred and Twenty Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-1169

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

OFC/Pole/2022-23/W0642/1236	10-2022-1237	Pending	ceofc01(ceofc01)	Pole Work Created	Demand Notice	Permission Letter	View/Submit
-----------------------------	--------------	---------	------------------	-------------------	---------------	-------------------	-------------

Pole Details



OFC/Pole/2022-23/W0342/1218	10-2022-1219	Pending	ceofc01(ceofc01)	Pole Work Created	Demand Notice	Permission Letter	View/Submit
-----------------------------	--------------	---------	------------------	-------------------	---------------	-------------------	-------------

EXECUTIVE ENGINEER
OFC CELL

BENGALURU