



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1174/2022-23

Date: 21-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 17-05-2022
 - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 4) Fee Demand Note letter No: 10-2022-1174, Date: 17-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 21-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 4th Cross via Street ID No-W0307, W0222.	34 Poles
02	From 4th Cross via Street ID No-W0317, W0294, W0296, I0369, W0292, W0329	
03	From 4th Cross via Street ID No-W0353 up to W0296.	
04	From Street ID No-W0294 via W0329	
05	From Street ID No-W0317 via W0300	
06	From Street ID No-W0317 via W0298 up to Road end.	
07	From Street ID No-W0329 via 4th Cross up to W0321.	
08	From Street ID No-W0294 via W0329, W0351, W0282 up to Road end.	
09	From 6th Main Road via 1st Cross, 1st Main for total No of 34 Poles , in Ward No-162, South Zone.	
Ref: As per drawing enclosed & demand note GIS co-ordinates.		

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

No: EE/OFC/PR/1174/2022-23, Dt: 21-10-2022

Executive Engineer (OFC), BBMP

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.

13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0


23. Distance of site from Electric Lines. –No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**South Zone**) for information.
4. Copy to Zonal Chief Engineer (**South Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Basavanagudi** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Giri Nagar** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

1174
 केनरा बैंक  Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP
 शाखा/ Branch BCC Extension

दिनांक/ Date 21102022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.
 वचत / बाल खाता / जोडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

5401132000010

नाम/Name Commissioner BBMP

टेलिफोन / मोबाइल नं
 Tel No./Mobile No.

राशि /Amount ₹ 1,56,651.00/- पै/P.

राशि शब्दों में One lakh fifty six
 Rupees in words Thousand five hundred fifty one only

चेक नं. / दिनांक तथा बैंक व शाखा का नाम Cheque No./Date / Name of Bank & Branch	<u>RABANK</u> <u>206236 Dt: 18/10/22</u>	पै/P.
	<u>₹ 1,56,651.00/-</u>	

OF (Total) ₹ 1,56,651.00/-
 DRUGAT BANGALURU
 एस डब्ल्यू शो SWO
 Officer / Cashier
 Canara Bank Toll Free No.
 1800 425 0018

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1174 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1174

With reference to your Demand Note bearing Pole-OFC-10-2022-1174 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0824

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1174	34	156651	206236	28152	156651
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



1174

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206236

18/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1174 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1174

With reference to your Demand Note bearing Pole-OFC-10-2022-1174, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0824.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1174	34	156651	206236	28152	156651
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



1174

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

206236

dated 18/10/2022

PAYMENT REFERENCE

AXIS BANK LTD ISSUING BRANCH
IFS CODE - UTIB000274

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17012023

DATE 18/10/2022
दिनांक 18/10/2022

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर

RUPEES One Lac Fifty Six Thousand Six Hundred Fifty One Only
रुपये

₹ 156,651.00
अदा करें

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206236

Client Reference 4200008920_100

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

Signature
55102400
Authorised Signatory

Signature
Authorised Signatory

Rudresha B
No. 20182

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1174 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1174

With reference to your Demand Note bearing Pole-OFC-10-2022-1174 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0824 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1174	34	156651	206236	28152	156651
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

1174

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
 GHANSOLITHANE BELAPUR ROAD, THANE
 Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

206236

dated 18/10/2022

PAYMENT REFERENCE

AXIS BANK LTD ISSUING BRANCH
 IFS CODE - UTIB000274

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17/01/2023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE	18	10	2022
दिनांक			

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौजे जाने पर

RUPEES One Lac Fifty Six Thousand Six Hundred Fifty One Only
 रुपये

₹ 156,651.00
 अदा करें

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206236

Client Reference 4200008920_100

For Axis Bank Ltd
 [Signatures and Stamps]
 Authorised Signatory

Under CMS Arrangement
 Centralised Collections & Payment Hub
 Mumbai.

CODE NO.

Rudresha B
 No. 201102



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT
Pole Form

Application No. :10-2022-1174

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-1174

General Information

Segment ID

OFC/Pole/2022-23/W0289/1173

Street ID

36456

Street Name

NA

Zone

South

Ward No.

162

Ward Name

Girinagara

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

17/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

34

No.Junction Box


34



Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	21/05/2022

Date : 17/10/2022



20221017082449



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1174

Date: 17/10/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre


M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).
2)Your request letter No. : 10-2022-1,174, dated : 17/05/2022


Details of Poles added on BBMP GIS Map (Pole Id:-OFC/Pole/2022-23/W0289/1173)



Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/5855/W- 162/425	W0307	12.93159- 77.54498	12.931596139 303865- 77.544985413 55133	5855	21/01/2022
2	EE/ OFC/pole/202 2-23/5855/W- 162/426	W0307	12.93172- 77.54506	12.931729462 583437- 77.545060515 40376	5855	21/01/2022
3	EE/ OFC/pole/202 2-23/5855/W- 162/427	W0307	12.93190- 77.545183	12.931907226 845397- 77.545183897 01843	5855	21/01/2022
4	EE/ OFC/pole/202 2-23/5855/W- 162/428	W0307	12.93212- 77.54530	12.932124203 640559- 77.545307278 63313	5855	21/01/2022
5	EE/ OFC/pole/202 2-23/5855/W- 162/429	W0307	12.93238- 77.54551	12.932380392 86665- 77.545511126 51826	5855	21/01/2022

6	EE/ OFC/pole/202 2-23/5855/W- 162/430	W0307	12.93267- 77.54577	12.932678408 574208- 77.545779347 41975	5855	21/01/2022
7	EE/ OFC/pole/202 2-23/5855/W- 162/431	W0307	12.9329- 77.54603	12.932981652 26214- 77.546031475 06715	5855	21/01/2022
8	EE/ OFC/pole/202 2-23/5855/W- 162/432	W0307	12.93332- 77.54630	12.933321493 888247- 77.546305060 38667	5855	21/01/2022
9	EE/ OFC/pole/202 2-23/5855/W- 162/433	W0307	12.93368- 77.54659	12.933682248 338691- 77.546594738 96028	5855	21/01/2022
10	EE/ OFC/pole/202 2-23/5855/W- 162/434	W0307	12.93391- 77.54677	12.933912294 382544- 77.546771764 75526	5855	21/01/2022
11	EE/ OFC/pole/202 2-23/5855/W- 162/435	W0307	12.93353- 77.54646	12.933530626 966547- 77.546465992 92757	5855	21/01/2022
12	EE/ OFC/pole/202 2-23/5855/W- 162/436	W0280	12.93400- 77.54705	12.934006404 066608- 77.547056078 91084	5855	21/01/2022
13	EE/ OFC/pole/202 2-23/5855/W- 162/437	W0280,W031 7	12.93391- 77.54714	12.933912294 382544- 77.547141909 59932	5855	21/01/2022
14	EE/ OFC/pole/202 2-23/5855/W- 162/438	W0317	12.93178- 77.54563	12.931784360 38373- 77.545639872 55098	5855	21/01/2022
15	EE/ OFC/pole/202 2-23/5855/W- 162/439	W0300	12.93159- 77.54577	12.931590910 938505- 77.545779347 41975	5855	21/01/2022
16	EE/ OFC/pole/202 2-23/5855/W- 162/440	W0300	12.93152- 77.54599	12.931522942 178905- 77.545993924 14094	5855	21/01/2022
17	EE/ OFC/pole/202 2-23/5855/W- 162/441	W0300	12.93144- 77.54617	12.931449745 03248- 77.546176314 35396	5855	21/01/2022
18	EE/ OFC/pole/202 2-23/5855/W- 162/442	W0300	12.93137- 77.54640	12.931376547 864582- 77.546406984 32924	5855	21/01/2022
19	EE/ OFC/pole/202 2-23/5855/W- 162/443	W0300	12.93126- 77.54671	12.931266752 072487- 77.546712756 15694	5855	21/01/2022
20	EE/ OFC/pole/202 2-23/5855/W- 162/444	W0298,W031 7	12.93198- 77.54573	12.931988266 39337- 77.545736432 07551	5855	21/01/2022
21	EE/ OFC/pole/202 2-23/5855/W- 162/445	W0298	12.93187- 77.54597	12.931873242 510983- 77.545977830 88686	5855	21/01/2022

22	EE/ OFC/pole/202 2-23/5855/W- 162/446	W0298	12.93180- 77.54620	12.931805273 828287- 77.546203136 44409	5855	21/01/2022
23	EE/ OFC/pole/202 2-23/5855/W- 162/447	W0298	12.93171- 77.54643	12.931716391 676812- 77.546433806 41939	5855	21/01/2022
24	EE/ OFC/pole/202 2-23/5855/W- 162/448	W0329	12.93153- 77.54690	12.931538627 278927- 77.546900510 78796	5855	21/01/2022
25	EE/ OFC/pole/202 2-23/5855/W- 162/449	W0296,W029 4,W0329	12.93194- 77.54698	12.931941211 175168- 77.546980977 05842	5855	21/01/2022
26	EE/ OFC/pole/202 2-23/5855/W- 162/450	W0294	12.93197- 77.54680	12.931975195 50032- 77.546803951 26344	5855	21/01/2022
27	EE/ OFC/pole/202 2-23/5855/W- 162/451	W0294	12.93204- 77.54658	12.932043164 136733- 77.546584010 12422	5855	21/01/2022
28	EE/ OFC/pole/202 2-23/5855/W- 162/452	W0294	12.93215- 77.54631	12.932155573 764005- 77.546318471 43173	5855	21/01/2022
29	EE/ OFC/pole/202 2-23/5855/W- 162/453	W0294,W031 7	12.93229- 77.54597	12.932294125 09541- 77.545975148 67783	5855	21/01/2022
30	EE/ OFC/pole/202 2-23/5855/W- 162/454	W0296	12.93168- 77.54737	12.931685021 49815- 77.547372579 5746	5855	21/01/2022
31	EE/ OFC/pole/202 2-23/5855/W- 162/455	W0296	12.93137- 77.54779	12.931371319 49463- 77.547796368 59894	5855	21/01/2022
32	EE/ OFC/pole/202 2-23/5855/W- 162/456	W0353	12.93139- 77.547313	12.931392232 97379- 77.547313570 97627	5855	21/01/2022
33	EE/ OFC/pole/202 2-23/5855/W- 162/457	W0353	12.93117- 77.54717	12.931177869 729199- 77.547174096 1075	5855	21/01/2022
34	EE/ OFC/pole/202 2-23/5855/W- 162/458	W0353	12.930958- 77.547039	12.930958277 92185- 77.547039985 65675	5855	21/01/2022



In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 34


Pole Charges @ Rs 1500/- Pole	51,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	251.26
Junction Box Charges @ Rs 3000/- Pole	1,02,000	Total (C)	251.26
Supervision Charge @ Rs 100/- Pole	3,400		
Sub Total (A)	1,56,400	GST @ 18% (B)	28,152
Grand Total (A + B + C)	1,84,803.26		

Total Amount Payable Rs: 1,84,803 In words (Rupees One Lakh Eighty-Four Thousand Eight Hundred and Three Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-1174

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-1174

1/2

@RIL.COM

OFC/Pole/2022-23/W0191/1184 10-2022-1184 Pending ceofc01(ceofc01) Demand note approved Demand Notice Permission Letter View/Submit

Pole Details

10-2022-1174



OFC/Pole/2022-23/W0659/1161 10-2022-1161 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

EXECUTIVE ENGINEER

OFC CELL

BENGALURU