

BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building, N.R. Square, Bangalore -560002

No: EE/OFC/PR/1183/2022-23

Date: 20-10-2022

Permission for Regularization for Poles

To,

M/s. Jio Digital Fibre Private Limited, RMZ ICON, No-51, Palace Road Cross, Vasanth Nagar, Bengaluru-52.

Sir,

<u>Sub</u>:- Permission for Regularization for poles.

Ref: 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.

2) M/s. Jio Digital Fibre Private Limited online application Dated: 18-05-2022

3) Fee Demand Note letter No: 10-2022-1183, Date: 17-10-2022.

4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022: 15-10-2022.

5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 19-10-2022.

*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

SI	Name of the Road and Route	No of Poles
No		
01	Permission for Regularization for poles from 10 th 'A' Cross Road via Street ID No-W0205	
02	From 10th 'A' Cross Road via Street ID No-W0207	
03	From 10th 'A' Cross Road via Street ID No-W0209	
04	From 11th Cross Road via Street ID No-W0213, W0140, W0211, W0146, W0137,	
	W0140 up to Service Road of West of Chord Road.	
05	From 11th Cross via Street ID No-W0137, W0114 up to W0213.	
06	From the junction of Street ID No-W0118 via W0139 up to W0138.	57 Poles
07	From the junction of Street ID No-W0116 via W0149 up to W0138.	
08	From the junction of Service road of West of Chord Road via Street ID No-W0138,	
	W0139, W0144 up to West of Chord Road.	
09	From the Service Road of West of Chord Road via Street ID No-W0142 up to W0139.	x3.
10	From Street ID No-W0144 via W0219	**
11	From the Service Road of West of Chord Road via W0110 up to W0149for total No	
	of 57 Poles, in Ward No-67, West Zone.	
	Ref: As per drawing enclosed & demand note GIS co-ordinates.	

4

Executive Engineer (OFC), BBMP

No: EE/OFC/PR/1183/2022-23, Dt: 20-10-2022

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

- 1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
- 2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
- 3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
- 4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
- 5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
- 6. The minimum distance between two poles shall be 40 mtrs.
- 7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
- 8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
- 9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
- 10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
- 11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

- 12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
- 13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be refereed to and the decision of the arbitrators shall be final and binding on both the parties.
- 14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
- 15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
- 16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
- 17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
- 18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
- 19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
- 20. Railways: The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
- 21.Electrical Lines: The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:

22. Right-of-way(ROW) for Electrical lines.-

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	every additional	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

- 24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
- 25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
- 26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

- 1. Copy to the Chief Commissioner for kind information.
- 2. Copy to the Special Commissioner (Project) for kind information.
- 3. Copy to the Zonal Additional/Joint Commissioner (West Zone) for information.
- 4. Copy to Zonal Chief Engineer (West Zone) for information.
- 5. Copy to the Chief Engineer (Road Infrastructure) for information.
- 6. Copy to the Concerned Executive Engineer of (Mahalakshmi Layout Division) for information.
- 7. Copy to the Concerned Assistant Executive Engineer of (Nagapura Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
- 8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
- 9. Office Copy

1483
केनरा वैंक 🗱 Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP
शाखा/ Branch BCC Ex Pusion
दिनांक/ Date 👌 🕖 📗 😡 🗸 🕹
SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.
बचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.
R40113200010
नाम/Name_Commissioner BBMP
टेलिफोन / मोबाइल नं
Tel No./Mobile No₹ पै/Р.
राश /Amount <u>व 58,014 001</u>
Rupees in words Twir lake Fifty light
thousand tourteen rupees only
चेक नं. / दिनांक तथा <u>वैंक व शाखा का नाम</u>
Cheque No./Date / Name of Bank & Braner
306147 Dt: 18 16/22 3.15 8. 014.001
A 1 00 DOT 2022
V. V. V V DUI ZUZZ
EXECUTIVE V Total 25 8 014 0H
A DAGE BUSHCHAVE
अधिकारी / रोकडिया / में किर्पुत बैंक टील फ्री 24 छंटे कॉल सेंटर
RDILLA T. DEMONDER TO Canara Bank Toll Free No.
2110174 CA CACAMANDO ANTANAMANA PANTAKE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/

10-2022-1183

/DD

Date:

18-Oct-22

The Chief Engineer (OFC cell) Bruhat Bengaluru Mahanagar Palike 4th floor Annex Building, N R Square Bengaluru – 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note:-

Pole-OFC-10-2022-1183

With reference to your Demand Note bearing Pole-OFC-10-2022-1183 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0408

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1183	57	262621	206184 Dated 18-10-2022	47196	262621

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



as per details mentioned below.

- MAIL TO -

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.

206184

18/10/2022 dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/

10-2022-1183

/DD

Date:

18-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru – 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note:-

Pole-OFC-10-2022-1183

With reference to your Demand Note bearing Pole-OFC-10-2022-1183 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0408

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1183	57	262621	206184 Dated	47196	262621
			18-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.

BBMP Bengaturu Manaharan Bengaturu B



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE


Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

206184

18/10/2022 dated

PAYMENT REFERENCE



JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/

10-2022-1183

/DD

Date:

18-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru – 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note:-

Pole-OFC-10-2022-1183

With reference to your Demand Note bearing Pole-OFC-10-2022-1183 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0408

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10 2022 1182		262621	206184	47196	262621
10-2022-1183	.57	202021	Dated 18-10-2022	4/150	202021

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD 5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK GHANSOLITHANEBELAPUR ROAD, THANE


Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

206184

18/10/2022 dated

PAYMENT REFERENCE



BBMP ENGINEERING DEPARTMENT Pole Form

Application No.: 10-2022-1183

PR Number(To be Assigned by AE/JE- CE-POLE-10-2022-1183 OFC, BBMP)

General Information

Segment ID

OFC/Pole/2022-23/W0209/1183

Street ID

18348

Street Name

NA

Zone

West

Ward No.

Organization

08035485012

Vat Reg No.

M/s. Jio Digital Fibre:Private

67

Ward Name

Nagapura

Service Provider Category

felecom

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5 380006 Rasta, Ambawadi, Ahmedabad, Gujarat,

Official Phone No.

Year of Incorporation

9845117017

Previous Relevant Exp.

10

Official Phone No.

www.jio.com

Penalized Details

No

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

Name of the Authorized Person

Babu Veerabhadre

Designation

AHMJ08610A

DGM

Application Submission Date

18/05/2022

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

Purpose OFC

Phone No.

9845117017

Mobile No.

Attachments


9845117017

Pole Related Information

No.of Poles

No.Junction Box


57




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	20/05/2022
ceofc01(ceofc01)	CE	17/10/2022

Date: 17/10/2022



No: 10-2022-1183



Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore - 560002

No.: Pole-OFC-10-2022-1183

Date: 17/10/2022

Demand Notice

GST No.: 29AAALBI608FIZK

<u>To</u>

abu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No.: 10-2022-1183, dated: 18/05/2022

Details of Poles added on BBMP GIS Map=

(Pole Id:-OFC/Pole/2022-23/W0209/1183)

Sr No.	Unique Poleld.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/0508/W- 67/107	W0110	PL6103 UDUPI HOTEL OPP	13.001588886 811238- 77.548815608 0246		05/02/2021
2	EE/ OFC/pole/202 2-23/0508/W- 67/108	W0110	PL6105 SS COMPLEX	13.001452987 507214- 77.548327445 98389		05/02/2021
3	EE/ OFC/pole/202 2-23/0508/W- 67/109	W0149,W011 6	BGLRBD0249 991 #96	13.001108012 016617- 77.548799514 77052		05/02/2021
4	EE/ OFC/pole/202 2-23/0508/W- 67/110	W0149	PL5101 #90	13.000863654 087286- 77.548833042 3832		05/02/2021
5	EE/ OFC/pole/202 2-23/0508/W- 67/111	W0149	PL5103 LAKSHMI HOME	13.000968192 268312- 77.548851817 8463		05/02/2021

		······				T
6	EE/ OFC/pole/202 2-23/0508/W- 67/112	W0149	PL5105 #83	13.000513450 859934- 77.548933625 22127		05/02/2021
7	EE/ OFC/pole/202 2-23/0508/W- 67/113	W0149	PL5106 #89	13.000432433 625015- 77.548902109 26534	0508	05/02/2021
8	EE/ OFC/pole/202 2-23/0508/W- 67/114	W0139	PL5108 #105	12.999963317 180242- 77.548520565 03297	0508	05/02/2021
9	EE/ OFC/pole/202 2-23/0508/W- 67/115	W0140	PL0103 SPACE 55	12.999299496 294764- 77.549132108 68837		05/02/2021
10	EE/ OFC/pole/202 2-23/0508/W- 67/116	W0140	PL0107 PRIYADARS HINI	12.999384434 105536- 77.549384236 33577	0508	05/02/2021
11	EE/	W0140,W013 9	PL0102 12.9991 77.5488 BBMP PARK	12.999136154 269253- 77.548802196 97954	26925377548	05/02/2021
12	EE/ OFC/pole/202 2- 23/129991361 54269253775 488/W-67/118	W0142,W013,	PL0203 到OYTHIRO MANDIRAM 大公【【】【】	12.998761120 571919- 77.548909485 34012	12999136154 26925377548 8	05/02/2021
13	EE/ OFC/pole/202 2-23/0508/W- 67/119	W0142	BGLRBD0013 463 9TH(B) (CROSS) [{ ROAD	12.998831684 446756- 77,549349367 61858	0508	05/02/2021
14	EE/ OFC/pole/202 2-23/0508/W- 67/120	W0142	PL0107 SRI	12 998904861 777243- 77,549612224 10203-		05/02/2021
15	EE/ OFC/pole/202 2-23/0508/W- 67/121	Wố142	BGLRBD0253 282 SRI CLINIC	12:998959744 76096- 77.549783885 47897		05/02/2021
16	EE/ OFC/pole/202 2-23/0508/W- 67/122	W0144,W013 9	BGLRBD0140 03 VARASHIDI ENNTER	12.998384779 567314- 77.548997998 23762		05/02/2021
17	EE/ OFC/pole/202 2-23/0508/W- 67/123	W0144,W021 9	PL0704 KA ELECTRICAL	12.998478211 501904- 77.549391612 41055		05/02/2021
18	EE/ OFC/pole/202 2-23/0508/W- 67/124	W0144,W021 9	PL0701 BANK OF BAROD	12.998433128 964438- 77.549410387 87366		05/02/2021
19	EE/ OFC/pole/202 2-23/0508/W- 67/125	W0219	PL0702 BAN OF BARODA	12.998184848 17652- 77.549464702 60622		05/02/2021
20	EE/ OFC/pole/202 2-23/0508/W- 67/126	W0219	830	12.997748396 084175- 77.549561262 13075		05/02/2021


					0.500	05/00/0004
21	EE/ OFC/pole/202 2-23/0508/W- 67/127	W0139	BGLRBD0140 032 BAVANI FASHION	12.998022347 411043- 77.549109756 93976		05/02/2021
22	EE/ OFC/pole/202 2-23/0508/W- 67/128	W0139	PL0202 SRI RANGA COMPLEX	12.997720894 568952- 77.549189329 03139	0508	05/02/2021
23	EE/ OFC/pole/202 2-23/0508/W- 67/129	W0137	PL0201 GIFT CENTER	12.997607263 688703- 77.548898309 41977		05/02/2021
24	EE/ OFC/pole/202 2-23/0508/W- 67/130	W0137	BGLRBD0256 033 #684	12.998063963 967581- 77.548765987 0862		05/02/2021
25	EE/ OFC/pole/202 2-23/0508/W- 67/131	W0146	PL0302 #681	12.998151163 449084- 77.548148184 8749		05/02/2021
26	EE/ OFC/pole/202 2-23/0508/W- 67/132	W0146	PL0305 SANJEEVINI	12.998053654 77978- 77.547446787 17658		05/02/2021
27	EE/ OFC/pole/202 2-23/0508/W- 67/133	W0211	MANGALORE LUNCH HOME 1	283		05/02/2021
28	EE/ OFC/pole/202 2-23/0508/W- 67/134	W0140	PL0404U5 WATER TANK OFFICE-OPP	12.998870719 263666- 77.546415924 90998		05/02/2021
29	EE/ OFC/pole/202 2-23/0508/W- 67/135	W0140	PL0407	12.998871951 241345- 77.547446787 35563		05/02/2021
30	EE/ OFC/pole/202 2-23/0508/W- 67/136	W0140	PL0405 #664	12.998862145 782603- 77.547953724 85434		05/02/2021
31	EE/ OFC/pole/202 2-23/0508/W- 67/137	W0140	PL0406 SRI LAKSHMI NILAYA OPP	12.998817749 562782- 77.547465562 81874		05/02/2021
32 ®	EE/ OFC/pole/202 2-23/0508/W- 67/138	W0213	BGLRBD0433 700 AVINASH	12.999308364 652265- 77.546743825 08995		05/02/2021
33	EE/ OFC/pole/202 2-23/0508/W- 67/139	W0136	PL0504 #645 OPP	12.999316745 586441- 77.547394931 36412	0508	05/02/2021
34	EE/ OFC/pole/202 2-23/0508/W- 67/140	W0136,W021 7	PL0502 #640	12.999420402 352625- 77.547988593 65339		05/02/2021
35	EE/ OFC/pole/202 2-23/0508/W- 67/141	W0136	PL0501 #641 OPP	12.999462182 792307- 77.548211217 00162		05/02/2021

,

36	EE/ OFC/pole/202 2-23/0508/W- 67/142	W0136,W021 7	PL0508 #644	12.999407372 274678- 77.547916174 00998	0508	05/02/2021
37	EE/ OFC/pole/202 2-23/0508/W- 67/143	W0217,W013 4	PL0506 12.9997 77.547805	12.999750577 14873- 77.547805309 26156	0508	05/02/2021
38	EE/ OFC/pole/202 2-23/0508/W- 67/144	W0134	PL0606 KAVERI	12.999759293 036533- 77.546868324 21841	0508	05/02/2021
39	EE/ OFC/pole/202 2-23/0508/W- 67/145	W0134	PL0607 SWARHI	12.999751459 21402- 77.547294795 45178	0508	05/02/2021
40	EE/ OFC/pole/202 2-23/0508/W- 67/146	W0213	RPL0610 PATANJALI	12.999688788 624914- 77.546702027 25949	0508	05/02/2021
41	EE/ OFC/pole/202 2-23/0508/W- 67/147	W0118	PL0603 VEEN ORP	13.000186259 782888- 77.547297477 49707	0508	05/02/2021
42	EE/ OFC/pole/202 2-23/0508/W- 67/148	W0118,W021	RATNA DEEPA	939156- 77.547576427 23463		05/02/2021
43	EE/ OFC/pole/202 2-23/0508/W- 67/149	W0114	BGURBD0293 101 #5715	13.000426496 47363- 77.546744942 44	0508	05/02/2021
44	EE/ OFC/pole/202 2-23/0508/W- 67/150	W0114	PL0605 VASANTHA	13.000638917 472354- 77,547347545 45326		05/02/2021
45	EE/ OFC/pole/202 2-23/0508/W- 67/151	W0114, W013	PL0604) (AMBEDKAR SOCIETY)	13.000792415 640147- 77.547759711 462732	0508	05/02/2021
46	EE/ OFC/pole/202 2-23/0508/W- 67/152	W0211	PE0403 MAHAVISHN U SHITS PV T	12:999305565 227052- 77.546292543 13159		05/02/2021
47	EE/ OFC/pole/202 2-23/0508/W- 67/153	W0207	PL5204 #27/1	12.999595574 881882- 77.545664012 12514	0508	05/02/2021
48	EE/ OFC/pole/202 2-23/0508/W- 67/154	W0120,W020 1	PL5303 #133	12.999829757 669476- 77.545179873 62819		05/02/2021
49	EE/ OFC/pole/202 2-23/0508/W- 67/155	W0197,W012 0,W0199	PL5306 #72	12.999877328 289363- 77.544864266 90279		05/02/2021
50	EE/ OFC/pole/202 2-23/0508/W- 67/156	W0199,W013 0	PL5404 MH FISHRIES	12.998964063 119487- 77.544923946 27336		05/02/2021
51	EE/ OFC/pole/202 2-23/0508/W- 67/157	W0199	PL5403 ANUGRAHA	12.999127749 685709- 77.544894218 41414		05/02/2021

.

52	EE/ OFC/pole/202 2-23/0508/W- 67/158	W0199	PL5402 PAVANA KUNJA	12.998566669 400502- 77.544961273 77253	05/02/2021
53	EE/ OFC/pole/202 2-23/0508/W- 67/159	W0132,W019 9	PL5506 LALITHA	12.998115491 582137- 77.545016705 98303	05/02/2021
54	EE/ OFC/pole/202 2-23/0508/W- 67/160	W0199	BGLRBD0065 602 BANAshakari n	12.997799525 118195- 77.544992566 10188	05/02/2021
55	EE/ OFC/pole/202 2-23/0508/W- 67/161	W0130	pl6307 bbmp water tank off	12.998978364 724062- 77.545254528 51908	05/02/2021
56	EE/ OFC/pole/202 2-23/0508/W- 67/162	W0203	pl6302 sri ven kateshwara	12.998617748 75343- 77.545301020 16929	05/02/2021
57	EE/ OFC/pole/202 2-23/0508/W- 67/163	W0203	PL6302 shiva	12.997903685 192247- 77.545368075 36398	05/02/2021



In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Banglore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 57

Pole Charges @ Rs 1500/- Pole	85,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	421.23			
Junction Box Charges @ Rs 3000/- Pole	1,71,000	Total (C)	421.23			
Supervision Charge @ Rs 100/- Pole	5,700	4 0				
Sub Total (A)	2,62,200	GST @ 18% (B)	47,196			
Grand Total (A + B + C)	3,09,817.23					

Total Amount Payable Rs: 3,09,817 In words (Rupees Three Lakh Nine Thousand Eight Hundred and Seventeen Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.

Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

. Copy submitted to Commissioner for kind information.

2. Copy submitted to Special Commissioner (Project) for kind information.

3. Copy submitted to CAO for information

4. Copy to Office file.



No.: 10-2022-1183

THEAT BENGALURU MAHANAGARA PALIKI