



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1219/2022-23
657

Date: 22-11-2022

Permission for Regularization of Poles
(already installed)

To,
M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization of poles (already installed).

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 19-05-2022
 - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 4) Fee Demand Note letter No: 10-2022-1219, Date: 18-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 27-10-2022.

*_*_*_*

With reference to your application for the regularization of poles already installed, we have pleasure to inform you that permission has been accorded for regularization of the poles installed details of which are as mentioned below.

SL No.	UniquePoleId.	Street Id	Landmark or address	Coordinates	Permissi onLetter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/3294/W-8/187	W0338	corner appt	13.052133032 270342- 77.578593492 50795	3294	19/07/2021
2	EE/ OFC/pole/202 2-23/3294/W-8/188	W0342	buyilding 332	13.052028515 68457- 77.578883171 08156	3294	19/07/2021
3	EE/ OFC/pole/202 2-23/3294/W-8/189	W0342	na	13.051923999 054614- 77.579178214 07318	3294	19/07/2021
4	EE/ OFC/pole/202 2-23/3294/W-8/190	W0362	nagaveni	13.051829934 049863- 77.578620314 5981	3294	19/07/2021

No: EE/OFC/PR/1219/2022-23, Dt: 22-11-2022


Executive Engineer (OFC), BBMP

5	EE/ OFC/pole/202 2-23/3294/W-8/191	W0362	ligt blue buildin g	13.051735869 00931- 77.578920722 00777	3294	19/07/2021
6	EE/ OFC/pole/202 2-23/3294/W-8/192	W0362	srinivas nilaya	13.051610448 89955- 77.579237222 67152	3294	19/07/2021
7	EE/ OFC/pole/202 2-23/3294/W-8/193	W0370	kirthana	13.051584319 702009- 77.578405737 8769	3294	19/07/2021
8	EE/ OFC/pole/202 2-23/3294/W-8/194	W0374	grv hut	13.051500706 251307- 77.578625679 01613	3294	19/07/2021
9	EE/ OFC/pole/202 2-23/3294/W-8/195	W0374	chenna bhasawer a krupa	13.051437996 144724- 77.578861713 40944	3294	19/07/2021
10	EE/ OFC/pole/202 2-23/3294/W-8/196	RI-S63,W0384	gowda nilaya	13.051286446 654771- 77.578303813 93433	3294	19/07/2021
11	EE/ OFC/pole/202 2-23/3294/W-8/197	W0390	sri mayama nilaya	13.051218510 646345- 77.578641772 27022	3294	19/07/2021
12	EE/ OFC/pole/202 2-23/3294/W-8/198	W0410	yellow buildi ng	13.050826571 771635- 77.578652501 10628	3294	19/07/2021
13	EE/ OFC/pole/202 2-23/3294/W-8/199	W0434	annapurnes h wari	13.050701151 200478- 77.577858567 23787	3294	19/07/2021
14	EE/ OFC/pole/202 2-23/3294/W-8/200	W0434	shiv kunj	13.050554827 120335- 77.578464746 47523	3294	19/07/2021
15	EE/ OFC/pole/202 2-23/3294/W-8/201	W0450	anand nilaya	13.050398051 224091- 77.577831745 14772	3294	19/07/2021
16	EE/ OFC/pole/202 2-23/3294/W-8/202	W0450	sowparnika nilaya	13.050277856 302953- 77.578432559 96706	3294	19/07/2021
17	EE/ OFC/pole/202 2-23/3294/W-8/203	W0466	sri hari nilaya	13.050115854 360241- 77.577713727 95106	3294	19/07/2021
18	EE/ OFC/pole/202 2-23/3294/W-8/204	W0466	manjunath a nilaya	13.050173338 932717- 77.577434778 21352	3294	19/07/2021

19	EE/ OFC/pole/202 2-23/3294/W-8/205	W0466	laksmi nilaya	13.049979981 681277- 77.578373551 36873	3294	19/07/2021
20	EE/ OFC/pole/202 2-23/3294/W-8/206	W0474	lakshmi condiment s	13.049791850 156328- 77.577928304 67226	3294	19/07/2021
21	EE/ OFC/pole/202 2-23/3294/W-8/207	W0474	srinivas nilaya	13.049723913 737129- 77.578212618 82783	3294	19/07/2021
22	EE/ OFC/pole/202 2-23/3294/W-8/208	W0624	srinivasa laksmi nilaya	13.049483523 180832- 77.577949762 34436	3294	19/07/2021

01	No of Poles	22
02	Ward No	08
03	Zone Name	Yelahanka Zone

The locational details of poles are also given in the map enclosed with this permission letter.

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.

7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do the same at its own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at its own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to poles and resultant losses, if any during performance of official duties by any employee of corporation.
13. **Any dispute** arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlined in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. If any dispute arise if will be settled as per the MOU.
14. Operational and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operational and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.

16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:

22. Right-of-way(ROW) for Electrical lines.-

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**Yelahanka** Zone) for information.
4. Copy to Zonal Chief Engineer (**Yelahanka** Zone) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Byatarayanapura** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Kodigehalli** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

केन्द्रीय बैंक Canara Bank

1219

बुना पर्ची / DEPOSIT / PAY IN SLIP

शाखा / Branch

BCC Extension

दिनांक / Date

25/10/2022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

वचन / चाल खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता नं. / क्रेडिट कार्ड नं.

0000000000000000

नाम / Name

Commissioner BBMP

टेलिफोन / मोबाइल नं.

Tel No./Mobile No.

राशि / Amount

₹ 1,36,300

राशि शब्दों में
Rupees in words

One lakh one thousand three hundred and thirty rupees only

चेक नं. / दिनांक तथा बैंक शाखा का नाम
Cheque No./Date / Name of Bank & Branch

206454 24/10/2022 Axis Bank

EXECUTIVE ENGINEER

अधिकारी / रोकड़िया / C/O

एम डब्ल्यू ओ
Officer/cashier/SWO

केन्द्रीय बैंक टॉल फ्री 24 घंटे कॉल सेंटर

Canara Bank Toll Free No.

1800 426 0046

BENGALURU

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1219 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1219

With reference to your Demand Note bearing Pole-OFC-10-2022-1219 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1368 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1219	22	101363	206454	18216	101363
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,


for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

SOD

27/10



1219

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206454

19/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1219 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1219

With reference to your Demand Note bearing Pole-OFC-10-2022-1219 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1368

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1219	22	101363	206454	18216	101363
			Dated		
			19-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



1219

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206454

dated 19/10/2022

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 18012023

Payee
Negotiable

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE
दिनांक

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर
RUPEES One Lac One Thousand Three Hundred Sixty Three Only
रुपये

अदा करें

₹ 101,363.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206454

Client Reference 4200009020 150

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

Madhura
SSNo: 24004
Authorised Signatory

Rudresha B
Rudresha B
SS No. 26182

Please sign above.

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1219 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1219

With reference to your Demand Note bearing Pole-OFC-10-2022-1219 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1368


Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1219	22	101363	206454	18216	101363
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

1219

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206454**
as per details mentioned below.

19/10/2022
dated

PAYMENT REFERENCE

AXIS BANK LTD ISSUING BRANCH
IFS CODE - UTIB0000274

- Centralised Collection and Payment Hub (CCPH) Valid Until: 18012023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 10 10 2022
दिनांक

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर
RUPEES One Lac One Thousand Three Hundred Sixty Three Only
रुपये

अदा करें ₹ 101,363.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206454

Client Reference 4200009020 150

For Axis Bank Ltd
Rudresha B
26182

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

Please sign above



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT
Pole Form

Application No. :10-2022-1219

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-1219

General Information

Segment ID

OFC/Pole/2022-23/W0342/1218

Street ID

63679

Street Name

NA

Zone

Yelahanka

Ward No.

8

Ward Name

Kodigehalli

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

19/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

POLE

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

22

No.Junction Box

22




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	21/05/2022

Date : 18/10/2022

Time : 03:29:16

20221018032916





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1219

Date: 18/10/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0


Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-1219, dated : 19/05/2022

Details of Poles added on BBMP GIS Map


(Pole Id:-OFC/Pole/2022-23/W0342/1218)



Sr No.	Unique Poleld.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/3294/W- 8/187	W0338	corner appt	13.052133032 270342- 77.578593492 50795	3294	19/07/2021
2	EE/ OFC/pole/202 2-23/3294/W- 8/188	W0342	buyilding 332	13.052028515 68457- 77.578883171 08156	3294	19/07/2021
3	EE/ OFC/pole/202 2-23/3294/W- 8/189	W0342	na	13.051923999 054614- 77.579178214 07318	3294	19/07/2021
4	EE/ OFC/pole/202 2-23/3294/W- 8/190	W0362	nagaveni	13.051829934 049863- 77.578620314 5981	3294	19/07/2021
5	EE/ OFC/pole/202 2-23/3294/W- 8/191	W0362	ligjt blue building	13.051735869 00931- 77.578920722 00777	3294	19/07/2021

6	EE/ OFC/pole/202 2-23/3294/W- 8/192	W0362	srinivas nilaya	13.051610448 89955- 77.579237222 67152	3294	19/07/2021
7	EE/ OFC/pole/202 2-23/3294/W- 8/193	W0370	kirthana	13.051584319 702009- 77.578405737 8769	3294	19/07/2021
8	EE/ OFC/pole/202 2-23/3294/W- 8/194	W0374	grv hut	13.051500706 251307- 77.578625679 01613	3294	19/07/2021
9	EE/ OFC/pole/202 2-23/3294/W- 8/195	W0374	chenna bhasawera krupa	13.051437996 144724- 77.578861713 40944	3294	19/07/2021
10	EE/ OFC/pole/202 2-23/3294/W- 8/196	RI- S63,W0384	gowda nilaya	13.051286446 654771- 77.578303813 93433	3294	19/07/2021
11	EE/ OFC/pole/202 2-23/3294/W- 8/197	W0390	sri mayama nilaya	13.051218510 646345- 77.578641772 27022	3294	19/07/2021
12	EE/ OFC/pole/202 2-23/3294/W- 8/198	W0410	yellow building	13.050826571 771635- 77.578652501 10628	3294	19/07/2021
13	EE/ OFC/pole/202 2-23/3294/W- 8/199	W0434	annapurnesh wari	13.050701151 200478- 77.577858567 23787	3294	19/07/2021
14	EE/ OFC/pole/202 2-23/3294/W- 8/200	W0434	shiv kunj	13.050554827 120335- 77.578464746 47523	3294	19/07/2021
15	EE/ OFC/pole/202 2-23/3294/W- 8/201	W0450	anand nilaya	13.050398051 224091- 77.577831745 14772	3294	19/07/2021
16	EE/ OFC/pole/202 2-23/3294/W- 8/202	W0450	sowparnika nilaya	13.050277856 302953- 77.578432559 96706	3294	19/07/2021
17	EE/ OFC/pole/202 2-23/3294/W- 8/203	W0466	sri hari nilya	13.050115854 360241- 77.577713727 95106	3294	19/07/2021
18	EE/ OFC/pole/202 2-23/3294/W- 8/204	W0466	manjunatha nilaya	13.050173338 932717- 77.577434778 21352	3294	19/07/2021
19	EE/ OFC/pole/202 2-23/3294/W- 8/205	W0466	lakshmi nilaya	13.049979981 681277- 77.578373551 36873	3294	19/07/2021
20	EE/ OFC/pole/202 2-23/3294/W- 8/206	W0474	lakshmi condiments	13.049791850 156328- 77.577928304 67226	3294	19/07/2021
21	EE/ OFC/pole/202 2-23/3294/W- 8/207	W0474	srinivas nilaya	13.049723913 737129- 77.578212618 82783	3294	19/07/2021

22	EE/ OFC/pole/202 2-23/3294/W- 8/208	W0624	srinivasa laksmi nilaya	13.049483523 180832- 77.577949762 34436	3294	19/07/2021
----	--	-------	----------------------------	--	------	------------



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 22

Pole Charges @ Rs 1500/- Pole	33,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	162.58
Junction Box Charges @ Rs 3000/- Pole	66,000	Total (C)	162.58
Supervision Charge @ Rs 100/- Pole	2,200		
Sub Total (A)	1,01,200	GST @ 18%-(B)	18,216
Grand Total (A + B + C)	1,19,578.58		

Total Amount Payable Rs: 1,19,579 In words (Rupees One Lakh Nineteen Thousand Five Hundred and seventy-Nine Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-1219

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



OFC/Pole/2022-23/W0112/1227 10-2022-1227 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

Pole Details

Map labels include: Sri Raghavendra Hotel Tata nagar Breakfast, Bharat Petroleum Corporation, Golden liquor MRP, Axis Bank ATM, The Car Needs pvt, Institute Of cation, OYO 14203 Chetana Inn, Shoba Tulip, Masjid e Abul Qasim, Badrapa, RO Pal, VijayaLakshmi fancy store, Sahaja, Commanders Retreat, Mayura Builders, Streamoid Technologies Pvt, I F SOFA CE, Rai Ter.

OFC/Pole/2022-23/W0291/1209 10-2022-1209 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

Y. G. ...
 ASSISTANT EXECUTIVE ENGINEER
 OFC CELL
 BRUHAT BENGALURU MAHANAGARA PALIKE
 BENGALURU

K. Lakshmi
 EXECUTIVE ENGINEER
 OFC CELL
 BRUHAT BENGALURU MAHANAGARA PALIKE
 BENGALURU