



**BRUHAT BENGALURU MAHANAGARA PALIKE**

Office of the Chief Engineer (OFC-Cell ), 3<sup>rd</sup>Floor, Annexe II Building,  
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1220/2022-23

Date: 21-10-2022

**Permission for Regularization for Poles**

To,

M/s. Jio Digital Fibre Private Limited ,  
RMZ ICON, No-51, Palace Road Cross,  
Vasanth Nagar, Bengaluru-52.

Sir,

**Sub :-** Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
  - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 19-05-2022
  - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : **15-10-2022.**
  - 4) Fee Demand Note letter No: 10-2022-1220, Date: **19-10-2022.**
  - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: **21-10-2022.**

\*\_\*\_\*\_\*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

SI No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from L.R.Bande Main Road via Street ID No-W0276, W0253 up to Shampura Main Road.	30 Poles
02	From Street ID No-W0208 via W0201, W0214, W0195 up to W0208.	
03	From Shampura Main Road via 1st Main Road up to 7th Cross Road.	
04	From Shampura Main Road via 1st Cross Road up to 7th Cross Road.	
05	From Shampura Main Road via 6th Cross Road up to Street ID No-W0136.	
06	From Street ID No-W0136 via W0119 up to W0148.	
07	From Shampura Main Road via 7th Cross Road	
08	From 1st Cross Road via Street ID No-W0166, W0172 up to W0162	
09	From 1st Cross Road via Street ID No-W0170,W0174	
10	From 1st Cross Road via Street ID No-W0172 up to W0166 for total <b>No of 30 Poles</b> in <b>Ward No-32, East Zone</b> <b>Ref: As per drawing enclosed &amp; demand note GIS co-ordinates</b>	

**Special Condition:**

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

No: EE/OFC/PR/1120/2022-23, Dt: 21-10-2022

  
Executive Engineer (OFC), BBMP

### Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.

13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlined in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be undertaken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exist, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way (ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way (ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. –No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.


25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

**Copy to:-**

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**East Zone**) for information.
4. Copy to Zonal Chief Engineer (**East Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Pulikeshi Nagar** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**K.G Halli** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

10-2022-1220

केनरा बैंक  Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP

शाखा/ Branch BCC Eaton & Dem

दिनांक/ Date 21/10/2022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

बचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

8401132000050

नाम/Name Comm & Demor Group

टेलिफोन / मोबाइल नं  
Tel No./Mobile No. \_\_\_\_\_

राशि / Amount ₹ 1,38,222.00/-

राशि शब्दों में  
Rupees in words one lac thirty eight thousand two hundred twenty two

चेक नं. / दिनांक तथा बैंक व शाखा का नाम Cheque No./Date / Name of Bank & Branch	पे/प
<u>20634</u> <u>19/10/22</u> <u>ARA BANK</u>	<u>1,38,222.00/-</u>
<u>20634</u> <u>20/10/22</u> <u>ARA BANK</u>	<u>1,38,222.00/-</u>

कुल / Total 1,38,222.00/-

अधिकारी / रोकाडिंग Canara Bank Toll Free No.

एस डब्ल्यू ओ 1800 425 0018

BR Officer/Cashier/SWO 1800 425 0018

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1220 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-1220

With reference to your Demand Note bearing Pole-OFC-10-2022-1220 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1302 .


Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1220	30	138222	206345	24840	138222
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



S. J. K.

Ab.

Authorized Signatory.

1220

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**206345**

dated <sup>19/10/2022</sup>

PAYMENT REFERENCE

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1220 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-1220

With reference to your Demand Note bearing Pole-OFC-10-2022-1220 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1302 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1220	30	138222	206345	24840	138222
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.





MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREA RELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206345**  
as per details mentioned below.

dated 19/10/2022

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 18/10/2023

DATE	D 9	D 1	M 0	M 2	Y 0	Y 2	Y 2	Y
दिनांक								

Payee  
Negotiable

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या वनके आदेश पर

मांगे जाने पर

RUPEES One Lac Thirty Eight Thousand Two Hundred Twenty Two Only

रुपये

अदा करे

₹ 138,222.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206345


Client Reference 4200009020-41

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

For Axis Bank Ltd

  
M. Srinivas  
Authorised Signatory

  
Rudresha B  
26187  
Please sign above

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1220 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1220

With reference to your Demand Note bearing Pole-OFC-10-2022-1220 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1302 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1220	30	138222	206345	24840	138222
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT  
Pole Form

Application No. :10-2022-1220

PR Number(To be Assigned by AE/JE- OFC, BBMP) CE-POLE-10-2022-1220

General Information

Segment ID

OFC/Pole/2022-23/W0201/1219

Street ID

39816

Street Name

NA

Zone

East

Ward No.

32

Ward Name

Kaval Bairasandra

Service Provider Category

elecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5 Rasta, Ambawadi, Ahmedabad, Gujarat, India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

19/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 5<sup>th</sup>, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

Purpose

Pole

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

30

No.Junction Box


30



### Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	21/05/2022

Date : 18/10/2022



20221018122854



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -  
560002

No. : Pole-OFC-10-2022-1220

Date: 19/10/2022

### Demand Notice

**GST No.: 29AAALBI608FIZK**

#### To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

**Sub:-** Permission for Poles(Regularization)

**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-1220, dated : 19/05/2022


Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0201/1219)

Sr No.	Unique Poleld.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/1419/W- 32/67	W0280	LR Bande	13.027730868 867412- 77.609557165 24514	1419	09/12/2021
2	EE/ OFC/pole/202 2-23/1419/W- 32/68	W0280	LR Bande	13.027561012 639591- 77.610055983 95973	1419	09/12/2021
3	EE/ OFC/pole/202 2-23/1419/W- 32/69	W0280	LR Bande	13.027509271 828167- 77.610163256 80157	1419	09/12/2021
4	EE/ OFC/pole/202 2-23/1419/W- 32/70	W0280	LR Bande	13.027310670 511005- 77.610796166 5685	1419	09/12/2021
5	EE/ OFC/pole/202 2-23/1419/W- 32/71	W0251	Shampura	13.028360119 814963- 77.610646131 85428	1419	09/12/2021

6	EE/ OFC/pole/202 2-23/1419/W- 32/72	W0123,W017 2	Shampura	13.029008183 936249- 77.611067177 75854	1419	09/12/2021
7	EE/ OFC/pole/202 2-23/1419/W- 32/73	W0123,W017 0	Shampura	13.029217759 179891- 77.611195415 4747	1419	09/12/2021
8	EE/ OFC/pole/202 2-23/1419/W- 32/74	W0172	Shampura	13.028522658 668892- 77.611857825 27316	1419	09/12/2021
9	EE/ OFC/pole/202 2-23/1419/W- 32/75	W0172	Shampura	13.028885888 126712- 77.611275870 1061	1419	09/12/2021
10	EE/ OFC/pole/202 2-23/1419/W- 32/76	W0172	Shampura	13.028765682 753624- 77.611474324 86352	1419	09/12/2021
11	EE/ OFC/pole/202 2-23/1419/W- 32/77	W0172	Shampura	13.028666382 618791- 77.611635234 12633	1419	09/12/2021
12	EE/ OFC/pole/202 2-23/1419/W- 32/78	W0170	Shampura	13.029138319 156454- 77.611338102 37105	1419	09/12/2021
13	EE/ OFC/pole/202 2-23/1419/W- 32/79	W0170	Shampura	13.029020727 064148- 77.611547284 41265	1419	09/12/2021
14	EE/ OFC/pole/202 2-23/1419/W- 32/80	W0170	Shampura	13.028903134 916005- 77.611737693 70694	1419	09/12/2021
15	EE/ OFC/pole/202 2-23/1419/W- 32/81	W0172,W017 0,W0174	Shampura	13.028735892 65355- 77.611995148 52737	1419	09/12/2021
16	EE/ OFC/pole/202 2-23/1419/W- 32/82	W0123,W016 6	Shampura	13.029434128 382483- 77.611330097 25663	1419	09/12/2021
17	EE/ OFC/pole/202 2-23/1419/W- 32/83	W0172,W016 6	Shampura	13.028942854 968637- 77.612131961 74948	1419	09/12/2021
18	EE/ OFC/pole/202 2-23/1419/W- 32/84	W0166	Shampura	13.029300857 499548- 77.611560733 8666	1419	09/12/2021
19	EE/ OFC/pole/202 2-23/1419/W- 32/85	W0166	Shampura	13.029180652 327916- 77.611761870 44508	1419	09/12/2021
20	EE/ OFC/pole/202 2-23/1419/W- 32/86	W0166	Shampura	13.029065673 413482- 77.611949597 91833	1419	09/12/2021
21	EE/ OFC/pole/202 2-23/1419/W- 32/87	W0162,W012 3	Shampura	13.029623320 634022- 77.611449716 50555	1419	09/12/2021

22	EE/ OFC/pole/202 2-23/1419/W- 32/88	W0162	Shampura	13.029275771 191728- 77.612020944 38838	1419	09/12/2021
23	EE/ OFC/pole/202 2-23/1419/W- 32/89	W0160	Shampura	13.029179607 081252- 77.612423318 41714	1419	09/12/2021
24	EE/ OFC/pole/202 2-23/1419/W- 32/90	W0136,W011 9	Shampura	13.030898012 80166- 77.611289960 03154	1419	09/12/2021
25	EE/ OFC/pole/202 2-23/1419/W- 32/91	W0119	Shampura	13.030777285 825378- 77.611251330 11242	1419	09/12/2021
26	EE/ OFC/pole/202 2-23/1419/W- 32/92	W0119	Shampura	13.030596979 121272- 77.611154784 55476	1419	09/12/2021
27	EE/ OFC/pole/202 2-23/1419/W- 32/93	W0119	Shampura	13.030402561 326518- 77.611058237 44525	1419	09/12/2021
28	EE/ OFC/pole/202 2-23/1419/W- 32/94	W0129,W017 4	Shampura	13.028528930 045864- 77.612367043 87325	1419	09/12/2021
29	EE/ OFC/pole/202 2-23/1419/W- 32/95	W0129	Shampura	13.028122321 4683- 77.612118158 1875	1419	09/12/2021
30	EE/ OFC/pole/202 2-23/1419/W- 32/96	W0251	Shampura	13.028240959 477133- 77.610571780 8201	1419	09/12/2021



In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

**Total No.of Poles 30**

<b>Pole Charges @ Rs 1500/- Pole</b>	<b>45,000</b>	<b>Worker Welfare Cess Amount @ Rs 7.39/- Pole</b>	<b>221.7</b>
--	---------------	--	--------------




Junction Box Charges @ Rs 3000/- Pole	90,000	Total (C)	221.7
Supervision Charge @ Rs 100/- Pole	3,000		
Sub Total (A)	1,38,000	GST @ 18% (B)	24,840
Grand Total (A + B + C)	1,63,061.7		

**Total Amount Payable Rs: 1,63,062 In words (Rupees One Lakh Sixty-Three Thousand and Sixty-Two Only)**

**Note:** The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)  
Bruhat Bangalore Mahanagara Palike

**Copy to**

No.: 10-2022-1220

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

OFC/Pole/2022-23/W0115/1229    10-2022-1229    Pending    ceofc01(ceofc01)    Pole Work Created    Demand Notice    Permission Letter    View/Submit



OFC/Pole/2022-23/W0122/1211    10-2022-1211    Pending    ceofc01(ceofc01)    Pole Work Created    Demand Notice    Permission Letter    View/Submit

https://bbmp.oasisweb.in/RoadHistory/APPLICATIONS/PolersMyApplication.aspx#

*S. Y. Ghosh*  
 EXECUTIVE ENGINEER  
 OFC CELL  
 BRUHAT BENGALURU MAHANAGARA PALIKE  
 BENGALURU