



**BRUHAT BENGALURU MAHANAGARA PALIKE**

Office of the Chief Engineer (OFC-Cell ), 3<sup>rd</sup>Floor, Annexe II Building,  
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1227/2022-23

Date: 02-11-2022

**Permission for Regularization for Poles**

To,  
M/s. Jio Digital Fibre Private Limited ,  
RMZ ICON, No-51, Palace Road Cross,  
Vasanth Nagar, Bengaluru-52.

Sir,

**Sub :-** Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
  - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 19-05-2022
  - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : **15-10-2022**.
  - 4) Fee Demand Note letter No: 10-2022-1227, Date: **19-10-2022**.
  - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: **25-10-2022**.

\*\_\*\_\*\_\*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from Kanakapura Road via 1st Cross, CES School Road, Street ID No-W0112, W0104	30 Poles
02	From Kanakapura Road via W0128, W0124	
03	From Road end of Street ID No-W0126 via W0097, W0116	
04	From Rajiv Gandhi Road via Street ID No-W0071, W0130	
05	From Street ID No-W0140 via W0141, W0138, W0136, W0145, W0140, W0153, W0109, W0110 up to W0097.	
06	From Street ID No-W0140 via W0145, W0144 up to W0115.	
07	From Street ID No-W0109 via W0110, W0153 for total No of <b>30 Poles</b> , in <b>Ward No-186, Bommanahalli Zone.</b> <b>Ref: As per drawing enclosed &amp; demand note GIS co-ordinates.</b>	

**Special Condition:**

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

No: EE/OFC/PR/1227/2022-23, Dt: 02-11-2022

  
Executive Engineer (OFC), BBMP

### Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do the same at its own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at its own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to poles and resultant losses, if any during performance of official duties by any employee of corporation.

13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlined in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. If any dispute arise it will be settled as per the MOU.
14. Operational and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operational and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0


23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

**Copy to:-**

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**Bommanahalli** Zone) for information.
4. Copy to Zonal Chief Engineer (**Bommanahalli** Zone) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Bommanahalli** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Arekere** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

केनरा बैंक  Canara Bank <sup>1227</sup> जमा पर्ची / DEPOSIT / PAY IN SLIP

शाखा/ Branch BCC Extension

दिनांक/ Date 25 10 2022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

वचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

0 2 5 1 0 2 0 2 2

नाम/Name Commissioner BBMP

टेलिफोन / मोबाइल नं  
Tel No./Mobile No. \_\_\_\_\_

राशि /Amount 1,38,222 ₹ पै/P. 00

राशि शब्दों में Rupees in words One lakh thirty eight

thousand two hundred and twenty two only

चेक नं. / दिनांक तथा बैंक व शाखा का नाम  
Cheque No./Date / Name of Bank & Branch

206368 dt: 19/10/22 ₹ 1,38,222 पै/P. 00

Bas Banker बैंक / CANARA बैंक शाखा, ज. नं. \_\_\_\_\_

कुल / Total 1,38,222 ₹ पै/P. 00

अधिकारी / क्लर्क/डिप्टी / Officer / Clerk / Dpt. \_\_\_\_\_

एस. डब्ल्यू.ओ. / Officer/Cashier GAJANESH KRISHNABABALIK

Canara Bank Toll Free No. \_\_\_\_\_

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1227 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-1227

With reference to your Demand Note bearing Pole-OFC-10-2022-1227 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1057 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1227	30	138222	206388	24840	138222
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



1227

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**206388**

dated <sup>19/10/2022</sup>

---

PAYMENT REFERENCE

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1227 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-1227

With reference to your Demand Note bearing Pole-OFC-10-2022-1227, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1057

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1227	30	138222	206388	24840	138222
			Dated		
			19-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.





MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

**206388**

dated 19/10/2022

**PAYMENT REFERENCE**

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 18012023

DATE दिनांक DD MM YY Y2 Y2 Y

PURCHASER NAME - JIO DIGITAL FIBRE PVT.LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मांगे जाने पर

RUPEES One Lac Thirty Eight Thousand Two Hundred Twenty Two Only

रुपये

अदा करे ₹ 138,222.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206388

Client Reference 4200009020\_84

For Axis Bank Ltd

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

Authorised Signatory

Authorised Signatory

CODE NO.

Rudresha B  
Please sign above  
SS. No. 26782

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1227 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-1227

With reference to your Demand Note bearing Pole-OFC-10-2022-1227, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1057

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1227	30	138222	206388	24840	138222
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**206388**

dated 19/10/2022

**PAYMENT REFERENCE**

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 18012023

DATE  
दिनांक 

D	9	D	M	0	M	2	Y	0	Y	2	Y	2	Y
---	---	---	---	---	---	---	---	---	---	---	---	---	---

PURCHASER NAME - JIO DIGITAL FIBRE PVT.LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मांगे जाने पर

RUPEES One Lac Thirty Eight Thousand Two Hundred Twenty Two Only

रुपये

₹ 138,222.00  
अदा करें

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206388

Client Reference 4200009020\_84

For Axis Bank Ltd

*[Signature]*  
SS. No. 24004  
Authorised Signatory

*[Signature]*  
Rudresha B  
SS. No. 26187  
Please sign above

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai

CODE NO.



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-1227

PR Number(To be Assigned by AE/JE-  
OFC, BBMP)

CE-POLE-10-2022-1227

General Information

Segment ID

OFC/Pole/2022-23/W0112/1227

Street ID

81585

Street Name

NA

Zone

Bommanahalli

Ward No.

186

Ward Name

Jaraganahalli

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5  
Rasta, Ambawadi, Ahmedabad, Gujarat,  
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

19/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,  
Vasānathanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

30

No.Junction Box


30



**Status of My Application**

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	21/05/2022

Date : 19/10/2022



20221019033947



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -  
560002

No. : Pole-OFC-10-2022-1227

Date: 19/10/2022

### Demand Notice

**GST No.: 29AAALBI608FIZK**

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0


Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-1227, dated : 19/05/2022

Details of Poles added on BBMP GIS Map


(Pole Id:-OFC/Pole/2022-23/W0112/1227)



Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/3948/W- 186/60	W0138,W011 7	luxuria layout	12.898969008 737144- 77.572676539 4211	3948	25/02/2022
2	EE/ OFC/pole/202 2-23/3948/W- 186/61	W0138,W012 5	luxuria layout	12.898890573 003731- 77.573089599 60938	3948	25/02/2022
3	EE/ OFC/pole/202 2-23/3948/W- 186/62	W0138	luxuria layout	12.898843511 551883- 77.573540210 72389	3948	25/02/2022
4	EE/ OFC/pole/202 2-23/3948/W- 186/63	W0138,W013 3	luxuria layout	12.898791221 039456- 77.573931813 24007	3948	25/02/2022
5	EE/ OFC/pole/202 2-23/3948/W- 186/64	W0138,W013 7	luxuria layout	12.898780762 935653- 77.574586272 2397	3948	25/02/2022

6	EE/ OFC/pole/202 2-23/3948/W- 186/65	W0138,W014 1	luxuria layout	12.898712785 250309- 77.575138807 29677	3948	25/02/2022
7	EE/ OFC/pole/202 2-23/3948/W- 186/66	W0145,W013 8	luxuria layout	12.898644807 546491- 77.575696706 77186	3948	25/02/2022
8	EE/ OFC/pole/202 2-23/3948/W- 186/67	W0136	luxuria layout	12.899010841 118235- 77.574806213 37892	3948	25/02/2022
9	EE/ OFC/pole/202 2-23/3948/W- 186/68	W0134,W013 6	luxuria layout	12.899026528 259348- 77.575267553 32948	3948	25/02/2022
10	EE/ OFC/pole/202 2-23/3948/W- 186/69	W0134,W009 3	luxuria layout	12.898989924 928566- 77.575632333 75551	3948	25/02/2022
11	EE/ OFC/pole/202 2-23/3948/W- 186/70	W0134,W010 1	luxuria layout	12.898932405 39794- 77.576050758 36183	3948	25/02/2022
12	EE/ OFC/pole/202 2-23/3948/W- 186/71	W0109,W013 4,W0151	luxuria layout	12.898801679 142814- 77.576699852 94343	3948	25/02/2022
13	EE/ OFC/pole/202 2-23/3948/W- 186/72	W0134	luxuria layout	12.898869656 804012- 77.576415538 78786	3948	25/02/2022
14	EE/ OFC/pole/202 2-23/3948/W- 186/73	W0134,W015 5	luxuria layout	12.898691869 03573- 77.577139735 22188	3948	25/02/2022
15	EE/ OFC/pole/202 2-23/3948/W- 186/74	W0071	luxuria layout	12.898948092 543975- 77.574124932 28914	3948	25/02/2022
16	EE/ OFC/pole/202 2-23/3948/W- 186/75	W0130,W007 1	luxuria layout	12.899251377 173789- 77.574162483 21535	3948	25/02/2022
17	EE/ OFC/pole/202 2-23/3948/W- 186/76	W0130	luxuria layout	12.899251377 173789- 77.574537992 47743	3948	25/02/2022
18	EE/ OFC/pole/202 2-23/3948/W- 186/77	W0130,W008 3	luxuria layout	12.899251377 173789- 77.574988603 59193	3948	25/02/2022
19	EE/ OFC/pole/202 2-23/3948/W- 186/78	W0130	luxuria layout	12.899282751 424856- 77.573722600 9369	3948	25/02/2022
20	EE/ OFC/pole/202 2-23/3948/W- 186/79	W0130	luxuria layout	12.899282751 424856- 77.573143243 78969	3948	25/02/2022
21	EE/ OFC/pole/202 2-23/3948/W- 186/80	W0132	luxuria layout	12.899120651 085337- 77.574275135 99397	3948	25/02/2022

22	EE/ OFC/pole/202 2-23/3948/W- 186/81	W0132	luxuria layout	12.899131109 174917- 77.574639916 41998	3948	25/02/2022
23	EE/ OFC/pole/202 2-23/3948/W- 186/82	W0124	luxuria layout	12.899491912 99809- 77.573003768 92091	3948	25/02/2022
24	EE/ OFC/pole/202 2-23/3948/W- 186/83	W0124	luxuria layout	12.899470996 848624- 77.573513388 63374	3948	25/02/2022
25	EE/ OFC/pole/202 2-23/3948/W- 186/84	W0128	luxuria layout	12.899439622 621168- 77.574023008 34657	3948	25/02/2022
26	EE/ OFC/pole/202 2-23/3948/W- 186/85	W0134	luxuria layout	12.899434393 58288- 77.575321197 50978	3948	25/02/2022
27	EE/ OFC/pole/202 2-23/3948/W- 186/86	W0093	luxuria layout	12.899429164 544475- 77.575685977 9358	3948	25/02/2022
28	EE/ OFC/pole/202 2-23/3948/W- 186/87	W0095	luxuria layout	12.899423935 50597- 77.575927376 74715	3948	25/02/2022
29	EE/ OFC/pole/202 2-23/3948/W- 186/88	W0101	luxuria layout	12.899429164 544475- 77.576077580 45197	3948	25/02/2022
30	EE/ OFC/pole/202 2-23/3948/W- 186/89	W0126	luxuria layout	12.899287980 466314- 77.576206326 4847	3948	25/02/2022



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

**Total No. of Poles 30**

Pole Charges @ Rs 1500/- Pole	45,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	221.7
----------------------------------	--------	--	-------




Junction Box Charges @ Rs 3000/- Pole	90,000	Total (C)	221.7
Supervision Charge @ Rs 100/- Pole	3,000		
Sub Total (A)	1,38,000	GST @ 18% (B)	24,840
Grand Total (A + B + C)	1,63,061.7		

**Total Amount Payable Rs: 1,63,062 In words (Rupees One Lakh Sixty-Three Thousand and Sixty-Two Only)**

**Note:**The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)  
Bruhat Bangalore Mahanagara Palike

**Copy to**

No.: 10-2022-1227

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

