



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1238/2022-23

Date: 21-10-2022

243
Permission for Regularization for Poles

To,

M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 20-05-2022
 - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 4) Fee Demand Note letter No: 10-2022-1238, Date: 19-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 21-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from V.Nagenahalli Main Road via G.I.L Layout Main Road	24 Poles
02	From V.Nagenahalli Main Road via Street ID No-W0107 up to Road end.	
03	From V.Nagenahalli Main Road via Street ID No-W0105 up to Road end.	
04	From V.Nagenahalli Main Road via Street ID No-W0097	
05	From V.Nagenahalli Main Road via Street ID No-W0095 1st Cross up to Shampura Main Road.	
06	From Shampura Main Road via 11th Cross	
07	From 3rd Cross Road via 9th Cross Road up to 2nd Cross Road.	
08	From 1st 'A' Cross Road via 3rd Cross Road up to 4th Main Road.	
09	From 4th Main via G.I.L Layout Main Road	
10	From G.I.L Layout Main Road via 8th Cross up to 2nd Main Road.	
11	From G.I.L Layout Main Road via 9th Cross up to 2nd Main Road.	
12	From G.I.L Layout Main Road via 2nd Cross for total No of 24 Poles in Ward No-22, East Zone Ref: As per drawing enclosed & demand note GIS co-ordinates	

No: EE/OFC/PR/1238/2022-23, Dt: 21-10-2022

S. Jyoti 21/10
Executive Engineer (OFC), BBMP

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**East Zone**) for information.
4. Copy to Zonal Chief Engineer (**East Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Hebbal** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**J.C Nagar** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1238 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.


Ref: Demand Note :- Pole-OFC-10-2022-1238

With reference to your Demand Note bearing Pole-OFC-10-2022-1238 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1358 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1238	24	110577	206611	19872	110577
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,
Yours faithfully,
for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

1258

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206611

19/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1238 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru – 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1238

With reference to your Demand Note bearing Pole-OFC-10-2022-1238 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1358 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1238	24	110577	206611	19872	110577
			Dated		
			19-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206611

19/10/2022
dated

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 18012023

DATE दिनांक

D ⁹	D ¹	M ⁰	M ²	Y ⁰	Y ²	Y ²	Y
----------------	----------------	----------------	----------------	----------------	----------------	----------------	---

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर
RUPEES One Lac Ten Thousand Five Hundred Seventy Seven Only
रुपये

₹ 110,577.00
अदा करें

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206611

Client Reference 4200009020_307

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

[Signature]
Authorised Signatory
[Signature]
Authorised Signatory

Please sign above

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1238 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1238

With reference to your Demand Note bearing Pole-OFC-10-2022-1238, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1358.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1238	24	110577	206611	19872	110577
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206611

19/10/2022
dated

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 18012023

DATE 1 09 10 20 22
दिनांक

Payee
Negotiable

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मांगे जाने पर

RUPEES One Lac Ten Thousand Five Hundred Seventy Seven Only

रुपये

अदा करे

₹ 110,577.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206611

Client Reference 4200009020_307

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

[Signature]
S. S. S. S. S.
Authorised Signatory

[Signature]
Authorised Signatory

Please sign above



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT
Pole Form

Application No. :10-2022-1238

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-1238

General Information

Segment ID

OFC/Pole/2022-23/W0107/1238

Street ID

37900

Street Name

NA

Zone

East

Ward No.

22

Ward Name

Vishwanatha Nagenahalli

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

20/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

pole

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

24

No.Junction Box

24




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	21/05/2022

Date : 18/10/2022

Time : 12:30:44

20221018123044





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1238

Date: 19/10/2022

Demand Notice
GST No.: 29AAALBI608FIZK

To

Shri. J. Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-1238, dated : 20/05/2022


Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0107/1238)

Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/5266/W- 22/127	W0148	TEA SHOP	13.035561375 782569- 77.601397633 55257	5266	13/01/2022
2	EE/ OFC/pole/202 2-23/5266/W- 22/128	W0148	GREEN HOUSE	13.035566601 960864- 77.601075768 47078	5266	13/01/2022
3	EE/ OFC/pole/202 2-23/5266/W- 22/129	W0148	MANIFEST APT	13.035519566 35213- 77.600909471 51186	5266	13/01/2022
4	EE/ OFC/pole/202 2-23/5266/W- 22/130	W0148	VASSATHI NILAYA	13.035550923 425621- 77.600496411 32355	5266	13/01/2022
5	EE/ OFC/pole/202 2-23/5266/W- 22/131	W0148	BALAJI SADANA	13.035603185 205934- 77.600555419 92189	5266	13/01/2022


6	EE/ OFC/pole/202 2-23/5266/W- 22/132	W0148	JANANI	13.035629316 091956- 77.600153088 56964	5266	13/01/2022
7	EE/ OFC/pole/202 2-23/5266/W- 22/133	W0111,W014 8	GANESHA NILAYA	13.035592732 850754- 77.599858045 57802	5266	13/01/2022
8	EE/ OFC/pole/202 2-23/5266/W- 22/134	W0111	TEJU NILAYA	13.035843589 253227- 77.599852681 15999	5266	13/01/2022
9	EE/ OFC/pole/202 2-23/5266/W- 22/135	W0146	USHA	13.035974243 528813- 77.599981427 1927	5266	13/01/2022
10	EE/ OFC/pole/202 2-23/5266/W- 22/136	W0146	#163	13.035969017 359117- 77.600265741 34828	5266	13/01/2022
11	EE/ OFC/pole/202 2-23/5266/W- 22/137	W0146	#161	13.035948112 679227- 77.600582242 01204	5266	13/01/2022
12	EE/ OFC/pole/202 2-23/5266/W- 22/138	W0146	U/C	13.035942886 508971- 77.600979208 94624	5266	13/01/2022
13	EE/ OFC/pole/202 2-23/5266/W- 22/139	W0146	KALAVATHI	13.035901077 142997- 77.601268887 51985	5266	13/01/2022
14	EE/ OFC/pole/202 2-23/5266/W- 22/140	W0107	MERGED	13.038759776 270432- 77.599568367 00441	5266	13/01/2022
15	EE/ OFC/pole/202 2-23/5266/W- 22/141	W0105	BUSHAN	13.038832941 810957- 77.599278688 43079	5266	13/01/2022
16	EE/ OFC/pole/202 2-23/5266/W- 22/142	W0105	SAI-NILAYA	13.038555957 864856- 77.599316239 35701	5266	13/01/2022
17	EE/ OFC/pole/202 2-23/5266/W- 22/143	W0097	VENKATESH A NILAYA	13.038759776 270432- 77.599048018 45552	5266	13/01/2022
18	EE/ OFC/pole/202 2-23/5266/W- 22/144	W0095,W009 6	MANJUNATH A NILAYA	13.038650027 919058- 77.598806619 64418	5266	13/01/2022
19	EE/ OFC/pole/202 2-23/5266/W- 22/145	W0096	MANGAMMA NILAYA	13.038665706 257946- 77.598431110 3821	5266	13/01/2022
20	EE/ OFC/pole/202 2-23/5266/W- 22/146	W0096	ANJANADRI NILAYA	13.038665706 257946- 77.598125338 5544	5266	13/01/2022
21	EE/ OFC/pole/202 2-23/5266/W- 22/147	W0096	SHIVA KRUPA	13.038676158 483334- 77.597545981 40718	5266	13/01/2022

22	EE/ OFC/pole/202 2-23/5266/W- 22/148	W0096	VENKATESH WARA NILAYA	13.038707515 1568- 77.596494555 47334	5266	13/01/2022
23	EE/ OFC/pole/202 2-23/5266/W- 22/149	W0104	CONDIMENT S	13.038341687 052323- 77.596601843 83394	5266	13/01/2022
24	EE/ OFC/pole/202 2-23/5266/W- 22/150	W0106	SATHISH	13.038069928 681702- 77.596676945 68635	5266	13/01/2022



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 24



Pole Charges @ Rs 1500/- Pole	36,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	177.36
Junction Box Charges @ Rs 3000/- Pole	72,000	Total (C)	177.36
Supervision Charge @ Rs 100/- Pole	2,400		
Sub Total (A)	1,10,400	GST @ 18% (B)	19,872
Grand Total (A + B + C)	1,30,449.36		

Total Amount Payable Rs: 1,30,449 In words (Rupees One Lakh Thirty Thousand Four Hundred and Forty-Nine Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is

liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike


Copy to

No.: 10-2022-1238

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



Pole Details



EXECUTIVE ENGINEER
 OFC CELL
 BRUHAT BENGALURU MAHANAGARA PALIKE
 BENGALURU