



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1252/2022-23

Date: 20-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 20-05-2022
 - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 4) Fee Demand Note letter No: 10-2022-1252, Date: 20-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 19-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 20th Main Road via 12th Cross	51 Poles
02	From 14th Cross via 20th 'A' Main, 12th Cross, 20th 'B' Main up to 14th Cross.	
03	From 14th Cross via Street ID No-W0115, W0113	
04	From 14th Cross via Street ID No-W0125	
05	From 20th 'B' Main via Street ID No-W0094, W0127	
06	From Street ID No-W0094 via W0127	
07	From Street ID No-W0094 via W0117	
08	From Street ID No-W0094 via W0113	
09	From 14th Cross via 15th 'A' Main up to 13th Cross.	
10	From 13th Cross via 15th 'A' Main	
11	From 13th Cross via Street ID No-W0201	
12	From 13th Cross via Street ID No-W0193	
13	From 13th Cross via Street ID No-W0129	
14	From 13th Cross via Street ID No-W0191	
15	From 20th 'B' Main via 12th Cross for total No of 51 Poles, in Ward No-172, South Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

No: EE/OFC/PR/1252/2022-23, Dt: 20-10-2022

Executive Engineer (OFC), BBMP


21/10/22

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**South Zone**) for information.
4. Copy to Zonal Chief Engineer (**South Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**BTM Layout Division**) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**BTM Layout Sub Division**) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1252 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1252

With reference to your Demand Note bearing Pole-OFC-10-2022-1252, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1170

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1252	51	234977	206285	42228	234977
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



1259

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206285

dated ^{18/10/2022}

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1252 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1252

With reference to your Demand Note bearing Pole-OFC-10-2022-1252 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1170 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1252	51	234977	206285	42228	234977
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206285

dated 18/10/2022

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17/10/2023

DATE 10 80 10 00 2Y 0Y 2Y 2Y
दिनांक

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मांगे जाने पर

RUPEES Two Lacs Thirty Four Thousand Nine Hundred Seventy Seven Only

रुपये

अदा करे

₹ 234,977.00

Payable at par at all Branches of AXIS Bank Ltd .

DD Sr. No. 206285

Client Reference 4200008920 149

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

[Signature]
Authorised Signatory

[Signature]
Authorised Signatory

Request No. 26187

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1252 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1252

With reference to your Demand Note bearing Pole-OFC-10-2022-1252 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1170

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1252	51	234977	206285	42228	234977
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-1252

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-1252

General Information

Segment ID

OFC/Pole/2022-23/W0113/1247

Street ID

35435

Street Name

NA

Zone

South

Ward No.

172

Ward Name

Madivala

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

20/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

51

No.Junction Box

51




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	23/05/2022

Date : 20/10/2022

Time : 12:14:08

20221020121408





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1252

Date: 20/10/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).
2)Your request letter No. : 10-2022-1252, dated : 20/05/2022

Details of Poles added on BBMP GIS Map


(Pole Id:-OFC/Pole/2022-23/W0113/1247)

Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/6274/W- 172/266	W0109	PL5101	12.923162643 592956- 77.615044713 02034	6274	23/02/2022
2	EE/ OFC/pole/202 2-23/6274/W- 172/267	W0109	PL5102	12.922812331 036722- 77.614883780 47945	6274	23/02/2022
3	EE/ OFC/pole/202 2-23/6274/W- 172/268	W0109	PL5204	12.922462017 989064- 77.614706754 68446	6274	23/02/2022
4	EE/ OFC/pole/202 2-23/6274/W- 172/269	W0109	PL5105	12.922064647 369938- 77.614502906 79933	6274	23/02/2022
5	EE/ OFC/pole/202 2-23/6274/W- 172/270	W0353,W010 9	PL5106	12.921860733 254121- 77.614384889 60268	6274	23/02/2022

6	EE/ OFC/pole/202 2-23/6274/W- 172/271	W0353	PL5107	12.921797990 415751- 77.614406347 2748	6274	23/02/2022
7	EE/ OFC/pole/202 2-23/6274/W- 172/272	W0109	PL5108	12.921730018 989724- 77.614320516 58632	6274	23/02/2022
8	EE/ OFC/pole/202 2-23/6274/W- 172/273	W0109	PL5205	12.921583618 93239- 77.614245414 73389	6274	23/02/2022
9	EE/ OFC/pole/202 2-23/6274/W- 172/274	W0109	PL5206	12.921384933 003006- 77.614143490 79134	6274	23/02/2022
10	EE/ OFC/pole/202 2-23/6274/W- 172/275	W0109	PL5208	12.921149646 829571- 77.614025473 59468	6274	23/02/2022
11	EE/ OFC/pole/202 2-23/6274/W- 172/276	W0174	PL5304	12.921123503 907731- 77.613719701 76698	6274	23/02/2022
12	EE/ OFC/pole/202 2-23/6274/W- 172/277	W0174	PL5303	12.921065989 47005- 77.613875269 88985	6274	23/02/2022
13	EE/ OFC/pole/202 2-23/6274/W- 172/278	W0174,W010 9	PL5301	12.921029389 366439- 77.613961100 57832	6274	23/02/2022
14	EE/ OFC/pole/202 2-23/6274/W- 172/279	W0174	PL5203	12.920956189 143133- 77.614122033 11922	6274	23/02/2022
15	EE/ OFC/pole/202 2-23/6274/W- 172/280	W0174,W018 9	PL5202	12.920872531 718807- 77.614309787 750267	6274	23/02/2022
16	EE/ OFC/pole/202 2-23/6274/W- 172/281	W0174	PL5801	12.920799331 449524- 77.614470720 29115	6274	23/02/2022
17	EE/ OFC/pole/202 2-23/6274/W- 172/282	W0174,W019 1	PL5802	12.920736588 344509- 77.614658474 9222	6274	23/02/2022
18	EE/ OFC/pole/202 2-23/6274/W- 172/283	W0174	PL5803	12.920679073 817707- 77.614749670 0287	6274	23/02/2022
19	EE/ OFC/pole/202 2-23/6274/W- 172/284	W0174,W012 9	PL5809	12.920626787 872774- 77.614867687 22536	6274	23/02/2022
20	EE/ OFC/pole/202 2-23/6274/W- 172/285	W0174	PL5808	12.920564044 7244- 77.614985704 422	6274	23/02/2022
21	EE/ OFC/pole/202 2-23/6274/W- 172/286	W0193	PL0801	12.920632016 467758- 77.615130543 7088	6274	23/02/2022

22	EE/ OFC/pole/202 2-23/6274/W- 172/287	W0193	PL0805	12.920971874 907078- 77.615307569 50378	6274	23/02/2022
23	EE/ OFC/pole/202 2-23/6274/W- 172/288	W0193	PL0802	12.920898674 666917- 77.615270018 57759	6274	23/02/2022
24	EE/ OFC/pole/202 2-23/6274/W- 172/289	W0193	PL0804	12.920757502 714594- 77.615200281 1432	6274	23/02/2022
25	EE/ OFC/pole/202 2-23/6274/W- 172/290	W0353,W012 9	PL5902	12.921175789 748673- 77.615146636 9629	6274	23/02/2022
26	EE/ OFC/pole/202 2-23/6274/W- 172/291	W0129	PL5901	12.921081675 227088- 77.615103721 61867	6274	23/02/2022
27	EE/ OFC/pole/202 2-23/6274/W- 172/292	W0129	PL5805	12.920961417 731235- 77.615033984 18428	6274	23/02/2022
28	EE/ OFC/pole/202 2-23/6274/W- 172/293	W0129	PL5807	12.920830702 996128- 77.614974975 58594	6274	23/02/2022
29	EE/ OFC/pole/202 2-23/6274/W- 172/294	W0191	PL6006	12.921332647 205853- 77.614926695 82368	6274	23/02/2022
30	EE/ OFC/pole/202 2-23/6274/W- 172/295	W0191	PL6005	12.921175789 748673- 77.614856958 3893	6274	23/02/2022
31	EE/ OFC/pole/202 2-23/6274/W- 172/296	W0191	PL5201	12.921018932 192998- 77.614771127 70082	6274	23/02/2022
32	EE/ OFC/pole/202 2-23/6274/W- 172/297	W0189	PL5107	12.921609761 806062- 77.614658474 9222	6274	23/02/2022
33	EE/ OFC/pole/202 2-23/6274/W- 172/298	W0189	PL5207	12.921447675 945151- 77.614599466 32385	6274	23/02/2022
34	EE/ OFC/pole/202 2-23/6274/W- 172/299	W0189	PL5208	12.921233304 161076- 77.614486813 54524	6274	23/02/2022
35	EE/ OFC/pole/202 2-23/6274/W- 172/300	W0189	PL5206	12.921092132 397908- 77.614422440 52887	6274	23/02/2022
36	EE/ OFC/pole/202 2-23/6274/W- 172/301	W0111	PL6004	12.921897333 235892- 77.614760398 86476	6274	23/02/2022
37	EE/ OFC/pole/202 2-23/6274/W- 172/302	W0111	PL6003	12.922064647 369938- 77.614835500 71718	6274	23/02/2022

38	EE/ OFC/pole/202 2-23/6274/W- 172/303	W0111	PL6002	12.922268561 31926- 77.614942789 07776	6274	23/02/2022
39	EE/ OFC/pole/202 2-23/6274/W- 172/304	W0111	PL6001	12.922404503 85963- 77.615007162 09413	6274	23/02/2022
40	EE/ OFC/pole/202 2-23/6274/W- 172/305	W0094	PL6109	12.922352218 275945- 77.615221738 81532	6274	23/02/2022
41	EE/ OFC/pole/202 2-23/6274/W- 172/306	W0117	PL6101	12.922127390 141315- 77.615366578 10213	6274	23/02/2022
42	EE/ OFC/pole/202 2-23/6274/W- 172/307	W0117	PL6102	12.921928704 644563- 77.615248560 90547	6274	23/02/2022
43	EE/ OFC/pole/202 2-23/6274/W- 172/308	W0117	PL6103	12.922069875 93482- 77.615334391 59395	6274	23/02/2022
44	EE/ OFC/pole/202 2-23/6274/W- 172/309	W0119	PL6104	12.922378361 06916- 77.615565061 56923	6274	23/02/2022
45	EE/ OFC/pole/202 2-23/6274/W- 172/310	W0094, W012 7	PL6107	12.922163990 084002- 77.615597248 0774	6274	23/02/2022
46	EE/ OFC/pole/202 2-23/6274/W- 172/311	W0121	PL1104	12.922650245 956358- 77.615672349 92981	6274	23/02/2022
47	EE/ OFC/pole/202 2-23/6274/W- 172/312	W0111	PL1102	12.923089443 99496- 77.615345120 43	6274	23/02/2022
48	EE/ OFC/pole/202 2-23/6274/W- 172/313	W0111	PL1103	12.923052844 187918- 77.615339756 01198	6274	23/02/2022
49	EE/ OFC/pole/202 2-23/6274/W- 172/314	W0111	PL1101	12.922922130 547533- 77.615270018 57759	6274	23/02/2022
50	EE/ OFC/pole/202 2-23/6274/W- 172/315	W0111	PL6110	12.922645017 403624- 77.615130543 7088	6274	23/02/2022
51	EE/ OFC/pole/202 2-23/6274/W- 172/316	W0109	PL5103	12.923058072 7321- 77.615001797 6761	6274	23/02/2022



In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 51

Pole Charges @ Rs 1500/- Pole	76,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	376.89
Junction Box Charges @ Rs 3000/- Pole	1,53,000	Total (C)	376.89
Supervision Charge @ Rs 100/- Pole	5,100		
Sub Total (A)	2,34,600	GST @ 18% (B)	42,228
Grand Total (A + B + C)	2,77,204.89		

Total Amount Payable Rs: 2,77,205 In words (Rupees Two Lakh seventy-Seven Thousand Two Hundred and Five Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike


Copy to

No.: 10-2022-1252

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

Pole Details



EXECUTIVE ENGINEER

OFC CELL

SHAHAT BENGALURU MAHANAGARA PALIKE

BENGALURU