



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1291/2022-23

Date: 20-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 20-05-2022
 - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 4) Fee Demand Note letter No: 10-2022-1291, Date: 17-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 19-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

SI No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 19th Main Road via 18th Main Road	57 Poles
02	From 19th Main Road via 19th Main Road up to 1st Cross.	
03	From 19th Main Road via 17th 'E' Main, 7th Cross up to Kormangala Road.	
04	From 7th Cross via 17th 'B' Main	
05	From 7th Cross via 17th 'C' Main up to 4th Cross.	
06	From 7th Cross via 17th 'D' Main up to 4th Cross.	
07	From 7th Cross via Street ID No-W0123	
08	From Street ID No-W0123 via W0119	
09	From 4th Cross via Street ID No-W0125	
10	From Street ID No-W0123 via W0116	
11	From 19th Main via 17th 'B' Main, 2nd Cross up to 17th 'A' Main.	
12	From 19th Main Road via 17th 'a' Main up to 1st 'A' Main.	
13	From 17th 'B' Main Road via 3rd Cross	
14	From 17th 'B' Main Road via 4th Cross Road for total No of 57 Poles, in Ward No-151, South Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

No: EE/OFC/PR/1291/2022-23, Dt: 20-10-2022

Executive Engineer (OFC), BBMP

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be refereed to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way (ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way (ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. –No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**South Zone**) for information.
4. Copy to Zonal Chief Engineer (**South Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**BTM Layout** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Kormangala** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1291 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1291


With reference to your Demand Note bearing Pole-OFC-10-2022-1291, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1165

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1291	57	262621	206271	47196	262621
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,
Yours faithfully,
for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1291 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1291

With reference to your Demand Note bearing Pole-OFC-10-2022-1291 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1165 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1291	57	262621	206271	47196	262621
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHAN SOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206271

date 18/10/2022

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

DATE 10/8/2022
दिनांक 10/8/2022

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE
मौगे जाने पर

OR ORDER / या इनके आदेश पर

RUPEES Two Lacs Sixty Two Thousand Six Hundred Twenty One Only
रुपये

अदा करे

₹ 262,621.00

DD Sr. No. 206271

Payable at par at all Branches of AXIS Bank Ltd.

Client Reference 4200008920 135

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd
[Signature]
Authorized Signatory

[Signature]
Rudresh B
CC No. 26082

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1291 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1291

With reference to your Demand Note bearing Pole-OFC-10-2022-1291 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1165 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1291	57	262621	206271	47196	262621
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206271

date 18/10/2022

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

DATE Valid Until 17/10/2022
दिनांक 10 8 10 08 22 0 2 22

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE
मौजे जाने पर

OR ORDER / या इनके आदेश पर

RUPEES Two Lacs Sixty Two Thousand Six Hundred Twenty One Only
रुपये

₹ 262,621.00
अदा करे

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206271

Client Reference 4200008920_135

For Axis Bank Ltd
[Signature]
Authorized Signatory

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

Rudrasha B
← No. 26187



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT
Pole Form

Application No. :10-2022-1291

PR Number(To be Assigned by AE/JE- OFC, BBMP) CE-POLE-10-2022-1291

General Information

Segment ID

OFC/Pole/2022-23/W0092/1283

Street ID

34764

Street Name

NA

Zone

South

Ward No.

151

Ward Name

Koramangala

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

20/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC*

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

57

No.Junction Box

57




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	24/05/2022

Date : 18/10/2022

Time : 10:57:20

20221018105720





Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1291

Date: 17/10/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).
2)Your request letter No. : 10-2022-1291, dated : 20/05/2022

Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0092/1283)


Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/5340/W- 151/374	W0116	PL0104	12.936521210 807909- 77.624518275 26094	5340	11/01/2022
2	EE/ OFC/pole/202 2-23/5340/W- 151/375	W0123,W012 0	PL0102	12.936296395 436754- 77.624663114 54774	5340	11/01/2022
3	EE/ OFC/pole/202 2-23/5340/W- 151/376	W0123,W011 9	PL5107	12.935342234 920553- 77.623831629 75313	5340	11/01/2022
4	EE/ OFC/pole/202 2-23/5340/W- 151/377	W0134,W011 9	PL5108	12.935459871 34581- 77.623812854 29002	5340	11/01/2022
5	EE/ OFC/pole/202 2-23/5340/W- 151/378	W0123	PL5106	12.935457257 20363- 77.623973786 83092	5340	11/01/2022

6	EE/ OFC/pole/202 2-23/5340/W- 151/379	W0123	PL5106	12.935496469 333474- 77.624027431 01121	5340	11/01/2022
7	EE/ OFC/pole/202 2-23/5340/W- 151/380	W0132,W011 9	PL5203	12.935561822 869508- 77.623853087 42523	5340	11/01/2022
8	EE/ OFC/pole/202 2-23/5340/W- 151/381	W0123,W013 6	PL5206	12.935203685 281877- 77.623676061 63025	5340	11/01/2022
9	EE/ OFC/pole/202 2-23/5340/W- 151/382	W0136	PL5205	12.935326550 059656- 77.623531222 34344	5340	11/01/2022
10	EE/ OFC/pole/202 2-23/5340/W- 151/383	W0136	PL5307	12.935606263 264232- 77.623024284 83964	5340	11/01/2022
11	EE/ OFC/pole/202 2-23/5340/W- 151/384	W0111	PL5306	12.935676845 051342- 77.623281776 90507	5340	11/01/2022
12	EE/ OFC/pole/202 2-23/5340/W- 151/385	W0111	PL5305	12.935823236 84243- 77.623346149 92143	5340	11/01/2022
13	EE/ OFC/pole/202 2-23/5340/W- 151/386	W0111	PL5303	12.935825850 980791- 77.623399794 40173	5340	11/01/2022
14	EE/ OFC/pole/202 2-23/5340/W- 151/387	W0111	PL5302	12.935914731 668245- 77.623474895 95415	5340	11/01/2022
15	EE/ OFC/pole/202 2-23/5340/W- 151/388	W0122,W011 1	PL5301	12.935990541 641331- 77.623533904 55247	5340	11/01/2022
16	EE/ OFC/pole/202 2-23/5340/W- 151/389	W0111	PL5304	12.936084650 541414- 77.623552680 01558	5340	11/01/2022
17	EE/ OFC/pole/202 2-23/5340/W- 151/390	W0111	PL0202	12.936461085 78663- 77.623869180 67934	5340	11/01/2022
18	EE/ OFC/pole/202 2-23/5340/W- 151/391	W0111	PL0201	12.936453243 391481- 77.623912096 02357	5340	11/01/2022
19	EE/ OFC/pole/202 2-23/5340/W- 151/392	W0111	PL0203	12.936641460 806978- 77.624019384 38416	5340	11/01/2022
20	EE/ OFC/pole/202 2-23/5340/W- 151/393	W0111	PI0204	12.936902873 648448- 77.624260783 19551	5340	11/01/2022
21	EE/ OFC/pole/202 2-23/5340/W- 151/394	W0111	PI0205	12.936955156 183878- 77.624357342 72005	5340	11/01/2022

22	EE/ OFC/pole/202 2-23/5340/W- 151/395	W0107	PI0308	12.937240095 809273- 77.624191045 76112	5340	11/01/2022
23	EE/ OFC/pole/202 2-23/5340/W- 151/396	W0107	PI0304	12.937208726 325169- 77.624204456 8062	5340	11/01/2022
24	EE/ OFC/pole/202 2-23/5340/W- 151/397	W0107	PL0302	12.936900259 521384- 77.623925507 06863	5340	11/01/2022
25	EE/ OFC/pole/202 2-23/5340/W- 151/398	W0107	PI0303	12.936918558 410225- 77.623992562 29402	5340	11/01/2022
26	EE/ OFC/pole/202 2-23/5340/W- 151/399	W0107	PL5401	12.936654531 455558- 77.623718976 9745	5340	11/01/2022
27	EE/ OFC/pole/202 2-23/5340/W- 151/400	W0107	PL0301	12.936688515 138659- 77.623786032 19987	5340	11/01/2022
28	EE/ OFC/pole/202 2-23/5340/W- 151/401	W0107	PL5402	12.936414031 41205- 77.623507082 46233	5340	11/01/2022
29	EE/ OFC/pole/202 2-23/5340/W- 151/402	W0107	PL5403	12.936356520 497725- 77.623501718 0443	5340	11/01/2022
30	EE/ OFC/pole/202 2-23/5340/W- 151/403	W0107	PI5404	12.936003612 324019- 77.623209357 26167	5340	11/01/2022
31	EE/ OFC/pole/202 2-23/5340/W- 151/404	W0107	PL5405	12.936003612 324019- 77.623166441 91742	5340	11/01/2022
32	EE/ OFC/pole/202 2-23/5340/W- 151/405	W0136,W0103	PL5406	12.935872905 46632- 77.622568309 30711	5340	11/01/2022
33	EE/ OFC/pole/202 2-23/5340/W- 151/406	W0103	PL0401	12.936139547 38338- 77.622798979 2824	5340	11/01/2022
34	EE/ OFC/pole/202 2-23/5340/W- 151/407	W0103	PI0402	12.936129090 842986- 77.622841894 62663	5340	11/01/2022
35	EE/ OFC/pole/202 2-23/5340/W- 151/408	W0103	PI0403	12.936523824 938943- 77.623123526 5732	5340	11/01/2022
36	EE/ OFC/pole/202 2-23/5340/W- 151/409	W0103	PL0408	12.936539509 724549- 77.623185217 38054	5340	11/01/2022
37	EE/ OFC/pole/202 2-23/5340/W- 151/410	W0101	PI0605	12.935857220 638795- 77.622115015 98358	5340	11/01/2022


38	EE/ OFC/pole/202 2-23/5340/W- 151/411	W0101	PL0604	12.935799709 596088- 77.622066736 22133	5340	11/01/2022
39	EE/ OFC/pole/202 2-23/5340/W- 151/412	W0153	PL0707	12.936019297 142348- 77.621339857 57829	5340	11/01/2022
40	EE/ OFC/pole/202 2-23/5340/W- 151/413	W0153	PL0708	12.935742198 540126- 77.621195018 29149	5340	11/01/2022
41	EE/ OFC/pole/202 2-23/5340/W- 151/414	W0142	PL0706	12.935376218 782439- 77.621618807 31584	5340	11/01/2022
42	EE/ OFC/pole/202 2-23/5340/W- 151/415	W0142	PL0705	12.935404974 354267- 77.621669769 28712	5340	11/01/2022
43	EE/ OFC/pole/202 2-23/5340/W- 151/416	W0142	PL0704	12.935169701 39648- 77.621940672 39763	5340	11/01/2022
44	EE/ OFC/pole/202 2-23/5340/W- 151/417	W0142	PL0703	12.935190614 55727- 77.622010409 832	5340	11/01/2022
45	EE/ OFC/pole/202 2-23/5340/W- 151/418	W0142	PL0701	12.934929199 921406- 77.622345685 95888	5340	11/01/2022
46	EE/ OFC/pole/202 2-23/5340/W- 151/419	W0142	PL0702	12.934934428 216806- 77.622447609 90143	5340	11/01/2022
47	EE/ OFC/pole/202 2-23/5340/W- 151/420	W0155	PL1002	12.934453424 581172- 77.623083293 437967	5340	11/01/2022
48	EE/ OFC/pole/202 2-23/5340/W- 151/421	W0155,W014 6	PL0905	12.934056073 052218- 77.622962594 0323	5340	11/01/2022
49	EE/ OFC/pole/202 2-23/5340/W- 151/422	W0168	PL0908	12.934160639 305418- 77.621836066 24605	5340	11/01/2022
50	EE/ OFC/pole/202 2-23/5340/W- 151/423	W0168	PL0907	12.934283504 596895- 77.620269656 18135	5340	11/01/2022
51	EE/ OFC/pole/202 2-23/5340/W- 151/424	W0168	PL0907	12.934205079 949752- 77.621342539 7873	5340	11/01/2022
52	EE/ OFC/pole/202 2-23/5340/W- 151/425	W0153,W016 8	PL0906	12.934275662 133286- 77.620524466 03776	5340	11/01/2022
53	EE/ OFC/pole/202 2-23/5340/W- 151/426	W0153	PL0806	12.934403755 674657- 77.620564699 17297	5340	11/01/2022

54	EE/ OFC/pole/202 2-23/5340/W- 151/427	W0153	PL0803	12.935193228 702246- 77.620948255 06212	5340	11/01/2022
55	EE/ OFC/pole/202 2-23/5340/W- 151/428	W0153	PL0802	12.935425887 495335- 77.621090412 1399	5340	11/01/2022
56	EE/ OFC/pole/202 2-23/5340/W- 151/429	W0146	PL0801	12.935012852 634683- 77.621436417 10283	5340	11/01/2022
57	EE/ OFC/pole/202 2-23/5340/W- 151/430	W0146	PL0909	12.934537077 453985- 77.622104287 14752	5340	11/01/2022



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP, Bangalore" within seven (7) days. Then only your request can be processed further.

Total No. of Poles 57



Pole Charges @ Rs 1500/- Pole	85,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	421.23
Junction Box Charges @ Rs 3000/- Pole	1,71,000	Total (C)	421.23
Supervision Charge @ Rs 100/- Pole	5,700		
Sub Total (A)	2,62,200	GST @ 18% (B)	47,196
Grand Total (A + B + C)	3,09,817.23		

Total Amount Payable Rs: 3,09,817 In words (Rupees Three Lakh Nine Thousand Eight Hundred and Seventeen Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-1291

1. Copy submitted to Commissioner for kind information
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

Pole Details



10-2022-1291

EXECUTIVE ENGINEER

OFC CEL

BRUHAT BENGALURU MAHANAGARA PALIKE

BENGALURU