



**BRUHAT BENGALURU MAHANAGARA PALIKE**

Office of the Chief Engineer (OFC-Cell ), 3<sup>rd</sup>Floor, Annexe II Building,  
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1304/2022-23

Date: 21-10-2022

**Permission for Regularization for Poles**

To,  
M/s. Jio Digital Fibre Private Limited ,  
RMZ ICON, No-51, Palace Road Cross,  
Vasanth Nagar, Bengaluru-52.

Sir,

**Sub :-** Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
  - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 20-05-2022
  - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : **15-10-2022**.
  - 4) Fee Demand Note letter No: 10-2022-1304, Date: **17-10-2022**.
  - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: **21-10-2022**.

\*\_\*\_\*\_\*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 16th Main via 36th Cross, 15th Main, 30th Cross, 18th Main, 36th Cross up to 16th Main Road	35 Poles
02	From 34th Cross via 16th Main up to 18th Main.	
03	From 31st Cross via 16th main	
04	From 18th Main via 31st Cross Road up to 15th Main.	
05	From 15th Main via 33rd Cross, 13th Main up to 30th Cross.	
06	From 15th Main via 30th Cross, 13th Main, 28th Cross up to 30th Cross.	
07	From 17th Main via 24th Cross	
08	From 30th Cross via Street ID No-W0229 up to Road end for total No of <b>35 Poles</b> , in <b>Ward No-165, South Zone.</b> <b>Ref: As per drawing enclosed &amp; demand note GIS co-ordinates.</b>	

**Special Condition:**

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

No: EE/OFC/PR/1304/2022-23, Dt: 21-10-2022

  
Executive Engineer (OFC), BBMP

### Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.

13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way (ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way (ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. –No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)


24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

**Copy to:-**

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**South Zone**) for information.
4. Copy to Zonal Chief Engineer (**South Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Padmanabha Nagar Division**) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Banashankari Sub Division**) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

केनरा बैंक  Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP

शाखा/ Branch BCC Extension

दिनांक/ Date 21/10/22

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.  
 वचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

0401132000010

नाम/Name Commissioner BBMP

टेलिफोन / मोबाइल नं  
 Tel No./Mobile No. \_\_\_\_\_ ₹ \_\_\_\_\_ प/प.

राशि /Amount 1,61,259.00/-

राशि शब्दों में  
 Rupees in words One lakh sixty thousand two hundred and fifty nine only

चेक नं. / दिनांक तथा बैंक का नाम Cheque No./Date / Name of Bank & Branch	शब्दा. ज. सं. ₹	प/प. ₹
<u>206214 DT: 18/10/22</u>	<u>1,61,259.00</u>	<u>00/-</u>
<u>EXECUTIVE F. J.C. Road.</u>	<u>560</u>	<u>002</u>
<u>कुल (Total) ₹ 1,61,259.00/-</u>		

अधिकारी/ रोकाइया/VU  
 एस डब्ल्यू ओ  
 Officer/Cashier/SWO

केनरा बैंक टॉल फ्री 24 घंटे कॉल सेंटर  
 Canara Bank Toll Free No. 1800 425 0018

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1304 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :- Pole-OFC-10-2022-1304**

With reference to your Demand Note bearing Pole-OFC-10-2022-1304 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0934

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1304	35	161259	206214	28980	161259
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



1304

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**206214**

18/10/2022  
dated

PAYMENT REFERENCE

---

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1304 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-1304

With reference to your Demand Note bearing Pole-OFC-10-2022-1304 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0934 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1304	35	161259	206214	28980	161259
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.





1304

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**206214**

18/10/2022  
dated

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17012023

DATE 1 8 1 0 2 0 2 2  
दिनांक

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर  
RUPEES One Lac Sixty One Thousand Two Hundred Fifty Nine Only  
रुपये

अदा करें ₹ 161,259.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206214

Client Reference 4200008920\_78

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

For Axis Bank Ltd  
Authorized Signatory

Pld sign above  
cc NO. 25/122

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1304 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-1304

With reference to your Demand Note bearing Pole-OFC-10-2022-1304 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0934 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1304	35	161259	206214	28980	161259
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

1304

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206214**  
as per details mentioned below.

18/10/2022  
dated

PAYMENT REFERENCE

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17012023

DATE | 8 | 1 | 0 | 2 | 0 | 2 | 2 |  
दिनांक

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मांगे जाने पर  
RUPEES One Lac Sixty One Thousand Two Hundred Fifty Nine Only  
रुपये

अदा करें

₹ 161,259.00



Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206214

Client Reference 4200008920\_78

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

For Axis Bank Ltd  
  
Authorised Signatory  
  
Authorised Signatory

Please sign above  
cc No. 25182



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

## BBMP ENGINEERING DEPARTMENT

### Pole Form

Application No. :10-2022-1304

PR Number(To be Assigned by AE/JE- OFC, BBMP) CE-POLE-10-2022-1304

#### General Information

**Segment ID**

OFC/Pole/2022-23/W0202/1301

**Street ID**

36261

**Street Name**

NA

**Zone**

South

**Ward No.**

165

**Ward Name**

Ganesh Mandiara Ward

**Service Provider Category**

Telecom

**Organization**

M/s. Jio Digital Fibre Private Limited

**Year of Incorporation**

2009-10

**Registered Office Address**

101, Saffron, Nr Centra Point, Panchwati 5  
Rasta, Ambawadi, Ahmedabad, Gujarat,  
India

**Pin Code**

380006

**Official Phone No.**

9845117017

**Previous Relevant Exp.**

10

**Fax**

08035485012

**Official Phone No.**

www.jio.com

**Penalized Details**

No

**Vat Reg No.**

0

**GST**

29AAECJ4213B1Z0

**Turnover for Last 3 Years**

60

**TAN**

AHMJ08610A

**Application Submission Date**

20/05/2022

**Name of the Authorized Person**

Babu Veerabhadre

**Designation**

DGM

**Email ID**

babu.veerabhadre@ril.com

**Local Address**

No 51, RMZ Icon, Palace Cross Road,  
Vasanthanagar, Bangalore 560052

**Purpose**

ofc

**Phone No.**

9845117017

**Mobile No.**

9845117017

**Attachments**


#### Pole Related Information

**No.of Poles**

35

**No.Junction Box**

35




**Status of My Application**

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	23/05/2022

Date : 19/10/2022

Time : 04:20:05

20221019042005





Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -  
560002

No. : Pole-OFC-10-2022-1304

Date: 17/10/2022

### Demand Notice

**GST No.: 29AAALBI608FIZK**

To

Babu Veerabhadre


M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).  
2)Your request letter No. : 10-2022-1304, dated : 20/05/2022


Details of Poles added on BBMP GIS Map (Pole Id:-OFC/Pole/2022-23/W0202/1301)



Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/5910/W- 165/1	W0257	w0257	12.918258223 088626- 77.564785480 49928	5910	08/02/2022
2	EE/ OFC/pole/202 2-23/5910/W- 165/2	W0251	w0251	12.918608542 032688- 77.564656734 46657	5910	08/02/2022
3	EE/ OFC/pole/202 2-23/5910/W- 165/3	W0251	w0251	12.918843830 599924- 77.564549446 10597	5910	08/02/2022
4	EE/ OFC/pole/202 2-23/5910/W- 165/4	W0251	w0251	12.919011146 779564- 77.564436793 32735	5910	08/02/2022
5	EE/ OFC/pole/202 2-23/5910/W- 165/5	W0251	w0251	12.919097419 140902- 77.564356327 05688	5910	08/02/2022

6	EE/ OFC/pole/202 2-23/5910/W- 165/6	W0251	w0251	12.919439893 97832- 77.564139068 12669	5910	08/02/2022
7	EE/ OFC/pole/202 2-23/5910/W- 165/7	W0251,W025 3	w0251	12.919698710 528676- 77.563932538 03255	5910	08/02/2022
8	EE/ OFC/pole/202 2-23/5910/W- 165/8	W0255	w0255	12.918833373 334985- 77.564329504 96675	5910	08/02/2022
9	EE/ OFC/pole/202 2-23/5910/W- 165/9	W0255	w0255	12.919586295 292278- 77.564592361 45021	5910	08/02/2022
10	EE/ OFC/pole/202 2-23/5910/W- 165/10	W0253	w0253	12.920109156 427296- 77.564039826 39314	5910	08/02/2022
11	EE/ OFC/pole/202 2-23/5910/W- 165/11	W0202,W025 3	w0202	12.920407186 784503- 77.564125657 08162	5910	08/02/2022
12	EE/ OFC/pole/202 2-23/5910/W- 165/12	W0202	w0202	12.920333986 378838- 77.564447522 1634	5910	08/02/2022
13	EE/ OFC/pole/202 2-23/5910/W- 165/13	W0200,W025 3	w0200	12.920757502 714594- 77.564249038 6963	5910	08/02/2022
14	EE/ OFC/pole/202 2-23/5910/W- 165/14	W0200,W025 5	w0200	12.920590187 7048- 77.564935684 20412	5910	08/02/2022
15	EE/ OFC/pole/202 2-23/5910/W- 165/15	W0253	w0253	12.920998017 844783- 77.564308047 29463	5910	08/02/2022
16	EE/ OFC/pole/202 2-23/5910/W- 165/16	W0198,W022 9	w0198	12.921201932 665042- 77.564844489 09761	5910	08/02/2022
17	EE/ OFC/pole/202 2-23/5910/W- 165/17	W0198	w0198	12.921144418 245426- 77.565037608 14668	5910	08/02/2022
18	EE/ OFC/pole/202 2-23/5910/W- 165/18	W0198	w0198	12.921092132 397908- 77.565209269 52363	5910	08/02/2022
19	EE/ OFC/pole/202 2-23/5910/W- 165/19	W0231	w0231	12.921635904 676998- 77.565386295 3186	5910	08/02/2022
20	EE/ OFC/pole/202 2-23/5910/W- 165/20	W0190	w0190	12.922080333 064267- 77.565482854 84315	5910	08/02/2022
21	EE/ OFC/pole/202 2-23/5910/W- 165/21	W0190	w0190	12.922012361 715097- 77.565783262 25281	5910	08/02/2022

22	EE/ OFC/pole/202 2-23/5910/W- 165/22	W0190	w0190	12.921897333 235892- 77.566276788 71156	5910	08/02/2022
23	EE/ OFC/pole/202 2-23/5910/W- 165/23	W0192	w0192	12.921667276 118518- 77.565525770 18739	5910	08/02/2022
24	EE/ OFC/pole/202 2-23/5910/W- 165/24	W0192	w0192	12.921599304 65692- 77.565713524 81843	5910	08/02/2022
25	EE/ OFC/pole/202 2-23/5910/W- 165/25	W0192	w0192	12.921567933 206878- 77.565954923 62977	5910	08/02/2022
26	EE/ OFC/pole/202 2-23/5910/W- 165/26	W0192	w0192	12.921484275 987442- 77.566298246 38368	5910	08/02/2022
27	EE/ OFC/pole/202 2-23/5910/W- 165/27	W0192	w0192	12.921416304 47605- 77.566518187 5229	5910	08/02/2022
28	EE/ OFC/pole/202 2-23/5910/W- 165/28	W0237	w0237	12.921123503 907731- 77.566443085 67049	5910	08/02/2022
29	EE/ OFC/pole/202 2-23/5910/W- 165/29	W0198	w0198	12.921045075 125779- 77.565354108 81044	5910	08/02/2022
30	EE/ OFC/pole/202 2-23/5910/W- 165/30	W0198,W025 9	w0198	12.920788874 26644- 77.566314339 63777	5910	08/02/2022
31	EE/ OFC/pole/202 2-23/5910/W- 165/31	W0208	w0208	12.919246434 967564- 77.565847635 26918	5910	08/02/2022
32	EE/ OFC/pole/202 2-23/5910/W- 165/32	W0208,W025 7	w0208	12.919398065 015725- 77.565193176 26955	5910	08/02/2022
33	EE/ OFC/pole/202 2-23/5910/W- 165/33	W0257	w0257	12.919701324 835888- 77.565289735 79408	5910	08/02/2022
34	EE/ OFC/pole/202 2-23/5910/W- 165/34	W0257	w0257	12.920177128 294466- 77.565450668 33498	5910	08/02/2022
35	EE/ OFC/pole/202 2-23/5910/W- 165/35	W0257	w0257	12.920386272 385079- 77.565509676 9333	5910	08/02/2022





In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

**Total No.of Poles 35**


Pole Charges @ Rs 1500/- Pole	52,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	258.65
Junction Box Charges @ Rs 3000/- Pole	1,05,000	Total (C)	258.65
Supervision Charge @ Rs 100/- Pole	3,500		
Sub Total (A)	1,61,000	GST @ 18% (B)	28,980
Grand Total (A + B + C)	1,90,238.65		

**Total Amount Payable Rs: 1,90,239 In words (Rupees One Lakh Ninety Thousand Two Hundred and Thirty-Nine Only)**

**Note:**The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)  
Bruhat Bangalore Mahanagara Palike

**Copy to**

No.: 10-2022-1304

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

# BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

@RIL.COM

OFC/Pole/2022-23/W0127/1316 10-2022-1316 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

## Pole Details

10-2022-1304



OFC/Pole/2022-23/W0092/1283 10-2022-1291 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

*S. J.*  
 EXECUTIVE ENGINEER  
 OFC CELL

BENGALURU