



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1305/2022-23

Date: 21-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 20-05-2022
 - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : **15-10-2022**.
 - 4) Fee Demand Note letter No: 10-2022-1305, Date: **17-10-2022**.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: **21-10-2022**.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 50th Main via 36th Cross, 1st 'A' Cross, 1st Cross up to 36th Cross.	30 Poles
02	From 50th Main via 45th Cross, 46th Cross up to 50th Main.	
03	From 50th Main via 47th Cross, 48th Cross up to 50th Main.	
04	From 47th Cross via 31st Cross	
05	From 48th Cross via 15th Cross up to 31st Cross.	
06	From 48th Cross via 16th Cross up to 31st Cross.	
07	From 48th Cross via 17th Cross up to 31st Cross.	
08	From 36th Cross via 3rd Main Street, 2nd Main Street up to 36th Cross.	
09	From 36th Cross via Street ID No-W0263, W0239 up to W0257 for total No of 30 Poles , in Ward No-181, South Zone . Ref: As per drawing enclosed & demand note GIS co-ordinates	

No: EE/OFC/PR/1305/2022-23, Dt: 21-10-2022


Executive Engineer (OFC), BBMP

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be refereed to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way (ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way (ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**South Zone**) for information.
4. Copy to Zonal Chief Engineer (**South Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Padmanabha Nagar** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Padmanabha Nagar** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

केनरा बैंक Canara Bank

1305 जमा पर्ची / DEPOSIT / PAY IN SLIP

शाखा/ Branch BCC Extension

दिनांक/ Date 20/10/2022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

बचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

8401132000010

नाम/Name Commissioner BBMP

टेलिफोन / मोबाइल नं
Tel No./Mobile No.

राशि /Amount 1,38,222 ₹ पै/P.

राशि शब्दों में
Rupees in words One lakh thirty eight

चेक नं. / दिनांक तथा बैंक शाखा का नाम Cheque No./Date/ Name of Bank & Branch	₹	पै/P.
<u>206725</u> <u>20/10/22</u> <u>BCC Extension</u>	<u>1,38,222</u>	<u>00/-</u>
21 OCT 2022 EXECUTED कल/दिनांक <u>20/10/22</u>		
अधिकारी / <u>BBMP Branch</u>	कल/दिनांक <u>20/10/22</u>	₹ <u>1,38,222</u> पै <u>00/-</u>
BANGALURU Canara Bank TOLL FREE Officer/Cashier/SWDC <u>LURU</u> 1800 425 0018		

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasathanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1305 /DD

Date: 18-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1305

With reference to your Demand Note bearing Pole-OFC-10-2022-1305 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0953 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1305	30	138222	206175	24840	138222
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.





1308

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206175

18/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1305 /DD

Date: 18-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1305

With reference to your Demand Note bearing Pole-OFC-10-2022-1305 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0953

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1305	30	138222	206175	24840	138222
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

1308

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206175**
as per details mentioned below.

18/10/2022
dated

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17012023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE
दिनांक

D	D	M	M	Y	Y	Y	Y
---	---	---	---	---	---	---	---

COMMISSIONER BBMP BANGALORE

ON DEMAND PAY

OR ORDER / या उनके आदेश पर

मौजे जाने पर
RUPEES: One Lac Thirty Eight Thousand Two Hundred Twenty Two Only

रुपये

₹ 138,222.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206175

Client Reference 4200008920:39

For Axis Bank Ltd
Authorized Signatory
Rudresha B
26182

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1305 /DD

Date: 18-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1305

With reference to your Demand Note bearing Pole-OFC-10-2022-1305 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0953

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1305	30	138222	206175	24840	138222
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

1308

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE
Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206175

18/10/2022
dated

PAYMENT REFERENCE

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17012023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 08 10 2022
दिनांक DD MM YY

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौजे जाने पर
RUPEES One Lac Thirty Eight Thousand Two Hundred Twenty Two Only

रुपये

₹ 138,222.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206175

Client Reference 4200008920 39

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO

For Axis Bank Ltd

[Signature]
SS/10:24004
Authorised Signatory

[Signature]
Authorised Signatory

Rudresha B
26182
Please sign above



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT
Pole Form

Application No. :10-2022-1305

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-1305

General Information

Segment ID

OFC/Pole/2022-23/W0230/1305

Street ID

28231

Street Name

NA

Zone

South

Ward No.

181

Ward Name

Kumaraswamy Layout

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

20/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments

Pole Related Information

No.of Poles

30

No.Junction Box

30




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	23/05/2022

Date : 19/10/2022

Time : 04:21:34

20221019042134





Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1305

Date: 17/10/2022

Demand Notice
GST No.: 29AALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited


GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-1305, dated : 20/05/2022

Details of Poles added on BBMP GIS Map


(Pole Id:-OFC/Pole/2022-23/W0230/1305)



Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/6182/W- 181/150	W0156,W027 3	W0156	12.907217696 062496- 77.560668289 66142	6182	18/02/2022
2	EE/ OFC/pole/202 2-23/6182/W- 181/151	W0273	W0273	12.907452995 354562- 77.560933828 3539	6182	18/02/2022
3	EE/ OFC/pole/202 2-23/6182/W- 181/152	W0273	W0273	12.907703981 022028- 77.561242282 39061	6182	18/02/2022
4	EE/ OFC/pole/202 2-23/6182/W- 181/153	W0273	W0273	12.907999411 745271- 77.561596333 98057	6182	18/02/2022
5	EE/ OFC/pole/202 2-23/6182/W- 181/154	W0273	W0273	12.908284384 41299- 77.561985254 28773	6182	18/02/2022

6	EE/ OFC/pole/202 2-23/6182/W- 181/155	W0275	W0275	12.907199394 99716- 77.561078667 6407	6182	18/02/2022
7	EE/ OFC/pole/202 2-23/6182/W- 181/156	W0275	W0275	12.907494826 316643- 77.561427354 81264	6182	18/02/2022
8	EE/ OFC/pole/202 2-23/6182/W- 181/157	W0275	W0275	12.907766727 39953- 77.561743855 47638	6182	18/02/2022
9	EE/ OFC/pole/202 2-23/6182/W- 181/158	W0275	W0275	12.908062158 048613- 77.562130093 57454	6182	18/02/2022
10	EE/ OFC/pole/202 2-23/6182/W- 181/159	W0277	W0277	12.907149720 670217- 77.561467587 94786	6182	18/02/2022
11	EE/ OFC/pole/202 2-23/6182/W- 181/160	W0277	W0277	12.907348417 918762- 77.561706304 55019	6182	18/02/2022
12	EE/ OFC/pole/202 2-23/6182/W- 181/161	W0277	W0277	12.907586331 52178- 77.561969161 03364	6182	18/02/2022
13	EE/ OFC/pole/202 2-23/6182/W- 181/162	W0277	W0277	12.907798100 582376- 77.562223970 89006	6182	18/02/2022
14	EE/ OFC/pole/202 2-23/6182/W- 181/163	W0156,W027- 9	W0156	12.907092203 01618- 77.561786770 82063	6182	18/02/2022
15	EE/ OFC/pole/202 2-23/6182/W- 181/164	W0232	W0232	12.906804614 547458- 77.561641931 53383	6182	18/02/2022
16	EE/ OFC/pole/202 2-23/6182/W- 181/165	W0232	W0232	12.906854288 942949- 77.561306655 40695	6182	18/02/2022
17	EE/ OFC/pole/202 2-23/6182/W- 181/166	W0232	W0232	12.906901348 887482- 77.560931146 14488	6182	18/02/2022
18	EE/ OFC/pole/202 2-23/6182/W- 181/167	W0232,W033 3	W0232	12.906937951 060439- 77.560622692 10817	6182	18/02/2022
19	EE/ OFC/pole/202 2-23/6182/W- 181/168	W0333	W0333	12.907081745 259477- 77.560603916 64506	6182	18/02/2022
20	EE/ OFC/pole/202 2-23/6182/W- 181/169	W0232	W0232	12.906964095 466414- 77.560467123 9853	6182	18/02/2022
21	EE/ OFC/pole/202 2-23/6182/W- 181/170	W0232	W0232	12.907005926 510287- 77.560075521 46913	6182	18/02/2022

22	EE/ OFC/pole/202 2-23/6182/W- 181/171	W0230,W033 5	W0230	12.906582386 86778- 77.561381757 25938	6182	18/02/2022
23	EE/ OFC/pole/202 2-23/6182/W- 181/172	W0230	W0230	12.906626832 41952- 77.561167180 53819	6182	18/02/2022
24	EE/ OFC/pole/202 2-23/6182/W- 181/173	W0230	W0230	12.906666049 07626- 77.560912370 68178	6182	18/02/2022
25	EE/ OFC/pole/202 2-23/6182/W- 181/174	W0230	W0230	12.906700036 840457- 77.560646831 9893	6182	18/02/2022
26	EE/ OFC/pole/202 2-23/6182/W- 181/175	W0333	W0333	12.906802000 105314- 77.560574412 3459	6182	18/02/2022
27	EE/ OFC/pole/202 2-23/6182/W- 181/176	W0230	W0230	12.906715723 499284- 77.560504674 9115	6182	18/02/2022
28	EE/ OFC/pole/202 2-23/6182/W- 181/177	W0230	W0230	12.906749711 256724- 77.560284733 77229	6182	18/02/2022
29	EE/ OFC/pole/202 2-23/6182/W- 181/178	W0230	W0230	12.906804614 547458- 77.559769749 64143	6182	18/02/2022
30	EE/ OFC/pole/202 2-23/6182/W- 181/179	W0226	W0226	12.906621603 531493- 77.559565901 7563	6182	18/02/2022



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 30

Pole Charges @ Rs 1500/- Pole	45,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	221.7
----------------------------------	--------	--	-------


Junction Box Charges @ Rs 3000/- Pole	90,000	Total (C)	221.7
Supervision Charge @ Rs 100/- Pole	3,000		
Sub Total (A)	1,38,000	GST @ 18% (B)	24,840
Grand Total (A + B + C)	1,63,061.7		

Total Amount Payable Rs: 1,63,062 In words (Rupees One Lakh Sixty-Three Thousand and Sixty-Two Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-1305


1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-1305 1/2 ^ v x @RIL.COM

OFC/Pole/2022-23AW0187/1720 10-2022-1721 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

Pole Details



OFC/Pole/2022-23AW0172/1674 10-2022-1683 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

EXECUTIVE ENGINEER
OFC CELL

BRUHAT BENGALURU MAHANAGARA PALIKE

BENGALURU