



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rd Floor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1316/2022-23

Date: 21-10-2022

249

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 20-05-2022
 - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 4) Fee Demand Note letter No: 10-2022-1316, Date: 17-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 21-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 14th Main via 7th Cross, 13th Main, 11th Main, 7th Cross, 8th Main	40 Poles
02	From 7th Cross via 13th Main up to 80th Main Road.	
03	From 7th Cross via 11th Main up to 80th Main Road.	
04	From 7th Cross via 12th Main up to 80th Main Road.	
05	From 7th Cross via 10th Main up to 80th Main Road.	
06	From 7th Cross via 9th Main up to 80th Main Road.	
07	From 7th Cross via 8th Main up to 80th Main Road.	
08	From 7th Cross via 7th Main up to 80th Main Road.	
09	From 7th Main via 7th Cross, 6th Main, 8th Cross up to 7th Main.	
10	From 6th Main via 7th Cross, 5th Main, 8th Cross up to 6th Main.	
11	From 5th Main via 7th Cross, 4th Main, 8th Cross up to 5th Main.	
12	From 4th Main via 8th Cross, 3rd Main for total No of 40 Poles, in Ward No-179, South Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**South Zone**) for information.
4. Copy to Zonal Chief Engineer (**South Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Jayanagar** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**J.P Nagar** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1316 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1316

With reference to your Demand Note bearing Pole-OFC-10-2022-1316 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0938

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1316	40	184296	206167	33120	184296
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



13/6

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206167

18/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1316 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)

Bruhat Bengaluru Mahanagar Palike

4th floor Annex Building, N R Square

Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :-

Pole-OFC-10-2022-1316

With reference to your Demand Note bearing Pole-OFC-10-2022-1316 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0938 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1316	40	184296	206167	33120	184296
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



1316

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
 617C INDUSTRIAL AREA RELIANCE CORPORATE PARK
 GHANSOLITHANE BELAPUR ROAD, THANE
 Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

206167

18/10/2022
 dated

PAYMENT REFERENCE

- Centralised Collection and Payment Hub (CCPH) Valid Until: 17/01/2023

DATE 18/10/2022
 दिनांक 18/10/2022

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौंगे जाने पर
 RUPEES One Lac Eighty Four Thousand Two Hundred Ninety Six Only
 रुपये

₹ 184,296.00
 अदा करें

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206167

Client Reference 4200008920_31

For Axis Bank Ltd
 [Signature]
 SSAN: 24004
 Authorised Signatory

Under CMS Arrangement
 Centralised Collections & Payment Hub
 Mumbai.

CODE NO.

[Signature]
 Rudresha B
 26/10/22
 55,700 above

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1316 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)

Bruhat Bengaluru Mahanagar Palike

4th floor Annex Building, N R Square

Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1316

With reference to your Demand Note bearing Pole-OFC-10-2022-1316 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0938

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1316	40	184296	206167	33120	184296
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

1316

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
 GITO INDUSTRIAL AREA RELIANCE CORPORATE PARK
 GHANSOLITHANE BELAPUR ROAD, THANE
 Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

206167

18/10/2022
 dated

PAYMENT REFERENCE

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17012023

DATE 18/10/2022
 दिनांक

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर
 RUPEES One Lac Eighty Four Thousand Two Hundred Ninety Six Only
 रुपये

₹ 184,296.00
 अदा करे

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206167

Client Reference 4200008920_31

For Axis Bank Ltd
 Authorised Signatory

Under CMS Arrangement
 Centralised Collections & Payment Hub
 Mumbai.

CODE NO.

Rudresha B
 26167



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-1316

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-1316

General Information

Segment ID

OFC/Pole/2022-23/W0127/1316

Street ID

30920

Street Name

NA

Zone

South

Ward No.

179

Ward Name

Shakambari Nagara

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

20/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

40

No.Junction Box

40




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	23/05/2022

Date : 19/10/2022

Time : 04:22:52

20221019042252





Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1316

Date: 17/10/2022

Demand Notice
GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-1316, dated : 20/05/2022

Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0127/1316)




Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/6053/W- 179/76	W0114,W009 5	W0114	12.912521026 903693- 77.573495954 27515	6053	08/02/2022
2	EE/ OFC/pole/202 2-23/6053/W- 179/77	W0095	W0095	12.912775929 051998- 77.573546916 24643	6053	08/02/2022
3	EE/ OFC/pole/202 2-23/6053/W- 179/78	W0095	W0095	12.913045210 013442- 77.573516070 84274	6053	08/02/2022
4	EE/ OFC/pole/202 2-23/6053/W- 179/79	W0095,W009 9	W0099	12.913268739 134834- 77.573474496 60303	6053	08/02/2022
5	EE/ OFC/pole/202 2-23/6053/W- 179/80	W0099	W0099	12.913289654 130116- 77.573884874 5823	6053	08/02/2022

6	EE/ OFC/pole/202 2-23/6053/W- 179/81	W0086	W0086	12.913345863 171262- 77.574713677 1679	6053	08/02/2022
7	EE/ OFC/pole/202 2-23/6053/W- 179/82	W0086,W011 1	W0086	12.913404686 572877- 77.574575543 40364	6053	08/02/2022
8	EE/ OFC/pole/202 2-23/6053/W- 179/83	W0086,W010 5	W0086	12.913464817 146881- 77.574340850 11484	6053	08/02/2022
9	EE/ OFC/pole/202 2-23/6053/W- 179/84	W0114,W010 1	W0114	12.912489654 313626- 77.573981434 10683	6053	08/02/2022
10	EE/ OFC/pole/202 2-23/6053/W- 179/85	W0101	W0101	12.912794229 709052- 77.573985457 42036	6053	08/02/2022
11	EE/ OFC/pole/202 2-23/6053/W- 179/86	W0101	W0101	12.913192922 26226- 77.573990821 8384	6053	08/02/2022
12	EE/ OFC/pole/202 2-23/6053/W- 179/87	W0120,W010 7	W0120	12.912468739 251388- 77.574332803 48778	6053	08/02/2022
13	EE/ OFC/pole/202 2-23/6053/W- 179/88	W0120,W010 9	W0120	12.912466124 868478- 77.574643939 73352	6053	08/02/2022
14	EE/ OFC/pole/202 2-23/6053/W- 179/89	W0109	W0109	12.912693576 078677- 77.574637234 21098	6053	08/02/2022
15	EE/ OFC/pole/202 2-23/6053/W- 179/90	W0109	W0109	12.912983772 149735- 77.574642598 62901	6053	08/02/2022
16	EE/ OFC/pole/202 2-23/6053/W- 179/91	WF088	wf088	12.913579849 508995- 77.575162947 1779	6053	08/02/2022
17	EE/ OFC/pole/202 2-23/6053/W- 179/92	WF088	WF088	12.913468738 70555- 77.575753033 16118	6053	08/02/2022
18	EE/ OFC/pole/202 2-23/6053/W- 179/93	WF088	wF088	12.913383771 587226- 77.576241195 20189	6053	08/02/2022
19	EE/ OFC/pole/202 2-23/6053/W- 179/94	WE088	we088	12.913936710 931821- 77.575449943 5425	6053	08/02/2022
20	EE/ OFC/pole/202 2-23/6053/W- 179/95	WE088	wE088	12.913867430 182638- 77.575775831 9378	6053	08/02/2022
21	EE/ OFC/pole/202 2-23/6053/W- 179/96	W0109	W0109	12.912221679 94631- 77.574627846 47942	6053	08/02/2022

22	EE/ OFC/pole/202 2-23/6053/W- 179/97	W0120,W011 5	W0120	12.912504033 417886- 77.574943006 03867	6053	08/02/2022
23	EE/ OFC/pole/202 2-23/6053/W- 179/98	W0120,W011 7	W0120	12.912501419 035358- 77.575216591 3582	6053	08/02/2022
24	EE/ OFC/pole/202 2-23/6053/W- 179/99	W0120,W011 9	W0120	12.912483118 356857- 77.575677931 30876	6053	08/02/2022
25	EE/ OFC/pole/202 2-23/6053/W- 179/100	W0119	W0119	12.912880504 217124- 77.575742304 32512	6053	08/02/2022
26	EE/ OFC/pole/202 2-23/6053/W- 179/101	W0130,W012 0,W0121	W0130	12.912438673 846367- 77.575975656 50941	6053	08/02/2022
27	EE/ OFC/pole/202 2-23/6053/W- 179/102	W0088,W012 1	W0088	12.912846517 293255- 77.576058804 98888	6053	08/02/2022
28	EE/ OFC/pole/202 2-23/6053/W- 179/103	W0125	W0125	12.913526254 89232- 77.576418220 99687	6053	08/02/2022
29	EE/ OFC/pole/202 2-23/6053/W- 179/104	W0125	W0125	12.913191615 074602- 77.576391398 90672	6053	08/02/2022
30	EE/ OFC/pole/202 2-23/6053/W- 179/105	W0125	W0125	12.913021680 620622- 77.576372623 44362	6053	08/02/2022
31	EE/ OFC/pole/202 2-23/6053/W- 179/106	W0125	W0125	12.912681811 365976- 77.576284110 546132	6053	08/02/2022
32	EE/ OFC/pole/202 2-23/6053/W- 179/107	W0127	W0127	12.913473967 45035- 77.576600611 20988	6053	08/02/2022
33	EE/ OFC/pole/202 2-23/6053/W- 179/108	W0127	W0127	12.913183771 94851- 77.576579153 53776	6053	08/02/2022
34	EE/ OFC/pole/202 2-23/6053/W- 179/109	W0127	W0127	12.912919719 892752- 77.576573789 11973	6053	08/02/2022
35	EE/ OFC/pole/202 2-23/6053/W- 179/110	W0130,W012 7	W0130	12.912409915 629475- 77.576565742 49268	6053	08/02/2022
36	EE/ OFC/pole/202 2-23/6053/W- 179/111	W0129	W0129	12.913518411 776723- 77.576868832 11137	6053	08/02/2022
37	EE/ OFC/pole/202 2-23/6053/W- 179/112	W0129	W0129	12.913087040 039676- 77.576871514 32039	6053	08/02/2022

38	EE/ OFC/pole/202 2-23/6053/W- 179/113	W0130,W012 9	W0130	12.912407301 245956- 77.576842010 02122	6053	08/02/2022
39	EE/ OFC/pole/202 2-23/6053/W- 179/114	WD088	WD088	12.914182461 358918- 77.575704753 39891	6053	08/02/2022
40	EE/ OFC/pole/202 2-23/6053/W- 179/115	WD088	WD088	12.914017756 312143- 77.576377987 86163	6053	08/02/2022



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 40

Pole Charges @ Rs 1500/- Pole	60,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	295.6
Junction Box Charges @ Rs 3000/- Pole	1,20,000	Total (C)	295.6
Supervision Charge @ Rs 100/- Pole	4,000		
Sub Total (A)	1,84,000	GST @ 18% (B)	33,120
Grand Total (A + B + C)	2,17,415.6		

Total Amount Payable Rs: 2,17,416 In words (Rupees Two Lakh Seventeen Thousand Four Hundred and Sixteen Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-1316

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.




BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

OFC/Pole/2022-23/W1773/1345	10-2022-1347	Pending	ceofc01(ceofc01)	Pole Work Created	Demand Notice	Permission Letter	View/Submit
-----------------------------	--------------	---------	------------------	-------------------	-------------------------------	-----------------------------------	-----------------------------

Pole Details

10-2022-1316



OFC/Pole/2022-23/W0003/1314	10-2022-1315	Pending	ceofc01(ceofc01)	Pole Work Created	Demand Notice	Permission Letter	View/Submit
-----------------------------	--------------	---------	------------------	-------------------	-------------------------------	-----------------------------------	-----------------------------

EXECUTIVE ENGINEER
 OFC CELL
 BANGALURU MAHANAGARA PALIKE
 BENGALURU