



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1324/2022-23

Date: 21-10-2022

274 Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 20-05-2022
 - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : **15-10-2022.**
 - 4) Fee Demand Note letter No: 10-2022-1324, Date: **17-10-2022.**
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: **21-10-2022.**

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 7th Cross via 2nd Main Road	38 Poles
02	From 7th Cross via 3rd Main	
03	From 7th Cross via 4th Main	
04	From 7th Cross via 5th Main	
05	From 7th Cross via 9th Main	
06	From 7th Cross via 10th Main	
07	From 7th Cross via 13th Main, Street ID No-W0088	
08	From 7th Cross via 14th Main, W0091, W0092, 7th Cross, W0101	
09	From 13th Main via Street ID No-W0088, 8th Main, 7th Cross, 9th Main up to WF088.	
10	From Street ID No-WF088 via W0119	
11	From 13th Main via Street ID No-W0086, W0111, W0084 up to 13th Main Road.	
12	From Street ID No-W0101 via W0086	
13	From W0085 via W0105	
14	From Kanakapura Main Road via Street ID No-W0022	
15	From 13th Main via WF088 up to Road end for total No of 38Poles , in Ward No-179, South Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

No: EE/OFC/PR/1324/2022-23, Dt: 21-10-2022

Executive Engineer (OFC), BBMP

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be refereed to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. –No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**South Zone**) for information.
4. Copy to Zonal Chief Engineer (**South Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Jayanagar** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**J.P Nagar** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1324 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1324

With reference to your Demand Note bearing Pole-OFC-10-2022-1324 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0938

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1324	38	175081	206266	31464	175081
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.





1324

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206266

date 16/10/2022

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1324 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1324

With reference to your Demand Note bearing Pole-OFC-10-2022-1324 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0938 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1324	38	175081	206266	31464	175081
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



1324

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206266

date 10/10/2022

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

DATE 10 10 2022
दिनांक 10 10 2022

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE
मौगे जाने पर

OR ORDER / या वकके आदेश पर

RUPEES One Lac. Seventy Five Thousand Eighty One Only
रुपये

₹ 1,75,081.00
अदा करे

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206266

Client Reference 4200008920_130

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

[Signature]
Authorized Signatory

[Signature]
Rudresha B
No. 25187
Please sign above

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1324 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1324

With reference to your Demand Note bearing Pole-OFC-10-2022-1324, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0938

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1324	38	175081	206266	31464	175081
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

1324

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206266

date 08/10/2022

PAYMENT REFERENCE



IFS CODE - UTIB000274

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

DATE 10 08 2022
दिनांक 10 08 2022

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE
मौजे जाने पर

OR ORDER / या उनके आदेश पर

RUPEES One Lac Seventy Five Thousand Eighty One Only
रुपये

₹ 1,75,081.00
अदा करें

DD Sr. No. 206266

Payable at par at all Branches of AXIS Bank Ltd.

Client Reference 4200008920_130

For Axis Bank Ltd
Rudresha B
No. 26182

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

Please sign above



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-1324

PR Number(To be Assigned by AE/JE- OFC, BBMP) CE-POLE-10-2022-1324

General Information

Segment ID

OFC/Pole/2022-23/W0131/1324

Street ID

30921

Street Name

NA

Zone

South

Ward No.

179

Ward Name

Shakambari Nagara

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

20/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

38

No.Junction Box

38




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	23/05/2022

Date : 19/10/2022

Time : 04:23:47

20221019042347





Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1324

Date: 17/10/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0


Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-1324, dated : 20/05/2022

Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0131/1324)




Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/6055/W- 179/116	W0118,W011 7	w0118	12.912224294 331763- 77.575240731 23933	6055	08/02/2022
2	EE/ OFC/pole/202 2-23/6055/W- 179/117	W0118,W011 9	w0118	12.912185078 547003- 77.575610876 08339	6055	08/02/2022
3	EE/ OFC/pole/202 2-23/6055/W- 179/118	W0119	w0119	12.911829521 817669- 77.575543820 85802	6055	08/02/2022
4	EE/ OFC/pole/202 2-23/6055/W- 179/119	W0119	w0119	12.911562853 938735- 77.575503587 72279	6055	08/02/2022
5	EE/ OFC/pole/202 2-23/6055/W- 179/120	W0119	w0119	12.911236054 679499- 77.575460672 37855	6055	08/02/2022

6	EE/ OFC/pole/202 2-23/6055/W- 179/121	W0124,W012 1	w0124	12.911236054 679499- 77.575758397 57921	6055	08/02/2022
7	EE/ OFC/pole/202 2-23/6055/W- 179/122	W0121	w0121	12.911468735 795882- 77.575779855 25133	6055	08/02/2022
8	EE/ OFC/pole/202 2-23/6055/W- 179/123	W0121	w0121	12.911753704 508493- 77.575812041 7595	6055	08/02/2022
9	EE/ OFC/pole/202 2-23/6055/W- 179/124	W0121	w0121	12.912062202 381566- 77.575852274 89473	6055	08/02/2022
10	EE/ OFC/pole/202 2-23/6055/W- 179/125	W0130,W012 0,W0121	w0130	12.912417758 779855- 77.575951516 62827	6055	08/02/2022
11	EE/ OFC/pole/202 2-23/6055/W- 179/126	W0125	w0125	12.912368085 489911- 77.576262652 87401	6055	08/02/2022
12	EE/ OFC/pole/202 2-23/6055/W- 179/127	W0125	w0125	12.912072659 929917- 77.576265335 08302	6055	08/02/2022
13	EE/ OFC/pole/202 2-23/6055/W- 179/128	W0125	w0125	12.911662200 828854- 77.576251924 03795	6055	08/02/2022
14	EE/ OFC/pole/202 2-23/6055/W- 179/129	W0126,W012 5	w0126	12.911374617 617588- 77.576222419 73877	6055	08/02/2022
15	EE/ OFC/pole/202 2-23/6055/W- 179/130	W0126,W012 7	w0127	12.911377232 011908- 77.576536238 193537	6055	08/02/2022
16	EE/ OFC/pole/202 2-23/6055/W- 179/131	W0127	w0127	12.911693573 522786- 77.576541602 61156	6055	08/02/2022
17	EE/ OFC/pole/202 2-23/6055/W- 179/132	W0127	w0127	12.911928868 601787- 77.576549649 2386	6055	08/02/2022
18	EE/ OFC/pole/202 2-23/6055/W- 179/133	W0130,W012 7	w0130	12.912362856 72197- 77.576563060 28368	6055	08/02/2022
19	EE/ OFC/pole/202 2-23/6055/W- 179/134	W0130,W012 9	w1030	12.912339327 264903- 77.576839327 81221	6055	08/02/2022
20	EE/ OFC/pole/202 2-23/6055/W- 179/135	W0129	w0129	12.912151091 528557- 77.576833963 39418	6055	08/02/2022
21	EE/ OFC/pole/202 2-23/6055/W- 179/136	W0129	w0129	12.911769390 850205- 77.576807141 30403	6055	08/02/2022

22	EE/ OFC/pole/202 2-23/6055/W- 179/137	W0126,W012 9	w0126	12.911364160 040039- 77.576842010 02122	6055	08/02/2022
23	EE/ OFC/pole/202 2-23/6055/W- 179/138	W0127	w0127	12.911121021 238564- 77.576525509 35747	6055	08/02/2022
24	EE/ OFC/pole/202 2-23/6055/W- 179/139	W0129	w0129	12.911105334 856154- 77.576815187 93106	6055	08/02/2022
25	EE/ OFC/pole/202 2-23/6055/W- 179/140	W0131	w0131	12.911076576 485845- 77.577102184 29567	6055	08/02/2022
26	EE/ OFC/pole/202 2-23/6055/W- 179/141	W0126,W013 1	w0126	12.911340630 488942- 77.577102184 29567	6055	08/02/2022
27	EE/ OFC/pole/202 2-23/6055/W- 179/142	W0131	w0131	12.911633442 522627- 77.577112913 13173	6055	08/02/2022
28	EE/ OFC/pole/202 2-23/6055/W- 179/143	W0131	w0131	12.912072659 929917- 77.577115595 34074	6055	08/02/2022
29	EE/ OFC/pole/202 2-23/6055/W- 179/144	W0130,W013 1	w0130	12.912344556 033327- 77.577126324 1768	6055	08/02/2022
30	EE/ OFC/pole/202 2-23/6055/W- 179/145	W0130,W013 3	w0130	12.912328869 727709- 77.577434778 21352	6055	08/02/2022
31	EE/ OFC/pole/202 2-23/6055/W- 179/146	W0133	w0133	12.912088346 251604- 77.577434778 21352	6055	08/02/2022
32	EE/ OFC/pole/202 2-23/6055/W- 179/147	W0133	w0133	12.911722331 822105- 77.577416002 75041	6055	08/02/2022
33	EE/ OFC/pole/202 2-23/6055/W- 179/148	W0133	w0133	12.911531481 22839- 77.577416002 75041	6055	08/02/2022
34	EE/ OFC/pole/202 2-23/6055/W- 179/149	W0126,W013 3	w0126	12.911343244 883618- 77.577416002 75041	6055	08/02/2022
35	EE/ OFC/pole/202 2-23/6055/W- 179/150	W0133	w0133	12.911068733 293368- 77.577405273 91435	6055	08/02/2022
36	EE/ OFC/pole/202 2-23/6055/W- 179/151	W0133	w0133	12.913484424 93962- 77.577483057 97578	6055	08/02/2022
37	EE/ OFC/pole/202 2-23/6055/W- 179/152	W0133	w0133	12.912930177 405215- 77.577461600 30365	6055	08/02/2022

38	EE/ OFC/pole/202 2-23/6055/W- 179/153	W0133	w0133	12.912634752 509677- 77.577448189 25859	6055	08/02/2022
----	--	-------	-------	--	------	------------



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 38

Pole Charges @ Rs 1500/- Pole	57,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	280.82
Junction Box Charges @ Rs 3000/- Pole	1,14,000	Total (C)	280.82
Supervision Charge @ Rs 100/- Pole	3,800		
Sub Total (A)	1,74,800	GST @ 18% (B)	31,464
Grand Total (A + B + C)	2,06,544.82		

Total Amount Payable Rs: 2,06,545 In words (Rupees Two Lakh Six Thousand Five Hundred and Forty-Five Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.


Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.

Yours faithfully,

Copy to

No.: 10-2022-1324

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-1324


1/2

@RIL.COM

OFC/Pole/2022-23/W0403/1344 10-2022-1344 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

Pole Details

10-2022-1324



OFC/Pole/2022-23/W0129/1312 10-2022-1313 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

EXECUTIVE ENGINEER
OFC CELL

BRIHAT BENGALURU MAHANAGARA PALIKE

BENGALURU