



**BRUHAT BENGALURU MAHANAGARA PALIKE**

Office of the Chief Engineer (OFC-Cell), 3<sup>rd</sup>Floor, Annexe II Building,  
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1329/2022-23

Date: 02-11-2022

**Permission for Regularization for Poles**

To,  
M/s. Jio Digital Fibre Private Limited,  
RMZ ICON, No-51, Palace Road Cross,  
Vasanth Nagar, Bengaluru-52.

Sir,

**Sub :-** Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
  - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 20-05-2022
  - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
  - 4) Fee Demand Note letter No: 10-2022-1329, Date: 19-10-2022.
  - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 25-10-2022.

\*\_\*\_\*\_\*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 7th Cross via 22nd Main, 4th Cross	41 Poles
02	From 7th Cross via Street ID No-W0177 up to Road end.	
03	From 7th Cross via Street ID No-W0199 up to Road end.	
04	From 7th Cross via Street ID No-W0201 up to Road end.	
05	From 7th Cross via Street ID No-W0203, W0208, W0319, W0206	
06	From 7th Cross via Street ID No-W0205	
07	From 7th Cross via Street ID No-W0211	
08	From 7th Cross via Street ID No-W0333, W0270	
09	From Street ID No-W0219 via W0206 up to Road end.	
10	From Street ID No-W0333 via W0272	
11	From 7th Cross via W0272, W0333, W0270 up to 7th Cross for total No of 41 Poles, in Ward No-187, Bommanahalli Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

No: EE/OFC/PR/1329/2022-23, Dt: 02-11-2022

  
Executive Engineer (OFC), BBMP

**Special Condition:**

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

**Conditions for Regularization of Poles**

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do the same at its own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at its own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

12. The corporation shall not be responsible for any damage to poles and resultant losses, if any during performance of official duties by any employee of corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlined in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. If any dispute arise it will be settled as per the MOU.
14. Operational and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operational and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. –No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)


24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

**Copy to:-**

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**Bommanahalli** Zone) for information.
4. Copy to Zonal Chief Engineer (**Bommanahalli** Zone) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Bommanahalli** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Arekere** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

केनरा बैंक  Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP

शाखा / Branch B.C.C. Extension

दिनांक / Date 21 10 20 22

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

बचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

**8401132000010**

नाम / Name Commissioner BBmp

टेलिफोन / मोबाइल नं

Tel No./Mobile No.

राशि / Amount 1,88,903 - 00

राशि शब्दों में / Rupees in words One Lakh Eight Eight

Thousand nine hundred and three only

चेक नं. / दिनांक तथा बैंक व शाखा का नाम Cheque No./Date / Name of Bank & Branch	अ. सी. रोक अ. सी. रोक	वै.प.
<u>206399</u>	<u>10.22</u>	<u>1,88,903 - 00</u>
<u>Canara Bank</u>	<u>28 OCT 2022</u>	

EXECUTIVE / 10.28 OCT 2022

अधिकारी / रोक ड्रायर / Officer/Cashier

GRUHAT BANGALURU MAHANAGARA PALICE  
Officer/Cashier SWO BENGALURU  
1800 425 0018

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1329 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-1329

With reference to your Demand Note bearing Pole-OFC-10-2022-1329 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1067

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1329	41	188903	206399	33948	188903
			Dated		
			19-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



1329

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**206399**

19/10/2022  
dated

PAYMENT REFERENCE

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1329 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru – 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-1329

With reference to your Demand Note bearing Pole-OFC-10-2022-1329 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1067

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1329	41	188903	206399	33948	188903
			Dated		
			19-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.





MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206399**  
as per details mentioned below.

19/10/2022  
dated

**PAYMENT REFERENCE**

ISSUING BRANCH - Centralised Collection and Payment Hub (CCPH)

Valid Until: 18/01/2023

DATE | D<sup>9</sup> | D<sup>1</sup> | M<sup>0</sup> | M<sup>2</sup> | Y<sup>0</sup> | Y<sup>2</sup> | Y<sup>2</sup> | Y  
दिनांक

PURCHASER NAME - JIO.DIGITAL FIBRE PVT.LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या वनके आदेश पर

मांगे जाने पर

RUPEES One Lac Eighty Eight Thousand Nine Hundred Three Only

रुपये

अदा करे

₹ 188,903.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206399

Client Reference: 4200009020\_95

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

For Axis Bank Ltd

*[Signature]*  
55-10124006  
Authorised Signatory

*[Signature]*  
25182  
Authorized Signatory

55-N (Please sign above)

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1329 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-1329

With reference to your Demand Note bearing Pole-OFC-10-2022-1329 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to-get permission for laying Poles on BGLR1067

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1329	41	188903	206399	33948	188903
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206399**  
as per details mentioned below.

19/10/2022  
dated

PAYMENT REFERENCE

ISSUING BRANCH - Centralised Collection and Payment Hub (CCPH)

Valid Until: 18/01/2023

DATE | D | M | Y |  
दिनांक | 19 | 10 | 2022

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर

RUPEES One Lac Eighty Eight Thousand Nine Hundred Three Only

रुपये

₹ 188,903.00  
अदा करें

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206399

Client Reference 4200009020\_95

For Axis Bank Ltd

*[Signature]*  
SS: 18/10/2022  
Authorised Signatory

*[Signature]*  
Rudresha B  
26/10/22

Under CMS Arrangement.  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

SS: N (Please sign above)



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT  
Pole Form

Application No. :10-2022-1329

PR Number(To be Assigned by AE/JE-  
OFC, BBMP)

CE-POLE-10-2022-1329

General Information

Segment ID

OFC/Pole/2022-23/W0117/1323

Street ID

82607

Street Name

NA

Zone

Bommanahalli

Ward No.

187

Ward Name

Puttenahalli

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5  
Rasta, Ambawadi, Ahmedabad, Gujarat,  
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

20/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,  
Vasanthanagar, Bangalore 560052

Purpose

ofc

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

41

No.Junction Box

41




**Status of My Application**

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	24/05/2022

Date : 19/10/2022

Time : 03:58:38

20221019035838





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -  
560002

No. : Pole-OFC-10-2022-1329

Date: 19/10/2022

**Demand Notice**  
**GST No.: 29AAALBI608FIZK**

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-1329, dated : 20/05/2022

Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0117/1323)


Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/6827/W- 187/525	W0202	mahaveer apartment	12.898650036 601293- 77.588925361 63331	6827	28/04/2022
2	EE/ OFC/pole/202 2-23/6827/W- 187/526	W0202	mahaveer apartment	12.898676181 873626- 77.589252591 13313	6827	28/04/2022
3	EE/ OFC/pole/202 2-23/6827/W- 187/527	W0202	mahaveer apartment	12.898723243 356962- 77.589563727 37886	6827	28/04/2022
4	EE/ OFC/pole/202 2-23/6827/W- 187/528	W0193	mahaveer apartment	12.897831688 19608- 77.588887810 7071	6827	28/04/2022
5	EE/ OFC/pole/202 2-23/6827/W- 187/529	W0197	mahaveer apartment	12.897546703 618302- 77.589220404 62495	6827	28/04/2022

6	EE/ OFC/pole/202 2-23/6827/W- 187/530	W0197	mahaveer apartment	12.897708804 977583- 77.589201629 16185	6827	28/04/2022
7	EE/ OFC/pole/202 2-23/6827/W- 187/531	W0197	mahaveer apartment	12.897849989 946849- 77.589188218 11677	6827	28/04/2022
8	EE/ OFC/pole/202 2-23/6827/W- 187/532	W0197	mahaveer apartment	12.898069610 851833- 77.589161396 02661	6827	28/04/2022
9	EE/ OFC/pole/202 2-23/6827/W- 187/533	W0199	mahaveer apartment	12.898127130 5808- 77.589453756 80925	6827	28/04/2022
10	EE/ OFC/pole/202 2-23/6827/W- 187/534	W0199	mahaveer apartment	12.898025163 779485- 77.589469850 06334	6827	28/04/2022
11	EE/ OFC/pole/202 2-23/6827/W- 187/535	W0199	mahaveer apartment	12.897580692 621693- 77.589515447 61659	6827	28/04/2022
12	EE/ OFC/pole/202 2-23/6827/W- 187/536	W0199	mahaveer apartment	12.897813386 443948- 77.589485943 31743	6827	28/04/2022
13	EE/ OFC/pole/202 2-23/6827/W- 187/537	W0333	mahaveer apartment	12.897413362 098897- 77.589464485 64531	6827	28/04/2022
14	EE/ OFC/pole/202 2-23/6827/W- 187/538	W0333	mahaveer apartment	12.897316624 089353- 77.589461803 4363	6827	28/04/2022
15	EE/ OFC/pole/202 2-23/6827/W- 187/539	W0270	mahaveer apartment	12.897238187 837942- 77.588807344 43665	6827	28/04/2022
16	EE/ OFC/pole/202 2-23/6827/W- 187/540	W0270	mahaveer apartment	12.897240802 380045- 77.589043378 82997	6827	28/04/2022
17	EE/ OFC/pole/202 2-23/6827/W- 187/541	W0270	mahaveer apartment	12.897243416 922134- 77.589300870 8954	6827	28/04/2022
18	EE/ OFC/pole/202 2-23/6827/W- 187/542	W0270	mahaveer apartment	12.897257796 903107- 77.589536905 28871	6827	28/04/2022
19	EE/ OFC/pole/202 2-23/6827/W- 187/543	W0270	mahaveer apartment	12.897269562 341458- 77.589720636 60622	6827	28/04/2022
20	EE/ OFC/pole/202 2-23/6827/W- 187/544	W0270	mahaveer apartment	12.897278713 237567- 77.589880228 04262	6827	28/04/2022
21	EE/ OFC/pole/202 2-23/6827/W- 187/545	W0201	mahaveer apartment	12.897753252 106128- 77.589763551 95047	6827	28/04/2022

22	EE/ OFC/pole/202 2-23/6827/W- 187/546	W0201	mahaveer apartment	12.897881364 373662- 77.589748799 80089	6827	28/04/2022
23	EE/ OFC/pole/202 2-23/6827/W- 187/547	W0201	mahaveer apartment	12.898025163 779485- 77.589732706 54678	6827	28/04/2022
24	EE/ OFC/pole/202 2-23/6827/W- 187/548	W0201	mahaveer apartment	12.898187264 828778- 77.589713931 0837	6827	28/04/2022
25	EE/ OFC/pole/202 2-23/6827/W- 187/549	W0201	mahaveer apartment	12.898153275 907786- 77.589716613 29271	6827	28/04/2022
26	EE/ OFC/pole/202 2-23/6827/W- 187/550	W0201	mahaveer apartment	12.897975487 63045- 77.589735388 75581	6827	28/04/2022
27	EE/ OFC/pole/202 2-23/6827/W- 187/551	W0208,W020 3	mahaveer apartment	12.898121901 515081- 77.589958012 10405	6827	28/04/2022
28	EE/ OFC/pole/202 2-23/6827/W- 187/552	W0203	mahaveer apartment	12.898059152 717865- 77.589966058 7311	6827	28/04/2022
29	EE/ OFC/pole/202 2-23/6827/W- 187/553	W0203	mahaveer apartment	12.897975487 63045- 77.589979469 77617	6827	28/04/2022
30	EE/ OFC/pole/202 2-23/6827/W- 187/554	W0203,W021 2	mahaveer apartment	12.897873520 767318- 77.589992880 82123	6827	28/04/2022
31	EE/ OFC/pole/202 2-23/6827/W- 187/555	W0203	mahaveer apartment	12.897792470 154181- 77.590006291 86632	6827	28/04/2022
32	EE/ OFC/pole/202 2-23/6827/W- 187/556	W0205	mahaveer apartment	12.898098370 717971- 77.590169906 61621	6827	28/04/2022
33	EE/ OFC/pole/202 2-23/6827/W- 187/557	W0205	mahaveer apartment	12.898053923 650735- 77.590183317 6613	6827	28/04/2022
34	EE/ OFC/pole/202 2-23/6827/W- 187/558	W0205	mahaveer apartment	12.897844760 875342- 77.590218186 3785	6827	28/04/2022
35	EE/ OFC/pole/202 2-23/6827/W- 187/559	W0208	mahaveer apartment	12.898187264 828778- 77.590218186 3785	6827	28/04/2022
36	EE/ OFC/pole/202 2-23/6827/W- 187/560	W0208	mahaveer apartment	12.898216024 68139- 77.590518593 78816	6827	28/04/2022
37	EE/ OFC/pole/202 2-23/6827/W- 187/561	W0208,W021 9	mahaveer apartment	12.898242169 99909- 77.590853869 91502	6827	28/04/2022



38	EE/ OFC/pole/202 2-23/6827/W- 187/562	W0208	mahaveer apartment	12.898284002 501704- 77.591186463 83287	6827	28/04/2022
39	EE/ OFC/pole/202 2-23/6827/W- 187/563	W0208,W022 7	mahaveer apartment	12.898268315 314041- 77.591025531 29198	6827	28/04/2022
40	EE/ OFC/pole/202 2-23/6827/W- 187/564	W0211	mahaveer apartment	12.898134974 179193- 77.590451538 56277	6827	28/04/2022
41	EE/ OFC/pole/202 2-23/6827/W- 187/565	W0211	mahaveer apartment	12.898033007 381057- 77.590464949 60786	6827	28/04/2022



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

**Total No. of Poles 41**

<b>Pole Charges @ Rs 1500/- Pole</b>	<b>61,500</b>	<b>Worker Welfare Cess Amount @ Rs 7.39/- Pole</b>	<b>302.99</b>
<b>Junction Box Charges @ Rs 3000/- Pole</b>	<b>1,23,000</b>	<b>Total (C)</b>	<b>302.99</b>
<b>Supervision Charge @ Rs 100/- Pole</b>	<b>4,100</b>		
<b>Sub Total (A)</b>	<b>1,88,600</b>	<b>GST @ 18% (B)</b>	<b>33,948</b>
<b>Grand Total (A + B + C)</b>	<b>2,22,850.99</b>		

**Total Amount Payable Rs: 2,22,851 In words (Rupees Two Lakh Twenty-Two Thousand Eight Hundred and Fifty-One Only)**

**Note:** The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)  
Bruhat Bangalore Mahanagara Palike

**Copy to**

No.: 10-2022-1329

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



# BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

BABU.VEERABHADRE@RIL.COM

**Pole Details**

10-2022-1329

The map displays a grid of streets with numerous blue location pins indicating pole positions. Key street names include 3rd Cross Rd, 4th Cross Rd, 5th Cross Rd, and 7th Cross Rd. Labeled locations include Raisa's Henna Arts, Rizwan E Masjid, Kids Champ, Makkah Masjid, Impact Group Services, Taj Apartment, Forest Residency, FSI quarters, and National Tiger Conservation Authority. Other labels include Mahaveer Woods, Pavan Tranquil Apartment, Husaini Avenue, Royal Hardware, Zaid Enterprises, POPwork gypsum false ceiling grid false..., and Sai Krupa Apartment.

*S. H. H.*  
 ASSISTANT EXECUTIVE ENGINEER  
 OFC CELL  
 BANGALURU MAHANAGARA PALIKE  
 BANGALURU

EXECUTIVE ENGINEER  
 OFC CELL  
 BANGALURU MAHANAGARA PALIKE  
 BANGALURU