



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1332/2022-23

Date: 31-10-2022

367

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 20-05-2022
 - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 4) Fee Demand Note letter No: 10-2022-1332, Date: 19-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 27-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
1	Permission for Regularization for poles From Junction of 7 th main road (Temple Road) (Street ID W0156)along Street ID W0157	24 Poles
2	From Junction of 7 th main road (Temple Road) (Street ID W0156)along Street ID W0163	
3	From Junction of 7 th main road (Temple Road) (Street ID W0156)along Street ID W0167	
4	From Junction of 7 th main road (Temple Road) (Street ID W0156)along Street ID W0173	
5	From Junction of 7 th main road (Temple Road) (Street ID W0156)along Street ID W0179	
6	From Junction of 7 th main road (Temple Road) (Street ID W0156)along Street ID W0191	
7	From Junction of 7 th main road (Temple Road) (Street ID W0156) Both side of Street ID W0193	
8	From Junction of 7 th main road (Temple Road) (Street ID W0156) Both side of Street ID W0195	
9	From Junction of 7 th main road (Temple Road) (Street ID W0156) Both side of Street ID W0197	
10	From Junction of 7 th main road (Temple Road) (Street ID W0156) Both side of Street ID W0199	

No: EE/OFC/PR/1332/2022-23, Dt: 31-10-2022

Executive Engineer (OFC), BBMP

11	From Junction of 1 st main road (Street ID W0120) along Street ID W0111, W0154,W0115, upto Junction of 1 st main road.	24 Poles
12	From Junction of Street ID W0128 along Street ID W0123	
13	From Junction of Street ID W0128 along Street ID W0131	
14	From Junction of Street ID W0128 along Street ID	
15	From Junction of Street ID W0128 along Street ID W0147	
16	Full Length of Street ID W0137 for a length of 42.31	
17	From the Junction of Street ID W0141 along Street ID W0139 Upto road end	
18	From the Junction of Street ID W0115 along Street ID W0128	
19	From the Junction of Street ID W0141 along Street ID W0128 Upto Junction of Street ID W0147	
20	From the Junction Street ID W0123 along Street ID W0153 Upto Junction of Street ID W0131	
21	From the Junction of 1 st main road along Street ID W0165 Upto Road end	
22	From the Junction of 1 st main road along Street ID W0109 Upto Road end	
23	From the Junction of 1 st main road along Street ID W0175 Upto Road end	
24	From the Junction of 1 st main road along Street ID W0187	
25	From the Junction of Street ID W0153 along Street ID W0130	
26	From the Junction of Street ID W0153 along Street ID W0144 for total No of 24 Poles , in Ward No-149, Mahadevapura Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.

6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do the same at its own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at its own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to poles and resultant losses, if any during performance of official duties by any employee of corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlined in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. If any dispute arise it will be settled as per the MOU.
14. Operational and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operational and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.

18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**Mahadevapura** Zone) for information.
4. Copy to Zonal Chief Engineer (**Mahadevapura** Zone) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Mahadevapura** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Whitefield** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1332 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1332

With reference to your Demand Note bearing Pole-OFC-10-2022-1332 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1521 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1332	24	110577	206622	19872	110577
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



1332

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No:
as per details mentioned below.

206622

19/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1332 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1332

With reference to your Demand Note bearing Pole-OFC-10-2022-1332 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1521

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1332	24	110577	206622	19872	110577
			Dated		
			19-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1332 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1332

With reference to your Demand Note bearing Pole-OFC-10-2022-1332 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1521

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1332	24	110577	206622	19872	110577
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

206622

19/10/2022
dated

PAYMENT REFERENCE

DATE | 09 | 10 | 2022 | 02 | 12 | 2022 | ✓
दिनांक

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर

RUPEES One Lac Ten Thousand Five Hundred Seventy Seven Only

रुपये

₹ 110,577.00
अदा करे

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206622

Client Reference 4200009020_318

For Axis Bank Ltd
Authorized Signatory
SS No. 26187

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

Prudhista B
CC No. 26187



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-1332

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-1332

General Information

Segment ID

OFC/Pole/2022-23/W0193/1332

Street ID

1280

Street Name

NA

Zone

Mahadevapura

Ward No.

149

Ward Name

Varthuru

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

20/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

Ftx BGLR1521 OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

24

No.Junction Box

24




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	23/05/2022

Date : 19/10/2022

Time : 04:49:31

20221019044931





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1332

Date: 19/10/2022

Demand Notice
GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-1332, dated : 20/05/2022


Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0193/1332)

Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/4253/W- 149/115	W0111	sai baba temple road	12.949787572 940165- 77.709498703 47978	4253	25/06/2020
2	EE/ OFC/pole/202 2-23/4253/W- 149/116	W0128,W011 5	muvvas adora opp	12.949834624 790656- 77.709791064 2624	4253	25/06/2020
3	EE/ OFC/pole/202 2-23/4253/W- 149/117	W0123	munishwara temple opp	12.949578453 497145- 77.710098177 1946	4253	25/06/2020
4	EE/ OFC/pole/202 2-23/4253/W- 149/118	W0128,W013 1	sai baba temple opp	12.949692162 21605- 77.710476368 66571	4253	25/06/2020
5	EE/ OFC/pole/202 2-23/4253/W- 149/119	W0154,W013 1	divinne returns	12.949220336 043354- 77.710417360 06738	4253	25/06/2020

6	EE/ OFC/pole/202 2-23/4253/W- 149/120	W0137	sai sunshin opp	12.949221643 042288- 77.710743248 46269	4253	25/06/2020
7	EE/ OFC/pole/202 2-23/4253/W- 149/121	W0139	munneswara residency opp	12.949331430 928975- 77.710960507 3929	4253	25/06/2020
8	EE/ OFC/pole/202 2-23/4253/W- 149/122	W0142,W014 7	mvs residency opp	12.949336658 922363- 77.711325287 81892	4253	25/06/2020
9	EE/ OFC/pole/202 2-23/4253/W- 149/123	W0156,W014 7	avansa it soluction	12.949112508 606985- 77.711323276 16216	4253	25/06/2020
10	EE/ OFC/pole/202 2-23/4253/W- 149/124	W0128,W014 1	sai cafes bangarpet opp	12.949667329 281874- 77.711044996 97685	4253	25/06/2020
11	EE/ OFC/pole/202 2-23/4253/W- 149/125	W0128,W014 7	vegetable shop opp	12.949669943 275063- 77.711277008 05664	4253	25/06/2020
12	EE/ OFC/pole/202 2-23/4253/W- 149/126	W0154	st marys primary school opp	12.949264774 00354- 77.709888964 89143	4253	25/06/2020
13	EE/ OFC/pole/202 2-23/4253/W- 149/127	W0130	vickydog home stay opp	12.949628119 380748- 77.711771875 61989	4253	25/06/2020
14	EE/ OFC/pole/202 2-23/4253/W- 149/128	W0130	meeenakshi arogy opp	12.949597404 95389- 77.712084352 97014	4253	25/06/2020
15	EE/ OFC/pole/202 2-23/4253/W- 149/129	W0130	vickydog home opp	12.949554927 548814- 77.712461203 33672	4253	25/06/2020
16	EE/ OFC/pole/202 2-23/4253/W- 149/130	W0144	kms towers	12.949256278 511765- 77.711856365 20387	4253	25/06/2020
17	EE/ OFC/pole/202 2-23/4253/W- 149/131	W0144	cl arcade opp	12.949324895 937071- 77.712410241 36545	4253	25/06/2020
18	EE/ OFC/pole/202 2-23/4253/W- 149/132	W0165	keerthi bakery opp	12.949523559 614276- 77.712795138 35908	4253	24/06/2020
19	EE/ OFC/pole/202 2-23/4253/W- 149/133	W0169	prerana opp	12.949586295 47942- 77.713151872 15806	4253	24/06/2020
20	EE/ OFC/pole/202 2-23/4253/W- 149/134	W0169	prerana opp	12.949275229 993026- 77.713122367 8589	4253	25/06/2020
21	EE/ OFC/pole/202 2-23/4253/W- 149/135	W0175	rvs brindavanam homes opp	12.949505261 65062- 77.713445574 0452	4253	25/06/2020

22	EE/ OFC/pole/202 2-23/4253/W- 149/136	W0187	jeevan sai meadows apartment opp	12.949575839 50299- 77.713784873 48557	4253	25/06/2020
23	EE/ OFC/pole/202 2-23/4253/W- 149/137	W0193	krishna bakery opp	12.949228178 0369- 77.714396417 14097	4253	25/06/2020
24	EE/ OFC/pole/202 2-23/4253/W- 149/138	W0193	saptagiri homes opp	12.948464889 507589- 77.714181840 41977	4253	25/06/2020



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No. of Poles 24

Pole Charges @ Rs 1500/- Pole	36,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	177.36
Junction Box Charges @ Rs 3000/- Pole	72,000	Total (C)	177.36
Supervision Charge @ Rs 100/- Pole	2,400		
Sub Total (A)	1,10,400	GST @ 18% (B)	19,872
Grand Total (A + B + C)	1,30,449.36		

Total Amount Payable Rs: 1,30,449 In words (Rupees One Lakh Thirty Thousand Four Hundred and Forty-Nine Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.

Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-1332

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

BABU.VEERABHADRE@RIL.COM

OFC/Pole/2022-23/W0401/1349 10-2022-1349 Pending ceofc01(ceofc01) Pole Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

Pole Details

OFC/Pole/2022-23/W0275/1312 10-2022-1317 Pending ceofc01(ceofc01) Pole Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

ASSISTANT EXECUTIVE ENGINEER
OFC CELL

EXECUTIVE ENGINEER
OFC CELL

BRUHAT BENGALURU MAHANAGARA PALIKE
BENGALURU

BRUHAT BENGALURU MAHANAGARA PALIKE
BENGALURU