



**BRUHAT BENGALURU MAHANAGARA PALIKE**

Office of the Chief Engineer (OFC-Cell ), 3<sup>rd</sup>Floor, Annexe II Building,  
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1342/2022-23

Date: 21-10-2022

**Permission for Regularization for Poles**

To,  
M/s. Jio Digital Fibre Private Limited ,  
RMZ ICON, No-51, Palace Road Cross,  
Vasanth Nagar, Bengaluru-52.

Sir,

**Sub :-** Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
  - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 20-05-2022
  - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
  - 4) Fee Demand Note letter No: 10-2022-1342, Date: 17-10-2022.
  - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 21-10-2022.

\*\_\*\_\*\_\*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

| Sl No | Name of the Road and Route  | No of Poles |
|-------|---|-------------|
| 01    | Permission for Regularization for poles from Double Road via West Anjani Road, 4th Main up to Gandhi Bazar Main Road.   | 45 Poles    |
| 02    | From Double Road via E.A.T Road, Street ID No-W0364 up to W0246.  |             |
| 03    | From Street ID No-W0364 via W0327   |             |
| 04    | From 4th Main via Street ID No-W0237  |             |
| 05    | From 4th Main via Street ID No-W0321  |             |
| 06    | From Street ID No-W0393 via W0364, W0397 up to Bugle Road.  |             |
| 07    | From Street ID No-W0364 via W0395   |             |
| 08    | From Basavangudi Main Road via N.A.T Road   |             |
| 09    | From Basavangudi Main Road via 4th , West Anjani Road up to Gandhi Bazar Road.  |             |
| 10    | From Street ID No-W0299 via W0303   |             |
| 11    | From Bugal Road via D.V.G Road up to NAT Road for total No of 45 Poles, in Ward No-142, South Zone.<br>Ref: As per drawing enclosed & demand note GIS co-ordinates. |             |

No: EE/OFC/PR/1342/2022-23, Dt: 21-10-2022

  
Executive Engineer (OFC), BBMP



**Special Condition:**

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

**Conditions for Regularization of Poles**

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.



12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

| Sl No | Transmission Voltage | Width of the Right-of-way(ROW) in meters. |
|-------|----------------------|---|
| 01    | 11kV                 | 7.0                                       |
| 02    | 33kV                 | 15.0                                      |
| 03    | 66kV                 | 18.0                                      |
| 04    | 110kV                | 22.0                                      |
| 05    | 132kV                | 27.0                                      |
| 06    | 220kV                | 35.0                                      |
| 07    | 400kV                | 52.0                                      |

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

|     |   | Vertically in m.   | Horizontally in m.   |
|-----|---|--|--|
| i   | Low and medium voltage lines and service lines  | 2.5  | 1.2  |
| ii  | High voltage lines upto and including 33,000 V. | 3.7  | 2.0  |
| iii | Extra high voltage lines beyond 33000 v.        | 3.7 (plus 0.3m for every additional 33,000 V. or part thereof) | 2.0 (plus 0.3m for every additional 13,000 V. or part thereof) |

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.


26. The agency shall abide by all the terms and conditions laid in these rules.

**Copy to:-**

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**South Zone**) for information.
4. Copy to Zonal Chief Engineer (**South Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Chickepete** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Kempegowda Nagar** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.



1342

केनरा बैंक  Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP

शाखा/ Branch BCC Extension

दिनांक/ Date 

|   |   |   |   |   |   |   |   |
|---|---|---|---|---|---|---|---|
| 2 | 1 | 1 | 0 | 2 | 0 | 2 | 2 |
|---|---|---|---|---|---|---|---|

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

बचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

|   |   |   |   |   |   |   |   |   |   |   |   |   |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 8 | 4 | 0 | 1 | 1 | 3 | 2 | 0 | 0 | 0 | 0 | 1 | 0 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|

नाम/Name Commissioner BRMP

टेलिफोन / मोबाइल नं  
Tel No./Mobile No. \_\_\_\_\_

राशि /Amount 

|   |   |   |   |   |   |   |   |
|---|---|---|---|---|---|---|---|
| 9 | 0 | 7 | 3 | 3 | 0 | 0 | L |
|---|---|---|---|---|---|---|---|

राशि शब्दों में  
Rupees in words Two lakhs seven thousand three hundred thirty three Rupees only

| चेक नं. / दिनांक तथा बैंक व शाखा का नाम<br>Cheque No./Date / Name of Bank & Branch | ज. सं. रो. सं.<br>J. No. R. No. | राशि<br>Amount | पै/P       |
|--|---------------------------------|----------------|------------|
| <u>206145 OF</u>   | <u>07</u>                       | <u>333</u>     | <u>00L</u> |
| <u>J. V. 121 OCT 2022</u>  |                                 |                |            |

EXECUTED Total 9,07,333.00L

अधिकारी / रोकडिया /  
BRMP BRMP SALUR  
Officer/Cashier/SWON  
CANARA BANK TOLL FREE NO. 1800 425 0018

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1342 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-1342

With reference to your Demand Note bearing Pole-OFC-10-2022-1342 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on. BGLR0842

| Application No. | Poles | Poles Charges (Rs.) | DD No.     | GST (through RCM) Rs. | Total Amount |
|-----------------|-------|---------------------|------------|-----------------------|--------------|
| 10-2022-1342    | 45    | 207333              | 206145     | 37260                 | 207333       |
|                 |       |                     | Dated      |                       |              |
|                 |       |                     | 18-10-2022 |                       |              |


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.





1392

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

**206145**

18/10/2022  
dated

PAYMENT REFERENCE

---

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1342 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-1342

With reference to your Demand Note bearing Pole-OFC-10-2022-1342 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0842 .

| Application No. | Poles | Poles Charges (Rs.) | DD No.     | GST (through RCM) Rs. | Total Amount |
|-----------------|-------|---------------------|------------|-----------------------|--------------|
| 10-2022-1342    | 45    | 207333              | 206145     | 37260                 | 207333       |
|                 |       |                     | Dated      |                       |              |
|                 |       |                     | 18-10-2022 |                       |              |


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.





1342

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206145**  
as per details mentioned below.

18/10/2022  
dated

**PAYMENT REFERENCE**

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17/01/2023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 18 10 2022  
दिनांक 18 10 2022

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मांगे जाने पर  
RUPEES Two Lacs Seven Thousand Three Hundred Thirty Three Only  
रुपये

अदा करें ₹ 207,333.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206145

Client Reference 4200008920\_9

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.

For Axis Bank Ltd

*Authorised Signatory*  
3510:24004  
Authorised Signatory

*Authorised Signatory*  
Rudresha B  
Authorised Signatory

Rudresha B  
CS No. 26182  
Please sign above

# JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1342 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)  
Bruhat Bengaluru Mahanagar Palike  
4<sup>th</sup> floor Annex Building, N R Square  
Bengaluru - 560 002

Dear Sir,

**Sub: Permission to Regularise Poles.**

**Ref: Demand Note :-** Pole-OFC-10-2022-1342

With reference to your Demand Note bearing Pole-OFC-10-2022-1342 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0842

| Application No. | Poles | Poles Charges (Rs.) | DD No.     | GST (through RCM) Rs. | Total Amount |
|-----------------|-------|---------------------|------------|-----------------------|--------------|
| 10-2022-1342    | 45    | 207333              | 206145     | 37260                 | 207333       |
|                 |       |                     | Dated      |                       |              |
|                 |       |                     | 18-10-2022 |                       |              |

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



AXIS BANK LTD

1342

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD  
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK  
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.  
as per details mentioned below.

206145

10/10/2022  
dated

PAYMENT REFERENCE



AXIS BANK LTD

ISSUING BRANCH

IFS CODE - UTIB000274

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17/01/2023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 10/10/2022  
दिनांक

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर  
RUPEES Two Lacs Seven Thousand Three Hundred Thirty Three Only  
रुपये

₹ 207,333.00  
अदा करें

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206145

Client Reference 4200008920\_9

For Axis Bank Ltd  
Authorised Signatory  
Rudresha B  
SS No: 26182

Under CMS Arrangement  
Centralised Collections & Payment Hub  
Mumbai.

CODE NO.





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ  
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-1342

PR Number(To be Assigned by AE/JE-  
OFC, BBMP)

CE-POLE-10-2022-1342

General Information

Segment ID

OFC/Pole/2022-23/W0303/1340

Street ID

33593

Street Name

NA

Zone

South

Ward No.

142

Ward Name

Sunkenahalli

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5  
Rasta, Ambawadi, Ahmedabad, Gujarat,  
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

20/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,  
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

45

No.Junction Box

45




**Status of My Application**

| Approver Name    | Designation | Date       |
|------------------|-------------|------------|
| ceofc01(ceofc01) | CE          | 24/05/2022 |

Date : 18/10/2022

20221018110914





Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -  
560002

No. : Pole-OFC-10-2022-1342

Date: 17/10/2022

**Demand Notice**  
**GST No.: 29AAALBI608FIZK**

**To**

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited


GST No.: 29AAECJ4213B1Z0

**Sub:-** Permission for Poles(Regularization)**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-1342, dated : 20/05/2022

Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0303/1340)




| Sr No. | Unique PoleId.                                 | Street Id       | Landmark or address  | Coordinates                                      | Permission Letter No. | Permission Letter Date |
|--------|--|-----------------|----------------------|--|-----------------------|------------------------|
| 1      | EE/<br>OFC/pole/202<br>2-23/4767/W-<br>142/144 | W0301           | burger king          | 12.947097334<br>491053-<br>77.568640769<br>64116 | 4767                  | 31/03/2022             |
| 2      | EE/<br>OFC/pole/202<br>2-23/4767/W-<br>142/145 | W0303,W030<br>1 | WHITE<br>HOUSE       | 12.946679102<br>844056-<br>77.568651499<br>04502 | 4767                  | 31/03/2022             |
| 3      | EE/<br>OFC/pole/202<br>2-23/4767/W-<br>142/146 | W0301           | SRIVASTA             | 12.946370656<br>554747-<br>77.568651499<br>04502 | 4767                  | 31/03/2022             |
| 4      | EE/<br>OFC/pole/202<br>2-23/4767/W-<br>142/147 | W0301           | SRI MARUTI<br>NILAYA | 12.946097366<br>419487-<br>77.568665156<br>2876  | 4767                  | 31/03/2022             |
| 5      | EE/<br>OFC/pole/202<br>2-23/4767/W-<br>142/148 | W0301           | MANOMAYA             | 12.945931946<br>907947-<br>77.568652960<br>2893  | 4767                  | 31/03/2022             |



|    |  |                 |                              |   |      |            |
|----|--|-----------------|------------------------------|---|------|------------|
| 6  | EE/<br>OFC/pole/202<br>2-23/4767/W-<br>142/149 | W0301,W037<br>0 | VISHWAKAR<br>MA NILAYA       | 12.945639183<br>459855-<br>77.568663689<br>69311  | 4767 | 31/03/2022 |
| 7  | EE/<br>OFC/pole/202<br>2-23/4767/W-<br>142/150 | W0301           | HOUSE NO<br>44               | 12.945309824<br>169714-<br>77.568679783<br>79884  | 4767 | 31/03/2022 |
| 8  | EE/<br>OFC/pole/202<br>2-23/4767/W-<br>142/151 | W0301           | BALU<br>PARADISE             | 12.945001376<br>185907-<br>77.568669054<br>39502  | 4767 | 31/03/2022 |
| 9  | EE/<br>OFC/pole/202<br>2-23/4767/W-<br>142/152 | W0246           | SRI MARUTI<br>NILAYA         | 12.946019416<br>903512-<br>77.568554960<br>12344  | 4767 | 31/03/2022 |
| 10 | EE/<br>OFC/pole/202<br>2-23/4767/W-<br>142/153 | W0299,W024<br>6 | KRISHNAPA<br>NA              | 12.946014188<br>989652-<br>77.568259901<br>51849  | 4767 | 31/03/2022 |
| 11 | EE/<br>OFC/pole/202<br>2-23/4767/W-<br>142/154 | W0246           | INDIAN<br>PETROL<br>PUMP     | 12.945988049<br>41868-<br>77.567879007<br>68299   | 4767 | 31/03/2022 |
| 12 | EE/<br>OFC/pole/202<br>2-23/4767/W-<br>142/155 | W0376           | DOMINOS                      | 12.944909643<br>100097-<br>77.567932654<br>70203  | 4767 | 31/03/2022 |
| 13 | EE/<br>OFC/pole/202<br>2-23/4767/W-<br>142/156 | W0299,W037<br>6 | BRUNDAVAN                    | 12.944925326<br>91085-<br>77.568286725<br>02802   | 4767 | 31/03/2022 |
| 14 | EE/<br>OFC/pole/202<br>2-23/4767/W-<br>142/157 | W0376           | BALU<br>PARADISE             | 12.944930554<br>84756-<br>77.568587148<br>33488   | 4767 | 31/03/2022 |
| 15 | EE/<br>OFC/pole/202<br>2-23/4767/W-<br>142/158 | W0301           | PUSHKARA<br>TECHNOLOG<br>IES | 12.944793182<br>221883-<br>77.568681749<br>721587 | 4767 | 31/03/2022 |
| 16 | EE/<br>OFC/pole/202<br>2-23/4767/W-<br>142/159 | W0301           | ARPANA                       | 12.944478078<br>721177-<br>77.568713937<br>93303  | 4767 | 31/03/2022 |
| 17 | EE/<br>OFC/pole/202<br>2-23/4767/W-<br>142/160 | W0301,W038<br>4 | SLV<br>ENTERPRISE<br>S       | 12.944185313<br>56551-<br>77.568692479<br>12542   | 4767 | 31/03/2022 |
| 18 | EE/<br>OFC/pole/202<br>2-23/4767/W-<br>142/161 | W0301           | JYOTHIBASU<br>BAVANA         | 12.943803672<br>757042-<br>77.568719302<br>63495  | 4767 | 31/03/2022 |
| 19 | EE/<br>OFC/pole/202<br>2-23/4767/W-<br>142/162 | W0246           | BASAVANNA                    | 12.946047443<br>625448-<br>77.568899758<br>79629  | 4767 | 31/03/2022 |
| 20 | EE/<br>OFC/pole/202<br>2-23/4767/W-<br>142/163 | W0246           | SRI LAKSHMI<br>SAREES        | 12.946047443<br>625448-<br>77.569248464<br>42035  | 4767 | 31/03/2022 |
| 21 | EE/<br>OFC/pole/202<br>2-23/4767/W-<br>142/164 | W0321           | SRI LAKSHMI<br>SAREES        | 12.945989936<br>573358-<br>77.569457687<br>79478  | 4767 | 31/03/2022 |

|    |  |                 |  |  |      |            |
|----|--|-----------------|--|--|------|------------|
| 22 | EE/<br>OFC/pole/202<br>2-23/4767/W-<br>142/165 | W0321           | BALAJI<br>NILAYA                                 | 12.945597842<br>682737-<br>77.569457687<br>79478 | 4767 | 31/03/2022 |
| 23 | EE/<br>OFC/pole/202<br>2-23/4767/W-<br>142/166 | W0321           | SRI<br>RADHAKRIS<br>HNA<br>CONVENTIO<br>NAL HALL | 12.945085505<br>736172-<br>77.569463052<br>4967  | 4767 | 31/03/2022 |
| 24 | EE/<br>OFC/pole/202<br>2-23/4767/W-<br>142/167 | W0364,W032<br>5 | SRI RAMA<br>NILAYA                               | 12.945942620<br>847918-<br>77.569699193<br>82342 | 4767 | 31/03/2022 |
| 25 | EE/<br>OFC/pole/202<br>2-23/4767/W-<br>142/168 | W0327           | KRISHNA<br>NILAYA                                | 12.945628466<br>852629-<br>77.569858421<br>379   | 4767 | 31/03/2022 |
| 26 | EE/<br>OFC/pole/202<br>2-23/4767/W-<br>142/169 | W0327           | SRI<br>NAGESHWA<br>RASWAMY<br>KALYANA<br>MANTAPA | 12.945115173<br>792804-<br>77.569879145<br>30634 | 4767 | 31/03/2022 |
| 27 | EE/<br>OFC/pole/202<br>2-23/4767/W-<br>142/170 | W0364           | BAMORA<br>RESIDENCY                              | 12.945653650<br>287186-<br>77.570080321<br>62791 | 4767 | 31/03/2022 |
| 28 | EE/<br>OFC/pole/202<br>2-23/4767/W-<br>142/171 | W0357           | PRUTHVI<br>RESIDENCY                             | 12.945224960<br>356938-<br>77.570284180<br>30045 | 4767 | 31/03/2022 |
| 29 | EE/<br>OFC/pole/202<br>2-23/4767/W-<br>142/172 | W0376           | ANUGRAHA   | 12.944934086<br>889397-<br>77.568920816<br>8947  | 4767 | 31/03/2022 |
| 30 | EE/<br>OFC/pole/202<br>2-23/4767/W-<br>142/173 | W0376           | SRI RADHA<br>KRISHNA<br>CONVENTIO<br>NAL HALL    | 12.944952384<br>666738-<br>77.569237334<br>30735 | 4767 | 31/03/2022 |
| 31 | EE/<br>OFC/pole/202<br>2-23/4767/W-<br>142/174 | W0357           | SRI BAVANI<br>KALYANA<br>MANTAPA                 | 12.944836443<br>480613-<br>77.570287219<br>1138  | 4767 | 31/03/2022 |
| 32 | EE/<br>OFC/pole/202<br>2-23/4767/W-<br>142/175 | W0357           | SRI<br>KAMADENU<br>SADANA                        | 12.944496627<br>238513-<br>77.570287219<br>1138  | 4767 | 31/03/2022 |
| 33 | EE/<br>OFC/pole/202<br>2-23/4767/W-<br>142/176 | W0357           | GOKULAM  | 12.944141126<br>674035-<br>77.570319407<br>32523 | 4767 | 31/03/2022 |
| 34 | EE/<br>OFC/pole/202<br>2-23/4767/W-<br>142/177 | W0357           | BMS WOMEN<br>COLLEGE                             | 12.943796545<br>61588-<br>77.570316477<br>1388   | 4767 | 31/03/2022 |
| 35 | EE/<br>OFC/pole/202<br>2-23/4767/W-<br>142/178 | W0376           | SRI<br>RAGHAVEND<br>RA STORES                    | 12.944970468<br>806627-<br>77.570534455<br>31425 | 4767 | 31/03/2022 |
| 36 | EE/<br>OFC/pole/202<br>2-23/4767/W-<br>142/179 | W0376           | GANESH<br>JUICE FRUIT<br>CENTER                  | 12.944970468<br>806627-<br>77.570926078<br>5536  | 4767 | 31/03/2022 |

|    |  |                 |                                       |  |      |            |
|----|--|-----------------|---------------------------------------|--|------|------------|
| 37 | EE/<br>OFC/pole/202<br>2-23/4767/W-<br>142/180 | W0367           | UNDER<br>CONSTRUCT<br>ION<br>BUILDING | 12.945033204<br>028485-<br>77.571060196<br>1013  | 4767 | 31/03/2022 |
| 38 | EE/<br>OFC/pole/202<br>2-23/4767/W-<br>142/181 | W0388,W036<br>7 | SATHISH<br>STORE                      | 12.944735211<br>584076-<br>77.571049466<br>69746 | 4767 | 31/03/2022 |
| 39 | EE/<br>OFC/pole/202<br>2-23/4767/W-<br>142/182 | W0367           | RAYMOND                               | 12.944369255<br>463242-<br>77.571076290<br>20703 | 4767 | 31/03/2022 |
| 40 | EE/<br>OFC/pole/202<br>2-23/4767/W-<br>142/183 | W0367           | VITALAS                               | 12.944060806<br>31558-<br>77.571092384<br>31276  | 4767 | 31/03/2022 |
| 41 | EE/<br>OFC/pole/202<br>2-23/4767/W-<br>142/184 | W0367           | SYNDICATE<br>BANK                     | 12.943736672<br>901695-<br>77.571108478<br>4185  | 4767 | 31/03/2022 |
| 42 | EE/<br>OFC/pole/202<br>2-23/4767/W-<br>142/185 | W0397           | CHINMAYA<br>APPARTMEN<br>TS           | 12.944230458<br>647072-<br>77.571834619<br>64803 | 4767 | 31/03/2022 |
| 43 | EE/<br>OFC/pole/202<br>2-23/4767/W-<br>142/186 | W0397           | LAKSHMI<br>KUBERA<br>COMPLEX          | 12.943744258<br>699109-<br>77.571829254<br>94611 | 4767 | 31/03/2022 |
| 44 | EE/<br>OFC/pole/202<br>2-23/4767/W-<br>142/187 | W0364           | LAKSHMI<br>NILAYA                     | 12.944554591<br>418928-<br>77.571550290<br>4469  | 4767 | 31/03/2022 |
| 45 | EE/<br>OFC/pole/202<br>2-23/4767/W-<br>142/188 | W0395           | RELIANCE<br>TRENDS                    | 12.944523223<br>749737-<br>77.571979466<br>59959 | 4767 | 31/03/2022 |



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

**Total No.of Poles 45**

|                   |        |                     |        |
|-------------------|--------|---------------------|--------|
| Pole Charges @ Rs | 67,500 | Worker Welfare Cess | 332.55 |
|-------------------|--------|---------------------|--------|




|                                       |             |                         |        |
|---------------------------------------|-------------|-------------------------|--------|
| 1500/- Pole                           |             | Amount @ Rs 7.39/- Pole |        |
| Junction Box Charges @ Rs 3000/- Pole | 1,35,000    | Total (C)               | 332.55 |
| Supervision Charge @ Rs 100/- Pole    | 4,500       |                         |        |
| Sub Total (A)                         | 2,07,000    | GST @ 18% (B)           | 37,260 |
| Grand Total (A + B + C)               | 2,44,592.55 |                         |        |

**Total Amount Payable Rs: 2,44,593 In words (Rupees Two Lakh Forty-Four Thousand Five Hundred and Ninety-Three Only)**

**Note:**The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)  
Bruhat Bangalore Mahanagara Palike

**Copy to**

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

No.: 10-2022-1342

# BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

## Pole Details



*S. Yash*  
 EXECUTIVE ENGINEER  
 OFC CELL

BRIHAT BENGALURU MAHANAGARA PALIKE

BENGALURU