



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1350/2022-23

Date: 31-10-2022

Permission for Regularization for Poles

To,

M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 21-05-2022
 - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 4) Fee Demand Note letter No: 10-2022-1350, Date: 19-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 25-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

SI No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 1st Main Road via 5th Cross Road 1st Cross Road up to 2nd Main Road.	23 Poles
02	From 1st Main Road via 4th Cross Road 5th Cross Road	
03	From 1st Cross Road via 2nd Main Road up to Road end.	
04	From 2nd Main Road via 3rd cross Road, Street ID No-W0034, W0025 up to W0018.	
05	From 1st Cross Road via Street ID No-W0015, W0018, W0008 back to 1st Cross Road.	
06	From 1st Cross Road via Street ID No-W0016 for total No of 23 Poles in Ward No-19, East Zone Ref: As per drawing enclosed & demand note GIS co-ordinates	

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

No: EE/OFC/PR/1350/2022-23, Dt: 31-10-2022


Executive Engineer (OFC), BBMP

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.

13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. –No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)


24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**East Zone**) for information.
4. Copy to Zonal Chief Engineer (**East Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Hebbal** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Hebbal** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

1350
केनरा बँक  Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP
शाखा/ Branch BCC Extension

दिनांक/ Date 25/10/2022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.
वचन / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.
8401132000010

नाम/Name Commissioner BBMP
टेलिफोन / मोबाइल नं.
Tel No./Mobile No. _____ ₹ _____ पै/P.

राशि /Amount 1,05,970.00/-

राशि शब्दों में One lakh five thousand
Rupees in/words nine hundred seventy only

चेक नं. / दिनांक तथा बैंक का नाम Cheque No./Date / Name of Bank & Branch	₹	पै/P.
<u>206603</u> <u>01/28/10/22</u> <u>B.B.M.P.</u>	<u>1,05,970.00/-</u>	
<u>EXECUTIVE ENGINEER</u>	<u>1,05,970.00/-</u>	

अधिकारी / रोकडिया / OFFICER / CASHIER
BRUHAT BENGALURU MAHANAGARA PALIKE
Officer/Cashier BANGALURU 1800 425 0018

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1350 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1350

With reference to your Demand Note bearing Pole-OFC-10-2022-1350 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1342 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1350	23	105970	206603	19044	105970
			Dated		
			19-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



1350

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206603

19/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1350 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1350

With reference to your Demand Note bearing Pole-OFC-10-2022-1350, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1342.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1350	23	105970	206603	19044	105970
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



1350.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206603**
as per details mentioned below.

19/10/2022
dated

PAYMENT REFERENCE

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 18012023

DATE दिनांक

D ⁹	D ¹	M ⁰	M ²	Y ⁰	Y ²	Y ²	Y
----------------	----------------	----------------	----------------	----------------	----------------	----------------	---

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर



माँग जाने पर
RUPEES One Lac Five Thousand Nine Hundred Seventy Only
रुपये

अदा करे ₹ 105,970.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206603

Client Reference 4200009020_299

For Axis Bank Ltd

 5570:24004
 Authorised Signatory

 Rudresha B
 Authorised Signatory

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

CC No. 261P
Please sign above

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1350 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1350

With reference to your Demand Note bearing Pole-OFC-10-2022-1350, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1342 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1350	23	105970	206603	19044	105970
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

1350

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206603**
as per details mentioned below.

19/10/2022
dated

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 18012023

DATE दिनांक

D ⁹	D ¹	M ⁰	M ²	Y ⁰	Y ²	Y ²	Y
----------------	----------------	----------------	----------------	----------------	----------------	----------------	---

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर
RUPEES One Lac Five Thousand Nine Hundred Seventy Only.

रुपये

अदा करे

₹ 105,970.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206603

Client Reference 4200009020_299

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

[Signature]
Series: 24004
Authorised Signatory

[Signature]
Rudresha B
Authorised Signatory

CC No. 26183
Please sign above



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-1350

PR Number(To be Assigned by AE/JE- OFC, BBMP) CE-POLE-10-2022-1350

General Information

Segment ID

OFC/Pole/2022-23/W0015/1350

Street ID

37370

Street Name

NA

Zone

East

Ward No.

19

Ward Name

Sanjay Nagara

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5 Rasta, Ambawadi, Ahmedabad, Gujarat, India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

21/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

Purpose

pole

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

23

No.Junction Box

23




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	23/05/2022

Date : 18/10/2022

Time : 12:40:13

20221018124013





Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1350

Date: 19/10/2022

Demand Notice
GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-1350, dated : 21/05/2022


Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0015/1350)


Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/4040/W- 19/19	W0020	SHIRADI ELECTRIC	13.045940348 303363- 77.575299739 83766	4040	21/12/2021
2	EE/ OFC/pole/202 2-23/4040/W- 19/20	W0020	MARUTHI COMPLEX	13.045903766 587008- 77.575541138 649	4040	21/12/2021
3	EE/ OFC/pole/202 2-23/4040/W- 19/21	W0020,W000 5	BHARMI CONDIMENT S	13.045872410 825826- 77.575803995 13246	4040	21/12/2021
4	EE/ OFC/pole/202 2-23/4040/W- 19/22	W0020,W001 3	NAZARUDDI N KHAN	13.045825377 17658- 77.576152682 3044	4040	21/12/2021
5	EE/ OFC/pole/202 2-23/4040/W- 19/23	W0013	MOBINA BAANU	13.046050093 419971- 77.576190233 2306	4040	21/12/2021

6	EE/ OFC/pole/202 2-23/4040/W- 19/24	W0013	KUMAR NIVAS	13.046238227 792255- 77.576179504 39455	4040	21/12/2021
7	EE/ OFC/pole/202 2-23/4040/W- 19/25	W0013	SURESH VILLAS	13.046311391 120604- 77.576238512 99287	4040	21/12/2021
8	EE/ OFC/pole/202 2-23/4040/W- 19/26	W0006,W000 5	NAGESH BABU	13.046530880 975745- 77.575879096 98486	4040	21/12/2021
9	EE/ OFC/pole/202 2-23/4040/W- 19/27	W0006	CHANDRAM MA	13.046478621 504093- 77.576168775 55849	4040	21/12/2021
10	EE/ OFC/pole/202 2-23/4040/W- 19/28	W0025	SAI NILKAYA	13.045402073 930877- 77.577075362 2055	4040	21/12/2021
11	EE/ OFC/pole/202 2-23/4040/W- 19/29	W0034	KRINHA KRUPA	13.044393459 57339- 77.576614022 25496	4040	21/12/2021
12	EE/ OFC/pole/202 2-23/4040/W- 19/30	W0019,W003 4	AGASTIA	13.044419589 53092- 77.576340436 93544	4040	21/12/2021
13	EE/ OFC/pole/202 2-23/4040/W- 19/31	W0019	RAMA NILAYA	13.044168741 824567- 77.576324343 68135	4040	21/12/2021
14	EE/ OFC/pole/202 2-23/4040/W- 19/32	W0016,W003 3,W0018	SAI NIVAS	13.045532723 158107- 77.577853202 81984	4040	21/12/2021
15	EE/ OFC/pole/202 2-23/4040/W- 19/33	W0016	SHREYAS	13.045433429 75171- 77.578346729 27856	4040	21/12/2021
16	EE/ OFC/pole/202 2-23/4040/W- 19/34	W0016	VINAYAKA NEST	13.045355040 192193- 77.579054832 45851	4040	21/12/2021
17	EE/ OFC/pole/202 2-23/4040/W- 19/35	W0016,W004 3	VENKATESH A NILAYA	13.045213938 922418- 77.579671740 53194	4040	21/12/2021
18	EE/ OFC/pole/202 2-23/4040/W- 19/36	W0033	UDAY NILAYA	13.043975379 877253- 77.577413320 5414	4040	21/12/2021
19	EE/ OFC/pole/202 2-23/4040/W- 19/37	W0033	KIDS SCHOOL	13.043541621 445485- 77.577273845 67261	4040	21/12/2021
20	EE/ OFC/pole/202 2-23/4040/W- 19/38	W0044,W001 7	DEVI NILAYA	13.043938797 870222- 77.575997114 18153	4040	21/12/2021
21	EE/ OFC/pole/202 2-23/4040/W- 19/39	W0044,I0011	MANJUNATH A NILAYA	13.044126933 848775- 77.575557231 90309	4040	21/12/2021

22	EE/ OFC/pole/202 2-23/4040/W- 19/40	W0044	MARUTHI NIVAS	13.044262809 744271- 77.575240731 23933	4040	21/12/2021
23	EE/ OFC/pole/202 2-23/4040/W- 19/41	W0044	PREM NIVAS	13.044430041 513174- 77.574908137 32149	4040	21/12/2021



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.



Total No.of Poles 23

Pole Charges @ Rs 1500/- Pole	34,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	169.97
Junction Box Charges @ Rs 3000/- Pole	69,000	Total (C)	169.97
Supervision Charge @ Rs 100/- Pole	2,300		
Sub Total (A)	1,05,800	GST @ 18% (B)	19,044
Grand Total (A + B + C)	1,25,013.97		

Total Amount Payable Rs: 1,25,014 In words (Rupees One Lakh Twenty-Five Thousand and Fourteen Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above

mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-1350

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



OFC/Pole/2022-23/W0072/1360 10-2022-1360 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

Pole Details

Map labels include: VEERESH GAS AGENCY, Gruha Arpitha Apartments, Perfect Wash Cars, Native Wall Accommodation, KMF Grounds, KIRTHU GRANITE, F. Imra Type F, FincFriends Private Limited, Ever Green Beef Stall, PHAT Burger, BDA Park, Gurupreeth Residency, Nandini Mother Dairy, K N Digital Xerox, Sri Vinayaka New PG for Gents, R P Bliss, Sri Shirdi Sai Baba Temple, Radhakrishna Public School, Sri Krishna Bhavan Sweets, Fly Relocation Service, Best Packers And Movers, Pebble Bay Apartments, Serve & Smash Badminton, Anuraadha.

OFC/Pole/2022-23/W0906/1334 10-2022-1334 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

https://bbmp.oasisweb.in/RoadHistory/APPLICATIONS/PolesMyApplication.aspx#

ASSISTANT EXECUTIVE ENGINEER
 OFC CELL
 BRUHAT BENGALURU MAHANAGARA PALIKE
 BENGALURU

EXECUTIVE ENGINEER
 OFC CELL
 BRUHAT BENGALURU MAHANAGARA PALIKE
 BENGALURU