



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rd Floor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1353/2022-23

Date: 31-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 21-05-2022
 - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 4) Fee Demand Note letter No: 10-2022-1353, Date: 19-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 25-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 2nd 'A' Cross road via 5th 'A' Main Road, 3rd 'H' Cross Road, 2nd Cross Road, 2nd 'H' Cross Road, 5th 'D' Main Road, 2nd 'G' Cross Road, up to 2nd 'C' Cross Road.	46 Poles
02	In 5th 'B' Main Road	
03	From 2nd 'A' Cross Road 5th 'D' Main Road up to 2nd 'G' Cross Road.	
04	From 2nd 'A' Cross Road via 6th 'A' Main Road up to 2nd 'E' Cross Road.	
05	From 6th 'A' Main Road via 2nd 'B' Cross Road up to 6th Main Road.	
06	From 6th 'A' Main Road via 2nd 'C' Cross Road up to 6th Main Road.	
07	From 6th 'A' Main Road via 2nd 'D' Cross Road up to 6th Main Road.	
08	From 6th 'A' Main Road via 2nd 'E' Cross Road up to 6th Main Road.	
09	From 6th 'A' Main Road via 2nd 'G' Cross Road up to 6th Main Road for total No of 46 Poles in Ward No-27, East Zone Ref: As per drawing enclosed & demand note GIS co-ordinates	

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

No: EE/OFC/PR/1353/2022-23, Dt: 31-10-2022


Executive Engineer (OFC), BBMP

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.

13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be refereed to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. Railways: The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. Electrical Lines: The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. Right-of-way(ROW) for Electrical lines.-

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)


24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (East Zone) for information.
4. Copy to Zonal Chief Engineer (East Zone) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Sarvagna Nagar** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Maruthi Seva Nagar** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

केनरा बैंक  Canara Bank ¹³⁵³ जमा पर्ची / DEPOSIT / PAY IN SLIP
 शाखा / Branch BCC Extension

दिनांक / Date 25 | 10 | 2022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.
 वचत / चाल खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

401132000010


नाम / Name Commissioner BBMP

टेलिफोन / मोबाइल नं
 Tel No. / Mobile No.

राशि / Amount ₹ 2,11,940.00 पै/P.

राशि शब्दों में Two lakhs eleven thousand nine hundred forty only

चेक नं. / दिनांक / बैंक / शाखा का नाम Cheque No. / Date / Name of Bank & Branch	₹	पै/P.
<u>206500 Dt. 19/10/22</u>	<u>2,11,940.00</u>	<u>00</u>
<u>28 P.T.</u>		
<u>EXECUTIVE ENGINEER</u>		
<u>₹ 940.00</u>		

अधिकारी के तौर पर
 BRUHAT BENGALURU  MAHANAGAR PALKE.
 एस डब्ल्यू
 OFFICER/CASHER/SWO
 BENGALURU 1800 425 0018

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1353 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1353

With reference to your Demand Note bearing Pole-OFC-10-2022-1353 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1450 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1353	46	211940	206500	38088	211940 /
			Dated		
			19-10-2022		


Request you to kindly issæ permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.





1353

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206500

19/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1353 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1353

With reference to your Demand Note bearing Pole-OFC-10-2022-1353, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1450.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1353	46	211940	206500	38088	211940
			Dated		
			19-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206500**
as per details mentioned below.

dated 19/10/2022

PAYMENT REFERENCE

DATE दिनांक

0	9	D	1	M	0	M	2	Y	0	Y	2	Y	2	Y
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

PURCHASER NAME - JIO DIGITAL FIBRE PVT, LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या वनके आदेश पर

RUPEES **Two Lacs Eleven Thousand Nine Hundred Forty Only**
रुपये

₹ 211,940.00
अदा करे

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206500

Client Reference 4200009020_196

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd.

[Signature]
55/10/24/2022
Authorised Signatory

[Signature]
Authorised Signatory

Rudresha B
SS: please sign above
SS No. 26187

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/

10-2022-1353 /DD

Date:

20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :-

Pole-OFC-10-2022-1353

With reference to your Demand Note bearing Pole-OFC-10-2022-1353 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1450 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1353	46	211940	206500	38088	211940
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



1353

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206500**
as per details mentioned below.

dated 19/10/2022

PAYMENT REFERENCE



Centralised Collection and Payment Hub (CCPH)

Valid Until: 18/01/2023

DATE दिनांक DD MM YY Y2 Y2 Y

PURCHASER NAME - JIO DIGITAL FIBRE PVT, LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

RUPEES Two Lacs Eleven Thousand Nine Hundred Forty Only
रुपये

अदा करें ₹ 211,940.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206500

Client Reference 4200009020_196

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

Authorized Signatory

Authorized Signatory

Rudresha B
SS: No. 26182



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT
Pole Form

Application No. :10-2022-1353

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-1353

General Information

Segment ID

OFC/Pole/2022-23/W0034/1352

Street ID

46677

Street Name

NA

Zone

East

Ward No.

27

Ward Name

Banasavadi

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

21/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

ofc

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

46

No.Junction Box

46




status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	24/05/2022

Date : 18/10/2022

Time : 12:41:38

20221018124138





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1353

Date: 19/10/2022

Demand Notice
GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-1353, dated : 21/05/2022

Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0034/1352)

Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/2570/W- 27/416	W0039	home	13.016816106 376243- 77.642486126 26187	2570	17/08/2021
2	EE/ OFC/pole/202 2-23/2570/W- 27/417	W0040,W003 9	home	13.016798684 409302- 77.642416866 3352	2570	17/08/2021
3	EE/ OFC/pole/202 2-23/2570/W- 27/418	W0039	home	13.017112278 669753- 77.642481258 66646	2570	17/08/2021
4	EE/ OFC/pole/202 2-23/2570/W- 27/419	W0036	home	13.017326567 852852- 77.641279268 48272	2570	17/08/2021
5	EE/ OFC/pole/202 2-23/2570/W- 27/420	W0036	home	13.017316114 726261- 77.641547569 86302	2570	17/08/2021

6	EE/ OFC/pole/202 2-23/2570/W- 27/421	W0036	home	13.017242942 827831- 77.641756844 93966	2570	17/08/2021
7	EE/ OFC/pole/202 2-23/2570/W- 27/422	W0036	home	13.017232489 697715- 77.642089538 65123	2570	17/08/2021
8	EE/ OFC/pole/202 2-23/2570/W- 27/423	W0036	home	13.017185450 606757- 77.642127100 84448	2570	17/08/2021
9	EE/ OFC/pole/202 2-23/2570/W- 27/424	W0039	home	13.017511239 736304- 77.642520610 82692	2570	17/08/2021
10	EE/ OFC/pole/202 2-23/2570/W- 27/425	W0029,W003 6	home	13.017370122 595382- 77.641179103 92542	2570	17/08/2021
11	EE/ OFC/pole/202 2-23/2570/W- 27/426	W0029,W003 4	home	13.017772567 562883- 77.641189835 98064	2570	17/08/2021
12	EE/ OFC/pole/202 2-23/2570/W- 27/427	W0034	home	13.017735981 683755- 77.641474235 44374	2570	17/08/2021
13	EE/ OFC/pole/202 2-23/2570/W- 27/428	W0034	home	13.017668036 465322- 77.641823027 23813	2570	17/08/2021
14	EE/ OFC/pole/202 2-23/2570/W- 27/429	W0034	home	13.017636677 127442- 77.642166453 00492	2570	17/08/2021
15	EE/ OFC/pole/202 2-23/2570/W- 27/430	W0032	home	13.018075707 496477- 77.641710340 65839	2570	17/08/2021
16	EE/ OFC/pole/202 2-23/2570/W- 27/431	W0032	home	13.018028668 565563- 77.641801563 12773	2570	17/08/2021
17	EE/ OFC/pole/202 2-23/2570/W- 27/432	W0032	home	13.017950270 327558- 77.642316701 77792	2570	17/08/2021
18	EE/ OFC/pole/202 2-23/2570/W- 27/433	W0030	home	13.018452018 622328- 77.641558176 69871	2570	17/08/2021
19	EE/ OFC/pole/202 2-23/2570/W- 27/434	W0030	home	13.018399753 222354- 77.641654765 19564	2570	17/08/2021
20	EE/ OFC/pole/202 2-23/2570/W- 27/435	W0030	home	13.018368393 97708- 77.642234296 1771	2570	17/08/2021
21	EE/ OFC/pole/202 2-23/2570/W- 27/436	W0028	home	13.018786516 921125- 77.641509882 4503	2570	17/08/2021

22	EE/ OFC/pole/202 2-23/2570/W- 27/437	W0028	home	13.018687212 785778- 77.642218198 09427	2570	17/08/2021
23	EE/ OFC/pole/202 2-23/2570/W- 27/438	W0028	home	13.018896274 077026- 77.641010841 88289	2570	17/08/2021
24	EE/ OFC/pole/202 2-23/2570/W- 27/439	W0025,W002 8	home	13.018870141 42526- 77.640871325 16515	2570	17/08/2021
25	EE/ OFC/pole/202 2-23/2570/W- 27/440	W0028	home	13.018802196 517797- 77.641767451 77535	2570	17/08/2021
26	EE/ OFC/pole/202 2-23/2570/W- 27/441	W0025	home	13.018528674 628685- 77.640857290 35008	2570	17/08/2021
27	EE/ OFC/pole/202 2-23/2570/W- 27/442	W0025	home	13.018371878 444192- 77.640900218 57089	2570	17/08/2021
28	EE/ OFC/pole/202 2-23/2570/W- 27/443	W0025	home	13.017990340 647529- 77.640830460 21206	2570	17/08/2021
29	EE/ OFC/pole/202 2-23/2570/W- 27/444	W0025	home	13.017065239 715482- 77.640771433 90837	2570	17/08/2021
30	EE/ OFC/pole/202 2-23/2570/W- 27/445	W0025	home	13.017645388 161375- 77.640851924 32246	2570	17/08/2021
31	EE/ OFC/pole/202 2-23/2570/W- 27/446	W0026	home	13.019148889 781285- 77.641164917 81019	2570	17/08/2021
32	EE/ OFC/pole/202 2-23/2570/W- 27/447	W0026	home	13.019112304 105343- 77.641658592 34993	2570	17/08/2021
33	EE/ OFC/pole/202 2-23/2570/W- 27/448	W0026	home	13.019018226 628136- 77.642093240 58601	2570	17/08/2021
34	EE/ OFC/pole/202 2-23/2570/W- 27/449	W0039	home	13.019263873 299062- 77.642581549 09815	2570	17/08/2021
35	EE/ OFC/pole/202 2-23/2570/W- 27/450	W0024	home	13.019603597 017174- 77.641712252 62598	2570	17/08/2021
36	EE/ OFC/pole/202 2-23/2570/W- 27/451	W0024	home	13.019488613 657037- 77.642495692 65648	2570	17/08/2021
37	EE/ OFC/pole/202 2-23/2570/W- 27/452	W0021,W003 8	home	13.017133185 09919- 77.640151111 68689	2570	17/08/2021

38	EE/ OFC/pole/202 2-23/2570/W- 27/453	W0021	home	13.017938075 150191- 77.640210137 99058	2570	17/08/2021
39	EE/ OFC/pole/202 2-23/2570/W- 27/454	W0021	home	13.018589651 00219- 77.640247642 23906	2570	17/08/2021
40	EE/ OFC/pole/202 2-23/2570/W- 27/455	W0021	home	13.019154116 305982- 77.640274472 37707	2570	17/08/2021
41	EE/ OFC/pole/202 2-23/2570/W- 27/456	W0019	home	13.017188935 25001- 77.639827537 11672	2570	17/08/2021
42	EE/ OFC/pole/202 2-23/2570/W- 27/457	W0019	home	13.018061770 249071- 77.639870465 33758	2570	17/08/2021
43	EE/ OFC/pole/202 2-23/2570/W- 27/458	W0019	home	13.018793485 843547- 77.639913393 55843	2570	17/08/2021
44	EE/ OFC/pole/202 2-23/2570/W- 27/459	W0019,W002 4	home	13.019823110 556557- 77.640008099 06013	2570	17/08/2021
45	EE/ OFC/pole/202 2-23/2570/W- 27/460	W0021,W002 4	home	13.019812657 53528- 77.640292498 52325	2570	17/08/2021
46	EE/ OFC/pole/202 2-23/2570/W- 27/461	W0025,W002 4	home	13.019723806 83664- 77.640941787 86358	2570	17/08/2021



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 46


Pole Charges @ Rs 1500/- Pole	69,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	339.94
Junction Box Charges @ Rs 3000/- Pole	1,38,000	Total (C)	339.94
Supervision Charge @ Rs 100/- Pole	4,600		
Sub Total (A)	2,11,600	GST @ 18% (B)	38,088
Grand Total (A + B + C)	2,50,027.94		

Total Amount Payable Rs: 2,50,028 In words (Rupees Two Lakh Fifty Thousand and Twenty-Eight Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

No.: 10-2022-1353

OFC/Pole/2022-23/W0143/1359 10-2022-1362 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

Pole Details

Map showing pole locations in Kalyan Nagar area. Landmarks include Anand Sweets & Savouries, Sangam Mess, Wings Brand Activations, Starbucks, HRBR Park, and various shops.

OFC/Pole/2022-23/W0403/1344 10-2022-1344 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

https://bbmp.oasisweb.in/RoadHistory/APPLICATIONS/PolesMyApplication.aspx#

S. John
 ASSISTANT EXECUTIVE ENGINEER
 OFC CELL
 BRUHAT BENGALURU MAHANAGARA PALIKE

Kalyan
 EXECUTIVE ENGINEER
 OFC CELL
 BRUHAT BENGALURU MAHANAGARA PALIKE
 BENGALURU