



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1356/2022-23

Date: 21-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 21-05-2022
 - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : **15-10-2022**.
 - 4) Fee Demand Note letter No: 10-2022-1356, Date: **17-10-2022**.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: **21-10-2022**.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 1st Main via Street ID No-W0199, W0105	38 Poles
02	From Street ID No-W0201 via W0195 up to W0171.	
03	From Street ID No-W0195 via W0201	
04	From Street ID No-W0195 via W0263	
05	From Street ID No-W0195 via W0171	
06	From Street ID No-W0203 via W0201	
07	From Street ID No-W0195 via W0171, W0181, W0193	
08	From Street ID No-W0181 via W0191	
09	From Street ID No-W0191 via W0193 up to W0199.	
10	From Street ID No-W0171 via W0189, W0084, W0073	
11	From Street ID No-W0181 via W0174	
12	From Street ID No-W0084 via W0187 up to W0074.	
13	From Street ID No-W0084 via W0073, W0185, W0074	

No: EE/OFC/PR/1356/2022-23, Dt: 21-10-2022

S. Myski
Executive Engineer (OFC), BBMP

14	From Street ID No-W0187 via W0086
15	From Street ID No-W0074 via W0245
16	From Street ID No-W0074 via W0241
17	From Street ID No-W0073 via W0183, W1171 up to W0169.
18	From Street ID No-W0073, W0165 up to W0080.
19	From Street ID No-W0080, W0165 up to W0082.
20	From Street ID No-W0082, W0165, Dattatraya Temple Road up to W0185.
21	From Street ID No-W0073 via W0169, W0171, W0167 up to W0073 for total No of 38 Poles, in Ward No-161, South Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.

10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.

20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0


23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**South Zone**) for information.
4. Copy to Zonal Chief Engineer (**South Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Padmanabha Nagar** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Padmanabha Nagar** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

केनरा बैंक  Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP
 शाखा/ Branch BCC Extension

1356

दिनांक/ Date 21/10/2022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.
 वचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

8401132000010

नाम/Name Commissioner BBMP

टेलिफोन / मोबाइल नं
 Tel No./Mobile No. ₹ प/प.

राशि /Amount 1,75,081 00/-

राशि शब्दों में One lakh seventy five
 Rupees in words thousand eighty one

चेक नं. / दिनांक तथा बैंक के शाखा का नाम. Cheque No./Date/Name of Bank & Branch	₹	पै/P.
<u>206228</u> <u>21/10/22</u> <u>20 OCT 2022</u>	<u>081</u>	<u>00/-</u>
<u>EXECUTIVE ENGINEER C. Road.</u>	<u>002</u>	<u>081.00/-</u>
<u>कल/कल</u>	<u>081</u>	<u>00/-</u>

अधिकारी का नाम/Name of Officer ...
 अधिकारी का पता/Address of Officer ...
 एस डब्ल्यू ऑफिसर/Officer/Cashier/SWO BENGALURU 1800 425 0018
 केनरा बैंक टोल फ्री नं. 24 घंटे, कॉल सेंटर
 Canara Bank Toll Free No.

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1356 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1356

With reference to your Demand Note bearing Pole-OFC-10-2022-1356 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0923

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1356	38	175081	206228	31464	175081
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



1356

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206228

18/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1356 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru – 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1356

With reference to your Demand Note bearing Pole-OFC-10-2022-1356 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0923 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1356	38	175081	206228	31464	175081
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



1356

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206228

18/10/2022
dated

PAYMENT REFERENCE

AXIS BANK LTD ISSUING BRANCH
IFS CODE - UTIB000274

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17012023

DATE दिनांक 18 10 2022

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर

RUPEES One Lac Seventy Five Thousand Eighty One Only

रुपये

अदा करें

₹ 175,081.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206228

Client Reference 4200008920_92

For Axis Bank Ltd
Authorized Signatory

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

Reference No. 26182

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1356 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1356

With reference to your Demand Note bearing Pole-OFC-10-2022-1356 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0923 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1356	38	175081	206228	31464	175081
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

1356

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206228

18/10/2022
dated

PAYMENT REFERENCE

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17012023

DATE 18 10 2022
दिनांक

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर

RUPEES One Lac Seventy Five Thousand Eighty One Only

रुपये

अदा करें

₹ 175,081.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206228

Client Reference 4200008920_92

For Axis Bank Ltd
Authorized Signatory

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

No. 206228



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT
Pole Form

Application No. :10-2022-1356

PR Number(To be Assigned by AE/JE- OFC, BBMP) CE-POLE-10-2022-1356

General Information

Segment ID

OFC/Pole/2022-23/W0167/1353

Street ID

29279

Street Name

NA

Zone

South

Ward No.

161

Ward Name

Hosakerehalli

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

21/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

ofc

Phone No.

9845117017

Mobile No.

9845117017

Attachments

Pole Related Information

No.of Poles

38

No.Junction Box

38



Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1356

Date: 17/10/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited


GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).
2)Your request letter No. : 10-2022-1356, dated : 21/05/2022

Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0167/1353)




Sr No.	Unique Poleld.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/5785/W- 161/39	W0171	w0171	12.929269505 898755- 77.542485594 74946	5785	04/02/2022
2	EE/ OFC/pole/202 2-23/5785/W- 161/40	W0195,W017 1	w0195	12.929666865 04992- 77.542072534 56117	5785	04/02/2022
3	EE/ OFC/pole/202 2-23/5785/W- 161/41	W0195,W020 3	w0195	12.929959655 598589- 77.542276382 4463	5785	04/02/2022
4	EE/ OFC/pole/202 2-23/5785/W- 161/42	W0203	w0203	12.929682550 266595- 77.542555332 18385	5785	04/02/2022
5	EE/ OFC/pole/202 2-23/5785/W- 161/43	W0203	w0203	12.929279962 726634- 77.542963027 95412	5785	04/02/2022

6	EE/ OFC/pole/202 2-23/5785/W- 161/44	W0201	W0201	12.929640723 019947- 77.543070316 3147	5785	04/02/2022
7	EE/ OFC/pole/202 2-23/5785/W- 161/45	W0201	W0201	12.929923056 798788- 77.542780637 7411	5785	04/02/2022
8	EE/ OFC/pole/202 2-23/5785/W- 161/46	W0195,W020 1	W0195	12.930231532 229065- 77.542464137 07735	5785	04/02/2022
9	EE/ OFC/pole/202 2-23/5785/W- 161/47	W0199	W0199	12.929813260 367187- 77.543317079 54408	5785	04/02/2022
10	EE/ OFC/pole/202 2-23/5785/W- 161/48	W0199	W0199	12.930174019 889622- 77.542957663 53609	5785	04/02/2022
11	EE/ OFC/pole/202 2-23/5785/W- 161/49	W0195,W019 9	W0195	12.930466809 843299- 77.542673349 38051	5785	04/02/2022
12	EE/ OFC/pole/202 2-23/5785/W- 161/50	W0199,W019 3	W0199	12.930756985 262022- 77.542370259 76182	5785	04/02/2022
13	EE/ OFC/pole/202 2-23/5785/W- 161/51	W0193	W0193	12.930587062 760463- 77.542246878 14714	5785	04/02/2022
14	EE/ OFC/pole/202 2-23/5785/W- 161/52	W0193	W0193	12.930419754 338184- 77.542136907 57753	5785	04/02/2022
15	EE/ OFC/pole/202 2-23/5785/W- 161/53	W0191,W019 3	W0193	12.930113893 338765- 77.541984021 66368	5785	04/02/2022
16	EE/ OFC/pole/202 2-23/5785/W- 161/54	W0181,W019 1	W0181	12.930309958 125124- 77.541707754 13515	5785	04/02/2022
17	EE/ OFC/pole/202 2-23/5785/W- 161/55	W0181	W0181	12.930665488 544795- 77.541954517 36452	5785	04/02/2022
18	EE/ OFC/pole/202 2-23/5785/W- 161/56	W0181,W019 9,W0175	W0181	12.930958277 92185- 77.542120814 32344	5785	04/02/2022
19	EE/ OFC/pole/202 2-23/5785/W- 161/57	W0189,W017 1,W0191	W0189	12.929876001 191172- 77.541825771 3318	5785	04/02/2022
20	EE/ OFC/pole/202 2-23/5785/W- 161/58	W0084,W007 3	W0084	12.929891686 39469- 77.541466355 3238	5785	04/02/2022
21	EE/ OFC/pole/202 2-23/5785/W- 161/59	W0187	W0187	12.929677321 861147- 77.541364431 38124	5785	04/02/2022

22	EE/ OFC/pole/202 2-23/5785/W- 161/60	W0187	W0187	12.929332246 859415- 77.541289329 52882	5785	04/02/2022
23	EE/ OFC/pole/202 2-23/5785/W- 161/61	W0074,W024 3	W0074	12.928955800 858848- 77.541573643 6844	5785	04/02/2022
24	EE/ OFC/pole/202 2-23/5785/W- 161/62	W0243	W0243	12.928438186 68097- 77.541450262 06972	5785	04/02/2022
25	EE/ OFC/pole/202 2-23/5785/W- 161/63	W0241	W0241	12.928887831 38156- 77.541219592 09444	5785	04/02/2022
26	EE/ OFC/pole/202 2-23/5785/W- 161/64	W0241	W0241	12.928657780 705713- 77.541182041 16823	5785	04/02/2022
27	EE/ OFC/pole/202 2-23/5785/W- 161/65	W0241	W0241	12.928412044 522311- 77.541128396 98793	5785	04/02/2022
28	EE/ OFC/pole/202 2-23/5785/W- 161/66	W0171,W018 3	W0171	12.930247217 410244- 77.541332244 87305	5785	04/02/2022
29	EE/ OFC/pole/202 2-23/5785/W- 161/67	W0171,W016 9	W0171	12.930377927 215096- 77.541155219 07806	5785	04/02/2022
30	EE/ OFC/pole/202 2-23/5785/W- 161/68	W0171,W016 7	W0171	12.930498180 175096- 77.540967464 44702	5785	04/02/2022
31	EE/ OFC/pole/202 2-23/5785/W- 161/69	W0171,W007 3	W0171	12.930655031 774966- 77.540747523 30781	5785	04/02/2022
32	EE/ OFC/pole/202 2-23/5785/W- 161/70	W0078,W007 3	W0073	12.930309958 125124- 77.540624141 69312	5785	04/02/2022
33	EE/ OFC/pole/202 2-23/5785/W- 161/71	W0073	W0073	12.930027624 783978- 77.541037201 88142	5785	04/02/2022
34	EE/ OFC/pole/202 2-23/5785/W- 161/72	W0165	W0165	12.929985797 595167- 77.540661692 61934	5785	04/02/2022
35	EE/ OFC/pole/202 2-23/5785/W- 161/73	W0082,W016 5	W0165	12.929515241 237937- 77.540511488 9145	5785	04/02/2022
36	EE/ OFC/pole/202 2-23/5785/W- 161/74	W0074,W016 5,W0235	W0074	12.929248592 241699- 77.540441751 48012	5785	04/02/2022
37	EE/ OFC/pole/202 2-23/5785/W- 161/75	W0074,W018 5	W0074	12.929170166 012115- 77.540929913 52083	5785	04/02/2022

38	EE/ OFC/pole/202 2-23/5785/W- 161/76	W0080,W018 5	W0080	12.929693007 077171- 77.541096210 47975	5785	04/02/2022
----	---	-----------------	-------	--	------	------------



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No. of Poles 38

Pole Charges @ Rs 1500/- Pole	57,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	280.82
Junction Box Charges @ Rs 3000/- Pole	1,14,000	Total (C)	280.82
Supervision Charge @ Rs 100/- Pole	3,800		
Sub Total (A)	1,74,800	GST @ 18% (B)	31,464
Grand Total (A + B + C)	2,06,544.82		

Total Amount Payable Rs: 2,06,545 In words (Rupees Two Lakh Six Thousand Five Hundred and Forty-Five Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-1356

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-1356



S. S. Srinivas
 EXECUTIVE ENGINEER
 OFC CELL

BRIHAT BANGALURU MAHANAGARA PALIKE
 BANGALURU