



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1357/2022-23
334

Date: 31-10-2022

Permission for Regularization for Poles

To,

M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 21-05-2022
 - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 4) Fee Demand Note letter No: 10-2022-1357, Date: 19-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 25-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

SI No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 2nd 'A' Cross Road via 6th 'A' Main Road, Street ID No-W0022, 6th Main Road, Street ID No-W0020, 6th 'A' Main Road, W0014, Bethel Street up to 5th Main Road.	37 Poles
02	From 2nd 'H' Cross Road via 2nd 'B' Cross Road, 3rd 'H' Cross Road, 5th 'B' Main Road, 2nd 'H' Cross Road, 5th 'A' Main Road, 3rd 'H' Cross Road up to 5th Main Road.	
03	From 3rd 'H' Cross Road via W0023 up to 3rd 'C' Cross Road.	
04	From 3rd 'H' Cross Road via W0021 up to 3rd 'C' Cross Road.	
05	From 3rd 'H' Cross Road via W0019 up to 3rd 'C' Cross Road.	
06	From CMR Road via 6th Main Road up to Bethel Street.	
07	From CMR Road via Street ID No-W0025 up to Bethel Street.	
08	From 6th 'A' Main Road via 2nd Cross Road, 3rd 'H' Cross Road, From Street ID No-W0025, 3rd 'C' Cross Road up to 5th Main Road for total No of 37 Poles in Ward No-27, East Zone	
Ref: As per drawing enclosed & demand note GIS co-ordinates		

No: EE/OFC/PR/1357/2022-23, Dt: 31-10-2022


Executive Engineer (OFC), BBMP

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. –No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)


24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**East Zone**) for information.
4. Copy to Zonal Chief Engineer (**East Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Sarvagna Nagar** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Maruthi Seva Nagar** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

केनरा बैंक  Canara Bank **1357** जमा पर्ची / DEPOSIT / PAY IN SLIP
 शाखा/ Branch BCC Extension

दिनांक/ Date 25/10/2022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

बचत/ चालू खाता/ ओडी/ सीसी/ आरडी/ टीएल/ डीएल खाता सं./ क्रेडिट कार्ड सं.

8401132000010

नाम/Name Commissioner BBMP

टेलिफोन / मोबाइल नं
Tel No./Mobile No.

राशि /Amount ₹ 1,70,473.00H पै/P.

राशि शब्दों में
Rupees in words One lakh seventy thousand four hundred seventy three only.

चेक नं./ दिनांक तथा बैंक व शाखा का नाम Cheque No./Date / Name of Bank & Branch	₹	पै/P.
<u>206474 25/10/22</u>	<u>1,70,473.00H</u>	

EXECUTIVE ENGINEER 0,473.00H

अधिकारी / रोकाडियर /
Officer / Cashier
BRUHAT BENGALURU MAHANAGARA PALIKE
 1800 425 0018
BENGALURU

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1357 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1357

With reference to your Demand Note bearing Pole-OFC-10-2022-1357 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1450 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1357	37	170473	206474	30636	170473
			Dated		
			19-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206474

19/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1357 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1357

With reference to your Demand Note bearing Pole-OFC-10-2022-1357 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1450

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1357	37	170473	206474	30636	170473
			Dated		
			19-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206474**
as per details mentioned below.

19/10/2022
dated

PAYMENT REFERENCE

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE दिनांक

D	9	M	0	M	2	Y	0	Y	2	Y	2	Y
---	---	---	---	---	---	---	---	---	---	---	---	---

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मांगे जाने पर
RUPEES One Lac Seventy Thousand Four Hundred Seventy Three Only

रुपये ₹ 170,473.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206474

Client Reference 4200009020_170

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd
Rudresha B
SSNO: 24004
Authorised Signatory

Rudresha B
Rudresha B
26182
Please sign above 26182

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1357 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1357

With reference to your Demand Note bearing Pole-OFC-10-2022-1357 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1450

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1357	37	170473	206474	30636	170473
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206474**
as per details mentioned below.

19/10/2022
dated

PAYMENT REFERENCE



AXIS BANK LTD
IFS CODE - UTIB0000274

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 18/01/2023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 19/10/2022
दिनांक 19/10/2022

Payee Negotiable

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मांगे जाने पर
RUPEES One Lac Seventy Thousand Four Hundred Seventy Three Only

रुपये

₹ 170,473.00
अदा करें

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206474

Client Reference 4200009020_170

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

Alexandra
SSM: 2404
Authorised Signatory

Rudresha B
Rudresha B
25/10/22
Please sign above
SS No. 26182



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT
Pole Form

Application No. :10-2022-1357

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-1357

General Information

Segment ID

OFC/Pole/2022-23/W0034/1354

Street ID

46677

Street Name

NA

Zone

East

Ward No.

27

Ward Name

Banasavadi

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

21/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

ofc

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

37

No.Junction Box

37




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	24/05/2022

Date : 18/10/2022

Time : 12:42:15

20221018124215





Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1357

Date: 19/10/2022

Demand Notice
GST No.: 29AAALBI608FIZK

To

Shri Veerabhadre

M/s. Jio Digital Fibre Private Limited


GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-1357, dated : 21/05/2022

Details of Poles added on BBMP GIS Map


(Pole Id:-OFC/Pole/2022-23/W0034/1354)



Sr No.	Unique Poleld.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/2571/W- 27/462	W0039	home	13.019549589 794327- 77.642606450 84545	2571	17/08/2021
2	EE/ OFC/pole/202 2-23/2571/W- 27/463	W0039,W002 2	home	13.019800462 449561- 77.642606450 84545	2571	17/08/2021
3	EE/ OFC/pole/202 2-23/2571/W- 27/464	W0027	home	13.019701158 720586- 77.641372264 49606	2571	17/08/2021
4	EE/ OFC/pole/202 2-23/2571/W- 27/465	W0039,W002 0	home	13.020119279 415754- 77.642617182 90066	2571	17/08/2021
5	EE/ OFC/pole/202 2-23/2571/W- 27/466	W0039	home	13.020411963 482568- 77.642638647 01107	2571	17/08/2021

6	EE/ OFC/pole/202 2-23/2571/W- 27/467	W0039	home	13.020803950 53047- 77.642660111 1215	2571	17/08/2021
7	EE/ OFC/pole/202 2-23/2571/W- 27/468	W0014	home	13.020856215 423338- 77.641543977 37944	2571	17/08/2021
8	EE/ OFC/pole/202 2-23/2571/W- 27/469	W0014	home	13.020741232 644479- 77.642005455 75355	2571	17/08/2021
9	EE/ OFC/pole/202 2-23/2571/W- 27/470	W0014	home	13.020610570 331009- 77.642466934 12767	2571	17/08/2021
10	EE/ OFC/pole/202 2-23/2571/W- 27/471	W0027	home	13.021096633 788508- 77.641468852 99297	2571	17/08/2021
11	EE/ OFC/pole/202 2-23/2571/W- 27/472	W0027	home	13.020641929 292527- 77.641415192 7169	2571	17/08/2021
12	EE/ OFC/pole/202 2-23/2571/W- 27/473	W0027,W002 0	home	13.020328339 498759- 77.641404460 6617	2571	17/08/2021
13	EE/ OFC/pole/202 2-23/2571/W- 27/474	W0020	home	13.020255168 489777- 77.641747886 42849	2571	17/08/2021
14	EE/ OFC/pole/202 2-23/2571/W- 27/475	W0020	home	13.020171544 453044- 77.642246926 99584	2571	17/08/2021
15	EE/ OFC/pole/202 2-23/2571/W- 27/476	W0020	home	13.020218582 977176- 77.642010821 78118	2571	17/08/2021
16	EE/ OFC/pole/202 2-23/2571/W- 27/477	W0022	home	13.019972937 252707- 77.641533245 32423	2571	17/08/2021
17	EE/ OFC/pole/202 2-23/2571/W- 27/478	W0022	home	13.019925898 681933- 77.641844474 92536	2571	17/08/2021
18	EE/ OFC/pole/202 2-23/2571/W- 27/479	W0022	home	13.019889313 120721- 77.641908867 25669	2571	17/08/2021
19	EE/ OFC/pole/202 2-23/2571/W- 27/480	W0022	home	13.019847501 04415- 77.642273757 13386	2571	17/08/2021
20	EE/ OFC/pole/202 2-23/2571/W- 27/481	W0025	home	13.021197679 012387- 77.641061408 31657	2571	17/08/2021
21	EE/ OFC/pole/202 2-23/2571/W- 27/482	W0025,W001 6	home	13.020868410 457084- 77.641002382 01294	2571	17/08/2021

22	EE/ OFC/pole/202 2-23/2571/W- 27/483	W0016	home	13.020915448 848905- 77.640696518 43938	2571	17/08/2021
23	EE/ OFC/pole/202 2-23/2571/W- 27/484	W0016	home	13.021077469 907986- 77.639934542 51934	2571	17/08/2021
24	EE/ OFC/pole/202 2-23/2571/W- 27/485	W0025,W001 8	home	13.020492103 000905- 77.640932623 65402	2571	17/08/2021
25	EE/ OFC/pole/202 2-23/2571/W- 27/486	W0018	home	13.020763880 665472- 77.639725267 44271	2571	17/08/2021
26	EE/ OFC/pole/202 2-23/2571/W- 27/487	W0018	home	13.020617538 883137- 77.640444315 14188	2571	17/08/2021
27	EE/ OFC/pole/202 2-23/2571/W- 27/488	W0018	home	13.020638444 857335- 77.640100889 3751	2571	17/08/2021
28	EE/ OFC/pole/202 2-23/2571/W- 27/489	W0019	home	13.020502555 993518- 77.639988202 79541	2571	17/08/2021
29	EE/ OFC/pole/202 2-23/2571/W- 27/490	W0019	home	13.019910219 156367- 77.639959727 55204	2571	17/08/2021
30	EE/ OFC/pole/202 2-23/2571/W- 27/491	W0019	home	13.019450285 964796- 77.639959727 55204	2571	17/08/2021
31	EE/ OFC/pole/202 2-23/2571/W- 27/492	W0021	home	13.020338792 498281- 77.640313885 37403	2571	17/08/2021
32	EE/ OFC/pole/202 2-23/2571/W- 27/493	W0021	home	13.019925898 681933- 77.640292421 26358	2571	17/08/2021
33	EE/ OFC/pole/202 2-23/2571/W- 27/494	W0023	home	13.020286527 496282- 77.640625114 97515	2571	17/08/2021
34	EE/ OFC/pole/202 2-23/2571/W- 27/495	W0023	home	13.019826595 003211- 77.640598284 83713	2571	17/08/2021
35	EE/ OFC/pole/202 2-23/2571/W- 27/496	W0023	home	13.020129732 424092- 77.640635847 03037	2571	17/08/2021
36	EE/ OFC/pole/202 2-23/2571/W- 27/497	W0025	home	13.019842274 534083- 77.640957808 68674	2571	17/08/2021
37	EE/ OFC/pole/202 2-23/2571/W- 27/498	W0025	home	13.020188966 182856- 77.640961552 4705	2571	17/08/2021



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 37

Pole Charges @ Rs 1500/- Pole	55,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	273.43
Junction Box Charges @ Rs 3000/- Pole	1,11,000	Total (C)	273.43
Supervision Charge @ Rs 100/- Pole	3,700		
Sub Total (A)	1,70,200	GST @ 18% (B)	30,636
Grand Total (A + B + C)	2,01,109.43		

Total Amount Payable Rs: 2,01,109-In-words (Rupees Two Lakh One Thousand One Hundred and Nine Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-1357

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



OFC/Pole/2022-23/W0174/1366 10-2022-1366 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

Pole Details



OFC/Pole/2022-23/W0399/1348 10-2022-1348 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

https://bbmp.oasisweb.in/RoadHistory/APPLICATIONS/PolesMyApplication.aspx#

S. Jagan
ASSISTANT EXECUTIVE ENGINEER
OFC CELL
BRUHAT BENGALURU MAHANAGARA PALIKE
BENGALURU

EXECUTIVE ENGINEER
OFC CELL
BRUHAT BENGALURU MAHANAGARA PALIKE
BENGALURU