



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1363/2022-23

Date: 21-10-2022

307
Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-** 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
2) M/s. Jio Digital Fibre Private Limited online application Dated: 21-05-2022
3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
4) Fee Demand Note letter No: 10-2022-1363, Date: 17-10-2022.
5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 21-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 1st Cross via 8th Main	18 Poles
02	From Dattathreya Nagar Road via 8th Main	
03	From Dattathreya Nagar Road via 3rd Main.	
04	From Dattathreya Nagar Road via 5th Main	
05	From Dattathreya Nagar Road via 4th Main	
06	From 4th Main via Street ID No-W0082 up to 5th Main.	
07	From 4th Main via Street ID No-W0080 up to 5th Main.	
08	From Street ID No-W0217 via Dattathreya Main Road	
09	From 4th Cross via 8th Main, Street ID No-W0076, W0161	
10	From 3rd Main via 4th Cross	
11	From Raghavendra Road via 3rd Main	
12	From 4th Cross via 2nd 'A' Main, Street ID No-W0173, W0179	
13	From 4th Cross via Street ID No-W0169	
14	From 4th Cross via Street ID No-W0183	

No: EE/OFC/PR/1363/2022-23, Dt: 21-10-2022

Executive Engineer (OFC), BBMP

15	From Street ID No-W0084 via 4th Cross, W0167, W0171 for total No of 18 Poles , in Ward No-161, South Zone . Ref: As per drawing enclosed & demand note GIS co-ordinates	
----	--	--

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.

11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be refereed to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:

22. Right-of-way (ROW) for Electrical lines.-

Sl No	Transmission Voltage	Width of the Right-of-way (ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**South** Zone) for information.
4. Copy to Zonal Chief Engineer (**South** Zone) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Padmanabha Nagar** Division) for information.

7. Copy to the Concerned Assistant Executive Engineer of (**Padmanabha Nagar** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1363 /DD

Date: 18-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1363

With reference to your Demand Note bearing Pole-OFC-10-2022-1363 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0923

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1363	18	82933	206194	14904	82933
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.



Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



1363

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206194

18/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1363 /DD

Date: 18-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1363

With reference to your Demand Note bearing Pole-OFC-10-2022-1363 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0923

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1363	18	82933	206194	14904	82933
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206194

18/10/2022
dated

PAYMENT REFERENCE

IFS CODE - UTIB000274

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17/10/2023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 18/10/2022
दिनांक 18/10/2022

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मांगे जाने पर
RUPEES Eighty Two Thousand Nine Hundred Thirty Three Only

रुपये

₹ 82,933.00
अदा करें

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206194

Client Reference 4200008920_58

For Axis Bank Ltd

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

Authorized Signatory
Rudresha B
CC No. 26182
Please sign above

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1363 /DD

Date: 18-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1363

With reference to your Demand Note bearing Pole-OFC-10-2022-1363, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0923.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1363	18	82933	206194	14904	82933
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. as per details mentioned below.

206194

18/10/2022
dated

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17/01/2023

Payable / Negotiable

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 18 10 2022
दिनांक D D M M Y Y Y Y

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौगे जाने पर
RUPEES Eighty Two Thousand Nine Hundred Thirty Three Only

रुपये अदा करें ₹ 82,933.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206194

Client Reference 4200008920 58

For Axis Bank Ltd
Authorized Signatory
Rudresha B
Please sign above

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-1363

PR Number(To be Assigned by AE/JE- OFC, BBMP) CE-POLE-10-2022-1363

General Information

Segment ID

OFC/Pole/2022-23/W0157/1363

Street ID

29367

Street Name

NA

Zone

South

Ward No.

161

Ward Name

Hosakerehalli

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5 Rasta, Ambawadi, Ahmedabad, Gujarat, India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

21/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

Purpose

ofc

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

18

No.Junction Box

18




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	24/05/2022

Date : 19/10/2022

Time : 04:25:52

20221019042552





Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1363

Date: 17/10/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited


GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).
2)Your request letter No. : 10-2022-1363, dated : 21/05/2022


Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0157/1363)



Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/5787/W- 161/109	W0071,W006 1	W0071	12.931935982 817034- 77.540838718 41432	5787	04/02/2022
2	EE/ OFC/pole/202 2-23/5787/W- 161/110	W0071 *	W0071	12.931475886 872944- 77.540624141 69312	5787	04/02/2022
3	EE/ OFC/pole/202 2-23/5787/W- 161/111	W0071	W0071	12.931026246 83525- 77.540420293 808	5787	04/02/2022
4	EE/ OFC/pole/202 2-23/5787/W- 161/112	W0073	W0073	12.931674564 771058- 77.541235685 34852	5787	04/02/2022
5	EE/ OFC/pole/202 2-23/5787/W- 161/113	W0073	W0073	12.931329492 531027- 77.541064023 97157	5787	04/02/2022

6	EE/ OFC/pole/202 2-23/5787/W- 161/114	W0073	W0083	12.930827568 42097- 77.540817260 7422	5787	04/02/2022
7	EE/ OFC/pole/202 2-23/5787/W- 161/115	W0071	W0071	12.929834173 976941- 77.539894580 84108	5787	04/02/2022
8	EE/ OFC/pole/202 2-23/5787/W- 161/116	W0071	W0071	12.929583210 544363- 77.539819478 98866	5787	04/02/2022
9	EE/ OFC/pole/202 2-23/5787/W- 161/117	W0074,W007 1	W0074	12.929384530 981254- 77.539798021 31654	5787	04/02/2022
10	EE/ OFC/pole/202 2-23/5787/W- 161/118	W0074	W0074	12.929405444 626925- 77.539529800 41505	5787	04/02/2022
11	EE/ OFC/pole/202 2-23/5787/W- 161/119	W0074	W0074	12.929713920 69699- 77.539588809 01338	5787	04/02/2022
12	EE/ OFC/pole/202 2-23/5787/W- 161/120	W0157,W023 5	W0157	12.928506156 280708- 77.540253996 84907	5787	04/02/2022
13	EE/ OFC/pole/202 2-23/5787/W- 161/121	W0157,W023 3	W0157	12.928584582 718935- 77.540001869 20167	5787	04/02/2022
14	EE/ OFC/pole/202 2-23/5787/W- 161/122	W0157,W023 1	W0157	12.928642095 424651- 77.539739012 7182	5787	04/02/2022
15	EE/ OFC/pole/202 2-23/5787/W- 161/123	W0157,W022 5	W0157	12.928689151 264907- 77.539433240 89052	5787	04/02/2022
16	EE/ OFC/pole/202 2-23/5787/W- 161/124	W0225	W0225	12.928485242 559685- 77.539379596 71022	5787	04/02/2022
17	EE/ OFC/pole/202 2-23/5787/W- 161/125	W0225	W0225	12.928276105 253065- 77.539320588 11189	5787	04/02/2022
18	EE/ OFC/pole/202 2-23/5787/W- 161/126	W0225	W0225	12.928124480 596198- 77.539288401 60371	5787	04/02/2022



In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 18

Pole Charges @ Rs 1500/- Pole	27,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	133.02
Junction Box Charges @ Rs 3000/- Pole	54,000	Total (C)	133.02
Supervision Charge @ Rs 100/- Pole	1,800		
Sub Total (A)	82,800	GST @ 18% (B)	14,904
Grand Total (A + B + C)	97,837.02		

Total Amount Payable Rs: 97,837 In words (Rupees Ninety-Seven Thousand Eight Hundred and Thirty-Seven Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-1363

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-1368

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-1363 1/2 ^ v x @RIL.COM

OFC/Pole/2022-23/W0619/1465 10-2022-1466 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

Pole Details



OFC/Pole/2022-23/W0115/1436 10-2022-1436 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

EXECUTIVE ENGINEER
OFC CELL
BHOIRAT BENGALURU MAHANAGARA PALIKE

BENGALURU