



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1368/2022-23

Date: 21-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 21-05-2022
 - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 4) Fee Demand Note letter No: 10-2022-1368, Date: 17-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 21-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 30th Main via 22nd cross, 22nd Main, 21st Main, 27th Main, 27th Cross, 23rd Main, 24th Cross up to 30th Main.	
02	From 30th Main via 22nd 'A' Cross for total No of 40 Poles , in Ward No-165, South Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates	40 Poles

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.

No: EE/OFC/PR/1368/2022-23, Dt: 21-10-2022


Executive Engineer (OFC), BBMP

2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.

14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**South Zone**) for information.
4. Copy to Zonal Chief Engineer (**South Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Padmanabha Nagar** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Banashankari** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1368 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1368

With reference to your Demand Note bearing Pole-OFC-10-2022-1368 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0916 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1368	40	184296	206261	33120	184296
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



1368

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206261

dated 18/10/2022

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1368 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1368

With reference to your Demand Note bearing Pole-OFC-10-2022-1368 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0916 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1368	40	184296	206261	33120	184296
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



1368

MAIL TO -

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE
Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206261

dated 18/10/2022

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17/10/2023

DATE
दिनांक

D	8	M	10	2	0	2	2
---	---	---	----	---	---	---	---

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर

RUPEES One Lac Eighty Four Thousand Two Hundred Ninety Six Only

रुपये

अंदा करे

₹ 184,296.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206261

Client Reference 4200008920 125

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

[Signature]
Authorized Signatory

[Signature]
Sudresha B
26/10/22
55. Mention above

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1368 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1368

With reference to your Demand Note bearing Pole-OFC-10-2022-1368 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0916 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1368	40	184296	206261	33120	184296
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

1368

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREA RELIANCE CORPORATE PARK
GHAN SOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206261

dated 18/10/2022

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

DATE 18 10 2022
दिनांक

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE
मौगे जाने पर

OR ORDER / या उनके आदेश पर

RUPEES One Lac Eighty Four Thousand Two Hundred Ninety Six Only
रुपये

अंदा करे

₹ 184,296.00

DD Sr. No. 206261

Payable at par at all Branches of AXIS Bank Ltd

Client Reference 4200008920 125

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd
Authorized Signatory
Rudresha B
26/10/22



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-1368

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-1368

General Information

Segment ID

OFC/Pole/2022-23/W0114/1366

Street ID

36292

Street Name

NA

Zone

South

Ward No.

165

Ward Name

Ganesh Mandiara Ward

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

21/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

ofc

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

40

No.Junction Box

40




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	23/05/2022

Date : 19/10/2022

Time : 04:26:20

20221019042620





ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1368

Date: 17/10/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0


Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-1368, dated : 21/05/2022

Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0114/1366)




Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/7204/W- 165/82	W0114	w0114	12.926393861 608354- 77.561218142 50947	7204	28/04/2022
2	EE/ OFC/pole/202 2-23/7204/W- 165/83	W0114	w0114	12.926304977 529755- 77.561690211 2961	7204	28/04/2022
3	EE/ OFC/pole/202 2-23/7204/W- 165/84	W0114	w0114	12.926148123 19621- 77.562425136 56618	7204	28/04/2022
4	EE/ OFC/pole/202 2-23/7204/W- 165/85	W0114	w0114	12.926059239 03012- 77.562956213 95113	7204	28/04/2022
5	EE/ OFC/pole/202 2-23/7204/W- 165/86	W0114,W013 9	w0114	12.925907613 026695- 77.563750147 81953	7204	28/04/2022

6	EE/ OFC/pole/202 2-23/7204/W- 165/87	W0114,W022 5,W0141	w0114	12.925823957 261244- 77.564216852 18812	7204	28/04/2022
7	EE/ OFC/pole/202 2-23/7204/W- 165/88	W0225	w0225	12.925175624 128542- 77.564072012 90132	7204	28/04/2022
8	EE/ OFC/pole/202 2-23/7204/W- 165/89	W0225	w0225	12.924678916 153963- 77.563948631 28664	7204	28/04/2022
9	EE/ OFC/pole/202 2-23/7204/W- 165/90	W0225	w0225	12.924061951 188488- 77.563798427 5818	7204	28/04/2022
10	EE/ OFC/pole/202 2-23/7204/W- 165/91	W0225	W0225	12.923214929 006967- 77.563637495 04091	7204	28/04/2022
11	EE/ OFC/pole/202 2-23/7204/W- 165/92	W0225	W0225	12.922524760 660597- 77.563498020 17213	7204	28/04/2022
12	EE/ OFC/pole/202 2-23/7204/W- 165/93	W0170,W022 5	W0170	12.921740476 133394- 77.563326358 79517	7204	28/04/2022
13	EE/ OFC/pole/202 2-23/7204/W- 165/94	W0170,W021 7	W0170	12.921886876 098773- 77.562897205 3528	7204	28/04/2022
14	EE/ OFC/pole/202 2-23/7204/W- 165/95	W0170,W021 3	W0170	12.922022818 846935- 77.562553882 59889	7204	28/04/2022
15	EE/ OFC/pole/202 2-23/7204/W- 165/96	W0170,W020 9,W0207	W0170	12.922137847 268344- 77.562232017 5171	7204	28/04/2022
16	EE/ OFC/pole/202 2-23/7204/W- 165/97	W0170	W0170	12.922388818 185695- 77.561416625 97658	7204	28/04/2022
17	EE/ OFC/pole/202 2-23/7204/W- 165/98	W0170,W019 5	W0170	12.922514303 549763- 77.561051845 55055	7204	28/04/2022
18	EE/ OFC/pole/202 2-23/7204/W- 165/99	W0195	W0195	12.923005787 285254- 77.561169862 7472	7204	28/04/2022
19	EE/ OFC/pole/202 2-23/7204/W- 165/100	W0195	W0193	12.923612297 795595- 77.561277151 1078	7204	28/04/2022
20	EE/ OFC/pole/202 2-23/7204/W- 165/101	W0188	W0188	12.923622754 860437- 77.561588287 35352	7204	28/04/2022
21	EE/ OFC/pole/202 2-23/7204/W- 165/102	W0188,W019 9	W0188	12.923497270 053401- 77.561845779 41896	7204	28/04/2022

22	EE/ OFC/pole/202 2-23/7204/W- 165/103	W0188,W020 5	W0188	12.923309042 724572- 77.562360763 54982	7204	28/04/2022
23	EE/ OFC/pole/202 2-23/7204/W- 165/104	W0188,W021 1	W0188	12.923162643 592956- 77.562757730 48402	7204	28/04/2022
24	EE/ OFC/pole/202 2-23/7204/W- 165/105	W0188,W013 9	W0188	12.923131272 339306- 77.563079595 56581	7204	28/04/2022
25	EE/ OFC/pole/202 2-23/7204/W- 165/106	W0139	W0139	12.923716868 424346- 77.563229799 27064	7204	28/04/2022
26	EE/ OFC/pole/202 2-23/7204/W- 165/107	W0139	W0139	12.924271092 025561- 77.563358545 30336	7204	28/04/2022
27	EE/ OFC/pole/202 2-23/7204/W- 165/108	W0139	W0139	12.924689373 17414- 77.563444375 99184	7204	28/04/2022
28	EE/ OFC/pole/202 2-23/7204/W- 165/109	W0211	W0211	12.924814857 382062- 77.563101053 23793	7204	28/04/2022
29	EE/ OFC/pole/202 2-23/7204/W- 165/110	W0120	W0120	12.924950798 536155- 77.562575340 27101	7204	28/04/2022
30	EE/ OFC/pole/202 2-23/7204/W- 165/111	W0120,W019 7	W0120	12.925107653 621964- 77.561759948 73048	7204	28/04/2022
31	EE/ OFC/pole/202 2-23/7204/W- 165/112	W0120	W0120	12.925274965 604874- 77.561051845 550557	7204	28/04/2022
32	EE/ OFC/pole/202 2-23/7204/W- 165/113	W0120	W0120	12.925222680 622262- 77.561384439 4684	7204	28/04/2022
33	EE/ OFC/pole/202 2-23/7204/W- 165/114	W0120,W019 9	W0120	12.925013540 5823- 77.562210559 84498	7204	28/04/2022
34	EE/ OFC/pole/202 2-23/7204/W- 165/115	W0116	W0116	12.926022639 658406- 77.561073303 22267	7204	28/04/2022
35	EE/ OFC/pole/202 2-23/7204/W- 165/116	W0116	W0116	12.925949440 898906- 77.561303973 19795	7204	28/04/2022
36	EE/ OFC/pole/202 2-23/7204/W- 165/117	W0116	W0116	12.925912841 51111- 77.561566829 6814	7204	28/04/2022
37	EE/ OFC/pole/202 2-23/7204/W- 165/118	W0116	W0116	12.925871013 632754- 77.561845779 41896	7204	28/04/2022

38	EE/ OFC/pole/202 2-23/7204/W- 165/119	W0116	W0116	12.925839642 719398- 77.562049627 30409	7204	28/04/2022
39	EE/ OFC/pole/202 2-23/7204/W- 165/120	W0120	W0120	12.925332479 07311- 77.560853362 08345	7204	28/04/2022
40	EE/ OFC/pole/202 2-23/7204/W- 165/121	W0116	W0116	12.925771672 393603- 77.562323212 62361	7204	28/04/2022



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore"-within seven (7) days. Then only your request can be processed further.

Total No. of Poles 40

Pole Charges @ Rs 1500/- Pole	60,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	295.6
Junction Box Charges @ Rs 3000/- Pole	1,20,000	-Total (C)	295.6
Supervision Charge @ Rs 100/- Pole	4,000		
Sub Total (A)	1,84,000	GST @ 18% (B)	33,120
Grand Total (A + B + C)	2,17,415.6		

Total Amount Payable Rs: 2,17,416 In words (Rupees Two Lakh Seventeen Thousand Four Hundred and Sixteen Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-1368

1/2

@RIL.COM

OFC/Pole/2022-23/W0076/1391 10-2022-1391 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

Pole Details

10-2022-1368



OFC/Pole/2022-23/W0228/1373 10-2022-1373 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

S. Y. Gh
 EXECUTIVE ENGINEER
 OFC CLERK
 BANGALORE MUNICIPAL CORPORATION
 MAHANAGARA PALIKE