



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1371/2022-23

Date: 20-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 21-05-2022
 - 3) Fee Demand Note letter No: 10-2022-1371, Date: 17-10-2022.
 - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 19-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from the junction of 4 th Main Road along 13 th Cross Road up to junction of 4 th 'B' Main Road.	59 Poles
02	From the junction of 4 th 'B' Main Road along Street ID No-W0139 via W0168 up to junction of 12 th Cross Road.	
03	From the junction of 12 th Cross Road along 1 st Main Road, 1 st Cross Road up to junction of Magadi Main Road.	
04	From the junction of 1 st Cross Road along Street ID No-W0064	
05	From the junction of 1 st Cross Road along Street ID No-W0060	
06	From the junction of 1 st Cross Road along Street ID No-W0058	
07	From junction of KHB Colony Road along 2 nd Main Road up to junction of 6 th Cross Road.	
08	From the junction of 2 nd Main Road along 9 th Cross Road up to junction of Street ID No-W0115.	
09	From the junction of 1 st Main Road along Street ID No-	
10	From junction of 1 st Main Road along Street ID NO-W0054, W0115 up to junction of 6 th Cross Road.	
11	From junction of 7 th Cross Road along Street ID No-W0115, W0032, W0103	

No: EE/OFC/PR/1371/2022-23, Dt: 20-10-2022

Executive Engineer (OFC), BBMP

12	From junction of Street ID No-W0032 along Street ID No-W0103 up to junction of Street ID No-W0142.	59 Poles
13	From junction of Street ID No-W0032 along Street ID No-W0111, W0113, Crossing Street ID No-W0130 up to junction of Street ID NO-W0121.	
14	From the junction of Street ID No-W0111 along W0130 up to junction of Street ID No-W0136.	
15	From the junction of 1 st Cross Road along 1 st 'A' Cross Road up to Road end.	
16	From junction of 1 st Main Road along Street ID NO-W0068, W0078	
17	From the junction of Street ID No-W0115 along 6 th Cross Road	
18	From the junction of Street ID No-W0115 along Street ID No-W0158	
19	From the junction of 2 nd Main Road along 7 th Cross Road, for total No of 59 Poles , in Ward No-104, West Zone . Ref: As per drawing enclosed & demand note GIS co-ordinates.	

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.

9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be refereed to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.

19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0

23. Distance of site from Electric Lines. –No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**West Zone**) for information.
4. Copy to Zonal Chief Engineer (**West Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Govindaraj Nagar** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Govindaraj Nagar** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1371 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1371

With reference to your Demand Note bearing Pole-OFC-10-2022-1371 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0730

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1371	59	271836	206155	48852	271836
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.





1371

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206155

18/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1371 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1371

With reference to your Demand Note bearing Pole-OFC-10-2022-1371, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0730.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1371	59	271836	206155	48852	271836
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



1371

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206155**
as per details mentioned below.

18/10/2022
dated

PAYMENT REFERENCE

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17012023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 18/10/2022
दिनांक 18/10/2022

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मांगे जाने पर
RUPEES Two Lacs Seventy One Thousand Eight Hundred Thirty Six Only

रुपये

अदा करें ₹ 271,836.00

Payable at par at all Branches of AXIS Bank Ltd .

DD Sr. No. 206155

Client Reference 4200008920_19

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

Alexandra...
SSHA: 24004
Authorised Signatory

Rudresha B
Authorised Signatory

Rudresha B
Use sign above
CC NO.

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1371 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1371

With reference to your Demand Note bearing Pole-OFC-10-2022-1371 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0730 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1371	59	271836	206155	48852	271836
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

1371

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206155**
as per details mentioned below.

18/10/2022
dated

PAYMENT REFERENCE

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17/01/2023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 18 10 2022
दिनांक

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर
RUPEES Two Lacs Seventy One Thousand Eight Hundred Thirty Six Only

रुपये

₹ 271,836.00
अदा करें

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206155

Client Reference 4200008920_19

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd
Authorised Signatory

Rudresha B
CC NO. 1371



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT
Pole Form

Application No. :10-2022-1371

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-1371

General Information

Segment ID

OFC/Pole/2022-23/W0054/1365

Street ID

24470

Street Name

NA

Zone

West

Ward No.

104

Ward Name

Govindarajanagara

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

21/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

59

No.Junction Box

59




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	24/05/2022

Date : 17/10/2022

Time : 07:17:59

20221017071759





Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1371

Date: 17/10/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre


M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0



Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).
2)Your request letter No. : 10-2022-1371, dated : 21/05/2022

Details of Poles added on BBMP GIS Map (Pole Id:-OFC/Pole/2022-23/W0054/1365)




Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/4272/W- 104/1	W0053	JAYA BHAWANI NIVAS	12.979589361 756503- 77.538005215 88163	4272	06/07/2020
2	EE/ OFC/pole/202 2-23/4272/W- 104/2	W0053	BAVANI	12.979453454 290844- 77.537967662 96828	4272	06/07/2020
3	EE/ OFC/pole/202 2-23/4272/W- 104/3	W0053	R V AGENCIES	12.979333228 39393- 77.537935474 75684	4272	06/07/2020
4	EE/ OFC/pole/202 2-23/4272/W- 104/4	W0054	HDFC BANK	12.979650665 997143- 77.538237603 04903	4272	06/07/2020
5	EE/ OFC/pole/202 2-23/4272/W- 104/5	W0054,W005 5	SRI SRINIVAS NILAYA	12.979603621 125195- 77.538417320 56297	4272	06/07/2020

6	EE/ OFC/pole/202 2-23/4272/W- 104/6	W0056,W005 3	KAVANA NIVAS	12.979121521 43304- 77.537872312 79118	4272	06/07/2020
7	EE/ OFC/pole/202 2-23/4272/W- 104/7	W0056	YAMUNA SHREE	12.979111066 99559- 77.537984971 53127	4272	06/07/2020
8	EE/ OFC/pole/202 2-23/4272/W- 104/8	W0056	VINAYAK NILAYA	12.979074476 460955- 77.538159324 34331	4272	06/07/2020
9	EE/ OFC/pole/202 2-23/4272/W- 104/9	W0056	YALLAMMA NILAYA	12.979014363 428105- 77.538387324 17444	4272	06/07/2020
10	EE/ OFC/pole/202 2-23/4272/W- 104/10	W0062,W005 3	VINAYAK NAYAK	12.978816670 837487- 77.537778429 0884	4272	06/07/2020
11	EE/ OFC/pole/202 2-23/4272/W- 104/11	W0053	JIVAN 	12.978936896 98424- 77.537829393 75654	4272	06/07/2020
12	EE/ OFC/pole/202 2-23/4272/W- 104/12	W0062	KAVITHA SHREE	12.978701671 860088- 77.538357816 89455	4272	06/07/2020
13	EE/ OFC/pole/202 2-23/4272/W- 104/13	W0062	SHIVA NIVAS 	12.978743489 6762- 77.538135181 76533	4272	06/07/2020
14	EE/ OFC/pole/202 2-23/4272/W- 104/14	W0053	SUJATHA STORE	12.978669111 177789- 77.537748684 83706	4272	06/07/2020
15	EE/ OFC/pole/202 2-23/4272/W- 104/15	W0066,W005 3	SUNITHA STORE	12.978525362 362403- 77.537703084 87081	4272	06/07/2020
16	EE/ OFC/pole/202 2-23/4272/W- 104/16	W0066	SRINIVAS	12.978478317 277485- 77.537890849 43763	4272	06/07/2020
17	EE/ OFC/pole/202 2-23/4272/W- 104/17	W0053	SRI SHANTI ENTERPRISE S	12.978339795 586903- 77.537644073 14983	4272	06/07/2020
18	EE/ OFC/pole/202 2-23/4272/W- 104/18	W0068	OMKAR	12.978188677 07875- 77.537408765 24067	4272	06/07/2020
19	EE/ OFC/pole/202 2-23/4272/W- 104/19	W0115	SHANTI NIVAS	12.978086731 002005- 77.537582635 75715	4272	06/07/2020
20	EE/ OFC/pole/202 2-23/4272/W- 104/20	W0115	VIDYA NILAYA	12.977886906 58951- 77.537521673 56305	4272	06/07/2020
21	EE/ OFC/pole/202 2-23/4272/W- 104/21	W0115	SAI LAKSHMI	12.977717021 082434- 77.537470708 89492	4272	06/07/2020

22	EE/ OFC/pole/202 2-23/4272/W- 104/22	W0115	MARUTI NIVAS	12.977518385 573086- 77.537409014 82294	4272	06/07/2020
23	EE/ OFC/pole/202 2-23/4272/W- 104/23	W0032,W010 3	ANU NILAYA	12.977555685 234663- 77.536851586 57211	4272	06/07/2020
24	EE/ OFC/pole/202 2-23/4272/W- 104/24	W0142,W010 3	HARIHARAN	12.977332092 825968- 77.536743567 67124	4272	06/07/2020
25	EE/ OFC/pole/202 2-23/4272/W- 104/25	W0111	RANI SHREE	12.977381854 161033- 77.537012843 93057	4272	06/07/2020
26	EE/ OFC/pole/202 2-23/4272/W- 104/26	W0111	SURENDARA N	12.977130465 854325- 77.537008329 59224	4272	06/07/2020
27	EE/ OFC/pole/202 2-23/4272/W- 104/27	W0140,W010 9	LEELA GOWDA	12.977002392 45981- 77.536816790 86007	4272	06/07/2020
28	EE/ OFC/pole/202 2-23/4272/W- 104/28	W0140	KAVYA NIVAS	12.976927903 948315- 77.537109167 11412	4272	06/07/2020
29	EE/ OFC/pole/202 2-23/4272/W- 104/29	W0113	MEDIPLUS	12.976767154 322648- 77.536999188 0991	4272	06/07/2020
30	EE/ OFC/pole/202 2-23/4272/W- 104/30	W0115	SWAPNA NIVAS	12.976080122 58274- 77.536940605 9985	4272	06/07/2020
31	EE/ OFC/pole/202 2-23/4272/W- 104/31	W0121,W011 5	VENKATESH WARA NILAYA	12.975800462 807882- 77.536937923 64754	4272	06/07/2020
32	EE/ OFC/pole/202 2-23/4272/W- 104/32	W0061	SWAMY NILAYA	12.979390726 033728- 77.538534599 69653	4272	06/07/2020
33	EE/ OFC/pole/202 2-23/4272/W- 104/33	W0060,W006 1	DC LT SHOPS	12.978861815 618753- 77.538455838 4114	4272	06/07/2020
34	EE/ OFC/pole/202 2-23/4272/W- 104/34	W0065	SS COOLCORN ER	12.979399035 889388- 77.539199072 40322	4272	06/07/2020
35	EE/ OFC/pole/202 2-23/4272/W- 104/35	W0065	MANJUNATH A NILAYA	12.979182106 463933- 77.539142743 03318	4272	06/07/2020
36	EE/ OFC/pole/202 2-23/4272/W- 104/36	W0058	POORNA PRIYA	12.979126268 357646- 77.538948381 13897	4272	06/07/2020
37	EE/ OFC/pole/202 2-23/4272/W- 104/37	W0074,W006 5	MEGHANA TRAVELS	12.978966601 346523- 77.539099060 894	4272	06/07/2020

38	EE/ OFC/pole/202 2-23/4272/W- 104/38	W0060	JYOTHI NILAYA	12.978809784 640529- 77.538881790 4667	4272	06/07/2020
39	EE/ OFC/pole/202 2-23/4272/W- 104/39	W0065	MADURI	12.978639887 83602- 77.539038832 16083	4272	06/07/2020
40	EE/ OFC/pole/202 2-23/4272/W- 104/40	W0064	RAGHU NIVAS	12.978540570 46987- 77.538759867 66157	4272	06/07/2020
41	EE/ OFC/pole/202 2-23/4272/W- 104/41	W0065	RANGANATH A NILAYA	12.978462161 994868- 77.539001279 24751	4272	06/07/2020
42	EE/ OFC/pole/202 2-23/4272/W- 104/42	W0066	OMKARA NIVAS	12.978334094 76587- 77.538505044 32094	4272	06/07/2020
43	EE/ OFC/pole/202 2-23/4272/W- 104/43	W0076,W007 4,W0069	KEY CLINIC AND SHOPS	12.978901015 323263- 77.539460436 45927	4272	06/07/2020
44	EE/ OFC/pole/202 2-23/4272/W- 104/44	W0076	VENKATESH WARA NILAYA	12.978869651 981727- 77.539683071 58847	4272	06/07/2020
45	EE/ OFC/pole/202 2-23/4272/W- 104/45	W0076	VATSALA NILAYA	12.978848743 085159- 77.539956671 38582	4272	06/07/2020
46	EE/ OFC/pole/202 2-23/4272/W- 104/46	W0069	SRI RANGA NILAYA	12.978354769 892203- 77.539538224 63693	4272	06/07/2020
47	EE/ OFC/pole/202 2-23/4272/W- 104/47	W0078,W006 9	PAVITHRA NILAYA	12.978569086 42451- 77.539516765 82928	4272	06/07/2020
48	EE/ OFC/pole/202 2-23/4272/W- 104/48	W0078	OMKARA NILAYA	12.978561245 579014- 77.539776953 87186	4272	06/07/2020
49	EE/ OFC/pole/202 2-23/4272/W- 104/49	W0078	LAKSMI NIVAS	12.978529882 194604- 77.540085424 23162	4272	06/07/2020
50	EE/ OFC/pole/202 2-23/4272/W- 104/50	W0066	BAVYASHRE E	12.978285147 079262- 77.539101730 5523	4272	06/07/2020
51	EE/ OFC/pole/202 2-23/4272/W- 104/51	W0066	NARASIMHA KRUPA	12.978198897 666795- 77.539866200 57425	4272	06/07/2020
52	EE/ OFC/pole/202 2-23/4272/W- 104/52	W0066	AKSHAYA	12.978180602 333037- 77.540228317 9531	4272	06/07/2020
53	EE/ OFC/pole/202 2-23/4272/W- 104/53	W0174,W013 9	YAMUNA NILAYA	12.976510443 654693- 77.539631839 9178	4272	06/07/2020

54	EE/ OFC/pole/202 2-23/4272/W- 104/54	W0168,W013 9	NANJUNDES HWARA KRUPA	12.976829307 135263- 77.539677439 88402	4272	06/07/2020
55	EE/ OFC/pole/202 2-23/4272/W- 104/55	W0168	SRI BALAJI NIVAS	12.976834534 402034- 77.540039557 26287	4272	06/07/2020
56	EE/ OFC/pole/202 2-23/4272/W- 104/56	W0176	MANASA NIVAS	12.976403284 524338- 77.539972498 489	4272	06/07/2020
57	EE/ OFC/pole/202 2-23/4272/W- 104/57	W0168	LAVANYA	12.976816238 96787- 77.540240733 58443	4272	06/07/2020
58	EE/ OFC/pole/202 2-23/4272/W- 104/58	W0168	KAVYA NILAYA	12.976795806 991369- 77.540424595 66546	4272	06/07/2020
59	EE/ OFC/pole/202 2-23/4272/W- 104/59	I0166	DIVYA	12.977098988 323025- 77.540368266 29542	4272	06/07/2020



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No. of Poles 59

Pole Charges @ Rs 1500/- Pole	88,500	Worker Welfare Cess Amount @ Rs 7.39/- Pole	436.01
Junction Box Charges @ Rs 3000/- Pole	1,77,000	Total (C)	436.01
Supervision Charge @ Rs 100/- Pole	5,900		
Sub Total (A)	2,71,400	GST @ 18% (B)	48,852
Grand Total (A + B + C)	3,20,688.01		

Total Amount Payable Rs: 3,20,688 In words (Rupees Three Lakh Twenty Thousand Six Hundred and Eighty-Eight Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

No.: 10-2022-1371



BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-1371

1/2

@RIL.COM

OFC/Pole/2022-23/W0176/1376 10-2022-1379 Pending ceofc01(ceofc01) Pole Work Created [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

Pole Details



10-2022-1371

OFC/Pole/2022-23/W0088/1358 10-2022-1361 Pending ceofc01(ceofc01) Demand note approved [Demand Notice](#) [Permission Letter](#) [View/Submit](#)

P. Jayaram
 EXECUTIVE ENGINEER
 OFC/BELL
 BANGALURU