



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1379/2022-23

Date: 21-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 21-05-2022
 - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 4) Fee Demand Note letter No: 10-2022-1379, Date: 17-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 21-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 17th Main via 27th Cross	34 Poles
02	From 17th Main via 24th Cross, 19th Mai, 22nd 'A' Cross, 18th Main, 19th Main, 18th Cross, 16th Main, 13th Cross, 15th Main up to 14th Main.	
03	From Street ID No-W0057 via 25th Cross, 17th Main, 26th Cross for total No of 34 Poles, in Ward No-165, South Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates.	

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.

No: EE/OFC/PR/1379/2022-23, Dt: 21-10-2022

Executive Engineer (OFC), BBMP

2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be refereed to and the decision of the arbitrators shall be final and binding on both the parties.

14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way(ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0


23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**South** Zone) for information.
4. Copy to Zonal Chief Engineer (**South** Zone) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Padmanabha Nagar** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Banashankari** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

1379
केनरा बैंक  Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP
शाखा/ Branch BCC Extension

दिनांक/ Date 21/10/2022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.
बचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

8401932000010

नाम/Name Commissioner BBMP

टेलिफोन / मोबाइल नं.
Tel No. / Mobile No.

राशि / Amount ₹ 1,56,651.00

राशि शब्दों में
Rupees in words One lakh fifty six thousand

only

चेक नं. / दिनांक तथा बैंक का नाम Cheque No./Date / Name of Bank & Branch	₹	₹
<u>206278 DF 18/10/2021 OCT 2022</u>	<u>56,651.00</u>	<u>00</u>
<u>EXCH B/M P/B Raghun J.C. Road.</u>	<u>651.00</u>	<u>00</u>
<u>₹ 56,651.00</u>	<u>00</u>	<u>00</u>

अधिकारी / अधिकारी / JRJ
एस डब्ल्यू ओ
Officer / Cashier / SWO
केनरा बैंक टोल फ्री 24 घंटे कॉल सेंटर
Canara Bank Toll Free No.
800 425 0018
BENGALURU

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1379 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1379

With reference to your Demand Note bearing Pole-OFC-10-2022-1379 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0917

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1379	34	156651	206278	28152	156651
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



1379

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206278

date 18/10/2022

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1379 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note:- Pole-OFC-10-2022-1379

With reference to your Demand Note bearing Pole-OFC-10-2022-1379, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0917.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1379	34	156651	206278	28152	156651
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



1379

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206278

date 10/10/2022

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

DATE 10 10 2022
दिनांक 10 10 2022

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या वकले आदेश पर

मौगे जाने पर

RUPEES One Lac Fifty Six Thousand Six Hundred Fifty One Only

रुपये

अदा करे

₹ 156,651.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206278

Client Reference 4200008920 142

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

[Signature]
Authorized Signatory

[Signature]
Authorized Signatory

Please refer above
Refreshment
S.No. 26182

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1379 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note:- Pole-OFC-10-2022-1379

With reference to your Demand Note bearing Pole-OFC-10-2022-1379 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0917

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1379	34	156651	206278	28152	156651
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

1379

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206278

dated 10/10/2022

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 12/31/2022
DATE 10 10 2022
दिनांक

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY - COMMISSIONER BBMP BANGALORE

OR ORDER / या वकले आदेश पर

मौजे जाने पर

RUPEES One Lac Fifty Six Thousand Six Hundred Fifty One Only
रुपये

अदा करे

₹ 156,651.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206278

Client Reference 4200008920 142

For Axis Bank Ltd
(Signature)
Authorized Signatory

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

Please sign above
Rudresha
S. No. 25182



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT

Pole Form

Application No. :10-2022-1379

PR Number(To be Assigned by AE/JE- OFC, BBMP) CE-POLE-10-2022-1379

General Information

Segment ID

OFC/Pole/2022-23/W0176/1376

Street ID

36308

Street Name

NA

Zone

South

Ward No.

165

Ward Name

Ganesh Mandiara Ward

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5 Rasta, Ambawadi, Ahmedabad, Gujarat, India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

21/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

Purpose

ofc

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

34

No.Junction Box

34




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	23/05/2022

Date : 19/10/2022

Time : 04:27:03

20221019042703





Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1379

Date: 17/10/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited


GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-1379, dated : 21/05/2022


Details of Poles added on BBMP GIS Map (Pole Id:-OFC/Pole/2022-23/W0176/1376)



Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/7210/W- 165/162	W0178	w0178	12.923931238 076369- 77.564141750 33571	7210	28/04/2022
2	EE/ OFC/pole/202 2-23/7210/W- 165/163	W0178	w0178	12.923842353 121032- 77.564544081 68793	7210	28/04/2022
3	EE/ OFC/pole/202 2-23/7210/W- 165/164	W0178	w0178	12.923763925 192993- 77.564983963 96638	7210	28/04/2022
4	EE/ OFC/pole/202 2-23/7210/W- 165/165	W0178	w0178	12.923664583 115448- 77.565520405 76936	7210	28/04/2022
5	EE/ OFC/pole/202 2-23/7210/W- 165/166	W0178,W023 1	w0178	12.923554783 931113- 77.565906643 8675	7210	28/04/2022

6	EE/ OFC/pole/202 2-23/7210/W- 165/167	W0182,W023 1	w0182	12.923167872 13485- 77.565793991 08888	7210	28/04/2022
7	EE/ OFC/pole/202 2-23/7210/W- 165/168	W0182	w0182	12.923288128 568181- 77.565160989 76137	7210	28/04/2022
8	EE/ OFC/pole/202 2-23/7210/W- 165/169	W0182	w0182	12.923439756 162418- 77.564436793 32735	7210	28/04/2022
9	EE/ OFC/pole/202 2-23/7210/W- 165/170	W0188	w0188	12.922770502 638969- 77.564549446 10597	7210	28/04/2022
10	EE/ OFC/pole/202 2-23/7210/W- 165/171	W0188	w0188	12.922629331 744778- 77.565364837 6465	7210	28/04/2022
11	EE/ OFC/pole/202 2-23/7210/W- 165/172	W0188,W023 1	w0231	12.922577046 20815- 77.565627694 12996	7210	28/04/2022
12	EE/ OFC/pole/202 2-23/7210/W- 165/173	W0176	w0176	12.924192664 232189- 77.565960288 0478	7210	28/04/2022
13	EE/ OFC/pole/202 2-23/7210/W- 165/174	W0176	w0176	12.924276320 544237- 77.565504312 51527	7210	28/04/2022
14	EE/ OFC/pole/202 2-23/7210/W- 165/175	W0176;W014 3	w0176	12.924359976 828258- 77.565198540 68758	7210	28/04/2022
15	EE/ OFC/pole/202 2-23/7210/W- 165/176	W0143	w0143	12.924919427 507154- 77.565300464 63014	7210	28/04/2022
16	EE/ OFC/pole/202 2-23/7210/W- 165/177	W0138,W014 3	w0138	12.925306336 589182- 77.565380930 90059	7210	28/04/2022
17	EE/ OFC/pole/202 2-23/7210/W- 165/178	W0138,W014 7,W0145	w0138	12.925233137 619653- 77.565777897 83479	7210	28/04/2022
18	EE/ OFC/pole/202 2-23/7210/W- 165/179	W0136,W014 5	w0136	12.925677559 604248- 77.565917372 70355	7210	28/04/2022
19	EE/ OFC/pole/202 2-23/7210/W- 165/180	W0145	w0145	12.926059239 03012- 77.566013932 2281	7210	28/04/2022
20	EE/ OFC/pole/202 2-23/7210/W- 165/181	W0132,W014 5	w0132	12.926430460 925632- 77.566089034 08052	7210	28/04/2022
21	EE/ OFC/pole/202 2-23/7210/W- 165/182	W0132	w0132	12.926524573 43114- 77.565777897 83479	7210	28/04/2022

22	EE/ OFC/pole/202 2-23/7210/W- 165/183	W0132,W014 3	w0132	12.926561172 729258- 77.565659880 63814	7210	28/04/2022
23	EE/ OFC/pole/202 2-23/7210/W- 165/184	W0126,W012 8,W0143	w0126	12.926901023 098392- 77.565724253 6545	7210	28/04/2022
24	EE/ OFC/pole/202 2-23/7210/W- 165/185	W0122,W014 3	w0122	12.927261786 830138- 77.565847635 26918	7210	28/04/2022
25	EE/ OFC/pole/202 2-23/7210/W- 165/186	W0122,W006 5	w0122	12.927183359 97629- 77.566276788 71156	7210	28/04/2022
26	EE/ OFC/pole/202 2-23/7210/W- 165/187	W0122,W006 7	w0122	12.927125846 934464- 77.566700577 73592	7210	28/04/2022
27	EE/ OFC/pole/202 2-23/7210/W- 165/188	W0122,W006 9	w0122	12.927084019 25936- 77.567108273 50618	7210	28/04/2022
28	EE/ OFC/pole/202 2-23/7210/W- 165/189	W0069	w0069	12.927565037 09986- 77.567237019 5389	7210	28/04/2022
29	EE/ OFC/pole/202 2-23/7210/W- 165/190	W0050,W006 9	w0050	12.928025140 253823- 77.567328214 6454	7210	28/04/2022
30	EE/ OFC/pole/202 2-23/7210/W- 165/191	W0069	w0069	12.928532298 429518- 77.567494511 60432	7210	28/04/2022
31	EE/ OFC/pole/202 2-23/7210/W- 165/192	W0071	w0071	12.928459100 405936- 77.567853927 6123	7210	28/04/2022
32	EE/ OFC/pole/202 2-23/7210/W- 165/193	W0071	w0071	12.927763718 111292- 77.567692995 07143	7210	28/04/2022
33	EE/ OFC/pole/202 2-23/7210/W- 165/194	W0124,W007 1	w0124	12.927021277 733578- 77.567542791 36659	7210	28/04/2022
34	EE/ OFC/pole/202 2-23/7210/W- 165/195	W0124	w0124	12.926906251 562006- 77.568036317 82533	7210	28/04/2022



In view of the above, you are here by requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No. of Poles 34

Pole Charges @ Rs 1500/- Pole	51,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	251.26
Junction Box Charges @ Rs 3000/- Pole	1,02,000	Total (C)	251.26
Supervision Charge @ Rs 100/- Pole	3,400		
Sub Total (A)	1,56,400	GST @ 18% (B)	28,152
Grand Total (A + B + C)	1,84,803.26		

Total Amount Payable Rs: 1,84,803 In words (Rupees One Lakh Eighty-Four Thousand Eight Hundred and Three Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.



Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-1379

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.

BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-1379 1/2 X @RIL.COM

OFC/Pole/2022-23/W0024/1385 10-2022-1388 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

Pole Details



OFC/Pole/2022-23/W0054/1365 10-2022-1371 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

EXECUTIVE ENGINEER
 OFC CELL
 BANGALURU MAHANAGARA PALIKE
 BANGALURU