



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rd Floor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1388/2022-23

Date: 31-10-2022

Permission for Regularization for Poles

To,

M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 12-05-2022
 - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 4) Fee Demand Note letter No: 10-2022-1388, Date: 19-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 25-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 1st Cross Road via 5th Main Road, 2nd Cross Road up to Bhoopasandra Main Road.	24 Poles
02	From 1st Cross Road via Street ID No-W0024 up to W0047.	
03	From 1st Cross Road via Street ID No-W0036 up to W0035.	
04	1st Cross Road via Street ID No-W0040 up to W0035.	
05	From 2nd Main Road via 5th Cross Road up to Street ID No-W0026.	
06	From 2nd Main Road via 4th Cross Road up to Street ID No-W0026.	
07	From Bhoopasandra Main Road via 3rd Cross Road up to Street ID No-W0026 for total No of 24 Poles in Ward No-19, East Zone Ref: As per drawing enclosed & demand note GIS co-ordinates	

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

No: EE/OFC/PR/1388/2022-23, Dt: 31-10-2022


Executive Engineer (OFC), BBMP

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the

- agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
 15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
 16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
 17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
 18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
 19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
 20. Railways: The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
 21. Electrical Lines: The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
 22. Right-of-way(ROW) for Electrical lines.-

Sl No	Transmission Voltage	Width of the Right-of-way(ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0


23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (East Zone) for information.
4. Copy to Zonal Chief Engineer (East Zone) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Hebbal** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Hebbal** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy

केन्द्रीय बैंक  Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP

1388

शाखा / Branch BCC Extension

दिनांक / Date

2	5	1	0	2	0	2	2
---	---	---	---	---	---	---	---

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

वचन / चालू खाता / ओडी / सीसी / आरडी / टीएनए / डीएल खाता सं. / क्रेडिट कार्ड सं.

0	4	0	1	1	3	2	0	0	0	0	1	0
---	---	---	---	---	---	---	---	---	---	---	---	---

नाम / Name Commissioner BRMP

टेलिफोन / मोबाइल नं
Tel No./Mobile No.

राशि / Amount

₹	1,10,577.	₹/P.	00/-
---	-----------	------	------

राशि शब्दों में
Rupees in words One lakh ten thousand five hundred seventy seven only

चेक नं. / दिनांक तथा बैंक व शाखा का नाम Cheque No./Date / Name of Bank & Branch	₹/P.
<u>206705</u> <u>07/10/22</u> <u>CANARA BANK</u>	<u>1,10,577.00/-</u>
<u>18 OCT 2022</u>	
<u>EXECUTIVE TELLER</u>	<u>1,10,577.00/-</u>
अधिकारी / <u>अधीनस्थ</u> का नाम Officer/Cashier/SWO	कॉल सेंटर 1800 425 0018
<u>ANAND KATANA GANA PALKE</u>	
<u>BENGALURU</u>	

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1388 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1388

With reference to your Demand Note bearing Pole-OFC-10-2022-1388 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1342 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1388	24	110577	206705	19872	110577
			Dated		
			19-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



1388

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206705

19/10/2022
dated

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1388 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1388

With reference to your Demand Note bearing Pole-OFC-10-2022-1388 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR1342

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1388	24	110577	206705	19872	110577
			Dated		
			19-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206705**
as per details mentioned below.

19/10/2022
dated

PAYMENT REFERENCE

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 18012023

DATE दिनांक 09 10 2022

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

मौजे जाने पर
RUPEES One Lac Ten Thousand Five Hundred Seventy Seven Only

रुपये

₹ 110,577.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206705

Client Reference 4200009020_401

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

Authorised Signatory

Please sign above

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1388 /DD

Date: 20-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1388

With reference to your Demand Note bearing Pole-OFC-10-2022-1388 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR1342 .

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1388	24	110577	206705	19872	110577
			Dated		
			19-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLTHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206705**
as per details mentioned below.

19/10/2022
dated

PAYMENT REFERENCE

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 18012023

DATE
दिनांक

D	9	D	M	0	M	2	Y	0	Y	2	Y	2	Y
---	---	---	---	---	---	---	---	---	---	---	---	---	---

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY **COMMISSIONER BBMP BANGALORE**

OR ORDER / या रकमे आदेश पर

मौगे जाने पर
RUPEES **One Lac Ten Thousand Five Hundred Seventy Seven Only**

रुपये **₹ 110,577.00**

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. **206705**

Client Reference **4200009020_401**

For Axis Bank Ltd
[Signature]
SSM: 21004
Authorised Signatory

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

Please sign above



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT
Pole Form

Application No. :10-2022-1388

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-1388

General Information

Segment ID

OFC/Pole/2022-23/W0024/1385

Street ID

37439

Street Name

NA

Zone

East

Ward No.

19

Ward Name

Sanjay Nagara

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

21/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

POLE

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

24

No.Junction Box


24



Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	28/05/2022

Date : 18/10/2022



20221018010417



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1388

Date: 19/10/2022

Demand Notice
GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)**Ref:-** 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-1388, dated : 21/05/2022


Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0024/1385)

Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/4041/W- 19/42	W0040	SAI KRUPA	13.043813373 804998- 77.577499151 22987	4041	10/12/2021
2	EE/ OFC/pole/202 2-23/4041/W- 19/43	W0040	RANGA NILAYA	13.043745435 743118- 77.577692270 27894	4041	10/12/2021
3	EE/ OFC/pole/202 2-23/4041/W- 19/44	W0040	GANESHA NILAYA	13.043578203 51128- 77.577933669 09029	4041	10/12/2021
4	EE/ OFC/pole/202 2-23/4041/W- 19/45	W0036	VENKATESH A NILAYA	13.044017187 878682- 77.577912211 41817	4041	10/12/2021
5	EE/ OFC/pole/202 2-23/4041/W- 19/46	W0035	SURABI NILAYA	13.043348259 007857- 77.578078508 37709	4041	10/12/2021

6	EE/ OFC/pole/202 2-23/4041/W- 19/47	W0035	VENUGOPAL	13.044210549 793299- 77.578797340 39308	4041	10/12/2021
7	EE/ OFC/pole/202 2-23/4041/W- 19/48	W0039	GANESHA NILAYA	13.043128766 327888- 77.578309178 35237	4041	10/12/2021
8	EE/ OFC/pole/202 2-23/4041/W- 19/49	W0039	HARITHA	13.043311676 908068- 77.578448653 22114	4041	10/12/2021
9	EE/ OFC/pole/202 2-23/4041/W- 19/50	W0039	RAMESHA VILLAS	13.043682723 669425- 77.578749060 63081	4041	10/12/2021
10	EE/ OFC/pole/202 2-23/4041/W- 19/51	W0039	PADMAVATH I	13.044085125 865907- 77.579081654 54866	4041	10/12/2021
11	EE/ OFC/pole/202 2-23/4041/W- 19/52	W0044,W004 1	HOTEL BAVANA	13.042898821 406629- 77.578539848 32765	4041	10/12/2021
12	EE/ OFC/pole/202 2-23/4041/W- 19/53	W0041	DEVI NILAYA	13.043118314 290663- 77.578700780 86854	4041	10/12/2021
13	EE/ OFC/pole/202 2-23/4041/W- 19/54	W0041	SHRUTHI	13.043353485 02168- 77.578909993 1717	4041	10/12/2021
14	EE/ OFC/pole/202 2-23/4041/W- 19/55	W0041	GANESHA	13.043567751 493036- 77.579060196 87654	4041	10/12/2021
15	EE/ OFC/pole/202 2-23/4041/W- 19/56	W0041	ANUGRAHA	13.043823825 812861- 77.579317688 94197	4041	10/12/2021
16	EE/ OFC/pole/202 2-23/4041/W- 19/57	W0049,W003 8	RAJRSH	13.043938797 870222- 77.579816579 81874	4041	10/12/2021
17	EE/ OFC/pole/202 2-23/4041/W- 19/58	W0049	NAVEEN	13.043740209 73759- 77.579634189 60573	4041	10/12/2021
18	EE/ OFC/pole/202 2-23/4041/W- 19/59	W0049	SAPTHAGIRI	13.043505039 374296- 77.579398155 21242	4041	10/12/2021
19	EE/ OFC/pole/202 2-23/4041/W- 19/60	W0049	GURUKRUPA	13.043118314 290663- 77.579119205 47487	4041	10/12/2021
20	EE/ OFC/pole/202 2-23/4041/W- 19/61	W0024	MAHAL	13.044623403 105001- 77.579741477 96631	4041	10/12/2021
21	EE/ OFC/pole/202 2-23/4041/W- 19/62	W0024	RESIDENCY	13.044717470 851761- 77.579269409 1797	4041	10/12/2021

22	EE/ OFC/pole/202 2-23/4041/W- 19/63	W0024	PRATHIKSHA	13.044895154 275789- 77.578223347 6639	4041	10/12/2021
23	EE/ OFC/pole/202 2-23/4041/W- 19/64	W0016	SHREYAS	13.045433429 75171- 77.578341364 86055	4041	10/12/2021
24	EE/ OFC/pole/202 2-23/4041/W- 19/65	W0016,W004 7,W0045	RAJA APT	13.045182583 073759- 77.579907774 92523	4041	10/12/2021



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven(7) days. Then only your request can be processed further.

Total No.of Poles 24

Pole Charges @ Rs 1500/- Pole	36,000	Worker Welfare Cess Amount @ Rs 7.39/- Pole	177.36
Junction Box Charges @ Rs 3000/- Pole	72,000	Total (C)	177.36
Supervision Charge @ Rs 100/- Pole	2,400		
Sub Total (A)	1,10,400	GST @ 18% (B)	19,872
Grand Total (A + B + C)	1,30,449.36		

Total Amount Payable Rs: 1,30,449 In words (Rupees One Lakh Thirty Thousand Four Hundred and Forty-Nine Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is

liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-1388

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



OFC/Pole/2022-23/W0028/1399 | 10-2022-1399 | Pending | ceofc01(ceofc01) | Pole Work Created | Demand Notice | Permission Letter | View/Submit

Pole Details

Map labels include: 1st Cross Rd, 2nd Cross Rd, 3rd Cross Rd, 4th Main Rd, 5th Main Rd, 6th Main Rd, 7th Main Rd, Mangalore - Villupuram Rd, KMF Grounds, Sri Vinayaka New PG for Gents, Nandini Mother Dairy, K N Digital Xerox, Sri Shirdi Sai Baba Temple, R R Bliss, Sri Krishna Bhavan Sweets, Anand Bar & Restaurant, Radhakrishna Public School, Sri Krishna Bhavan Sweets, Sangama, Realme Service Centre, Guru Meth Presidency, BDA Park, Kirthu Granite, FincFriends Private Limited, Ever Green Beef Stall, Bhoopsandra Bus Stop, Noor College of Pharmacy & School..., F. Imran Ahmed's Type Puncher Shop, Tire shop, Butcher, and various other local businesses.

OFC/Pole/2022-23/W0176/1376 | 10-2022-1379 | Pending | ceofc01(ceofc01) | Pole Work Created | Demand Notice | Permission Letter | View/Submit

S. Jagan
 ASSISTANT EXECUTIVE ENGINEER
 OFC CELL
 BRUHAT BENGALURU MAHANAGARA PALIKE
 BENGALURU

Kalegowda
 EXECUTIVE ENGINEER
 OFC CELL
 BRUHAT BENGALURU MAHANAGARA PALIKE
 BENGALURU