



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rdFloor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1395/2022-23

Date: 21-10-2022

Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited ,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 21-05-2022
 - 3) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 4) Fee Demand Note letter No: 10-2022-1395, Date: 17-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 21-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

Sl No	Name of the Road and Route	No of Poles
01	Permission for Regularization for poles from 14th Main via 24th 'C' Cross	40 Poles
02	From 14th Main via 25th Cross	
03	From 14th Main via 26th Cross, 10th Main	
04	From 14th Main via 27th Cross up to 12th Main.	
05	From 14th Main via 27th Cross up to 10th Main.	
06	From 16th Main via 24th Cross, 14th Main, 27th Cross, 17th Main, 24th Cross up to 16th Main.	
07	From 27th Cross via 16th Main	
08	From 27th Cross via 15th Main for total No of 40 Poles, in Ward No-165, South Zone.	
Ref: As per drawing enclosed & demand note GIS co-ordinates.		

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

No: EE/OFC/PR/1395/2022-23, Dt: 21-10-2022

Executive Engineer (OFC), BBMP

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.

13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be refereed to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
22. **Right-of-way (ROW) for Electrical lines.-**

Sl No	Transmission Voltage	Width of the Right-of-way (ROW) in meters.
01	11kV	7.0
02	33kV	15.0
03	66kV	18.0
04	110kV	22.0
05	132kV	27.0
06	220kV	35.0
07	400kV	52.0


23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

		Vertically in m.	Horizontally in m.
i	Low and medium voltage lines and service lines	2.5	1.2
ii	High voltage lines upto and including 33,000 V.	3.7	2.0
iii	Extra high voltage lines beyond 33000 v.	3.7 (plus 0.3m for every additional 33,000 V. or part thereof)	2.0 (plus 0.3m for every additional 13,000 V. or part thereof)

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.
25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.
26. The agency shall abide by all the terms and conditions laid in these rules.

Copy to:-

1. Copy to the Chief Commissioner for kind information.
2. Copy to the Special Commissioner (Project) for kind information.
3. Copy to the Zonal Additional/Joint Commissioner (**South Zone**) for information.
4. Copy to Zonal Chief Engineer (**South Zone**) for information.
5. Copy to the Chief Engineer (Road Infrastructure) for information.
6. Copy to the Concerned Executive Engineer of (**Padmanabha Nagar** Division) for information.
7. Copy to the Concerned Assistant Executive Engineer of (**Banashankari** Sub Division) maintain separate register with GIO location map, in ward for OFC poles and inform to OFC if any unauthorized erection of OFC poles other than the regularized poles.
8. Copy to Additional Commissioner of Police Traffic Cell, Office of the Commissioner of Police, Infantry Road Bangalore-560001.
9. Office Copy.

केनरा बैंक  Canara Bank जमा पर्ची / DEPOSIT / PAY IN SLIP

1395

शाखा/ Branch BU Extension

दिनांक/ Date 21/10/2022

SB/CA/OD/CC/RD/TL/DL A/c. No. / Credit Card No.

वचत / चालू खाता / ओडी / सीसी / आरडी / टीएल / डीएल खाता सं. / क्रेडिट कार्ड सं.

8401132000010

नाम/Name Commissioner BBMP

टेलिफोन / मोबाइल नं
Tel No./Mobile No. _____

राशि /Amount ₹ 1,86,296.00/-

राशि शब्दों में
Rupees in words One lakh eighty four thousand two hundred and sixty six only.

चेक नं. / दिनांक / शाखा का नाम Cheque No./Date / Name of Bank & Branch	₹	₹/P.
<u>206780</u> का.दि. <u>17/10/2022</u> <u>BU Extension</u>	<u>1,86,296.00/-</u>	<u>00/-</u>
<u>206781</u> का.दि. <u>17/10/2022</u> <u>BU Extension</u>	<u>1,86,296.00/-</u>	<u>00/-</u>
<u>206782</u> का.दि. <u>17/10/2022</u> <u>BU Extension</u>	<u>1,86,296.00/-</u>	<u>00/-</u>

अधिकारी / कैशियर
Officer/Cashier/SWO B.M. SURESH
कैनरा बैंक टोल फ्री 24 घंटे कॉल सेंटर
1800 425 0018

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1395 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1395

With reference to your Demand Note bearing Pole-OFC-10-2022-1395, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0917.

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1395	40	184296	206280	33120	184296
			Dated		
			18-10-2022		


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



1395

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206280

date 18/10/2022

PAYMENT REFERENCE

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1395 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1395

With reference to your Demand Note bearing Pole-OFC-10-2022-1395 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0917

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1395	40	184296	206280	33120	184296
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



1395

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206280

dated 10/2022

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 12/31/2023
DATE 10 20 22
दिनांक 10 20 22

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE
मौजि जाने पर

OR ORDER / या वकके आदेश पर

RUPEES One Lac Eighty Four Thousand Two Hundred Ninety Six Only
रुपये

₹ 184,296.00
अदा करे

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206280

Client Reference 4200008920 144

For Axis Bank Ltd
Authorized Signatory

Under CMS Arrangement
Centralized Collections & Payment Hub
Mumbai.

CODE NO.

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1395 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note:- Pole-OFC-10-2022-1395

With reference to your Demand Note bearing Pole-OFC-10-2022-1395 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0917

Application No.	Poles	Poles Charges (Rs.)	DD No.	GST (through RCM) Rs.	Total Amount
10-2022-1395	40	184296	206280	33120	184296
			Dated		
			18-10-2022		

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

1395

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206280

date 10/10/2022

PAYMENT REFERENCE

ISSUING BRANCH

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 12/01/2023
DATE 10 10 2022
दिनांक

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या ठाके आदेश पर

मांगे जाने पर

RUPEES One Lac Eighty Four Thousand Two Hundred Ninety Six Only

रुपये

अदा करे

₹ 184,296.00

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206280

Client Reference 4200008920 144

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

Authorized Signatory

Authorized Signatory

Robesha B
CC No. 19/04/2022



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT
Pole Form

Application No. :10-2022-1395

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-1395

General Information

Segment ID

OFC/Pole/2022-23/W0176/1395

Street ID

36308

Street Name

NA

Zone

South

Ward No.

165

Ward Name

Ganesh Mandiara Ward

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

21/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

ofc

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

40

No.Junction Box

40




Status of My Application

Approver Name	Designation	Date
ceofc01(ceofc01)	CE	24/05/2022

Date : 19/10/2022

Time : 04:29:10

20221019042910





Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1395

Date: 17/10/2022

Demand Notice

GST No.: 29AAALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0


Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-1395, dated : 21/05/2022

Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0176/1395)




Sr No.	Unique PoleId.	Street Id	Landmark or address	Coordinates	Permission Letter No.	Permission Letter Date
1	EE/ OFC/pole/202 2-23/7209/W- 165/256	W0176,W023 9	w0176	12.923926009 550454- 77.567505240 44038	7209	28/04/2022
2	EE/ OFC/pole/202 2-23/7209/W- 165/257	W0176	w0176	12.923805753 42434- 77.568100690 84169	7209	28/04/2022
3	EE/ OFC/pole/202 2-23/7209/W- 165/258	W0176	w0176	12.923716868 424346- 77.568728327 75116	7209	28/04/2022
4	EE/ OFC/pole/202 2-23/7209/W- 165/259	W0176	w0176	12.923565240 998373- 77.569463253 02125	7209	28/04/2022
5	EE/ OFC/pole/202 2-23/7209/W- 165/260	W0176	w0176	12.923497270 053401- 77.569752931 59486	7209	28/04/2022


6	EE/ OFC/pole/202 2-23/7209/W- 165/261	W0180,W023 9	w0180	12.923455441 770363- 77.567392587 66176	7209	28/04/2022
7	EE/ OFC/pole/202 2-23/7209/W- 165/262	W0239	w0239	12.923716868 424346- 77.567451596 26009	7209	28/04/2022
8	EE/ OFC/pole/202 2-23/7209/W- 165/263	W0180	w0180	12.923382242 258207- 77.567843198 77625	7209	28/04/2022
9	EE/ OFC/pole/202 2-23/7209/W- 165/264	W0180	w0180	12.923314271 263399- 77.568245530 1285	7209	28/04/2022
10	EE/ OFC/pole/202 2-23/7209/W- 165/265	W0180	w0180	12.923246300 250108- 77.568680047 9889	7209	28/04/2022
11	EE/ OFC/pole/202 2-23/7209/W- 165/266	W0180	w0180	12.923110358 168005- 77.569296956 06233	7209	28/04/2022
12	EE/ OFC/pole/202 2-23/7209/W- 165/267	W0184,W023 9	w0184	12.923031930 010051- 77.567274570 4651	7209	28/04/2022
13	EE/ OFC/pole/202 2-23/7209/W- 165/268	W0184	w0184	12.922995330 194572- 77.567639350 89113	7209	28/04/2022
14	EE/ OFC/pole/202 2-23/7209/W- 165/269	W0184	w0184	12.922911673 45334- 77.568170428 27608	7209	28/04/2022
15	EE/ OFC/pole/202 2-23/7209/W- 165/270	W0184	w0184	12.922869845 072215- 77.568610310 554527	7209	28/04/2022
16	EE/ OFC/pole/202 2-23/7209/W- 165/271	W0184	w0184	12.922733902 78517- 77.569216489 79188	7209	28/04/2022
17	EE/ OFC/pole/202 2-23/7209/W- 165/272	W0186,W023 9	w0186	12.922639788 850791- 77.567151188 85042	7209	28/04/2022
18	EE/ OFC/pole/202 2-23/7205/W- 165/273	W0186	7209	12.922535217 770985- 77.567752003 66975	7205	28/04/2022
19	EE/ OFC/pole/202 2-23/7209/W- 165/274	W0186	w0186	12.922462017 989051- 77.568052411 0794	7209	28/04/2022
20	EE/ OFC/pole/202 2-23/7209/W- 165/275	W0186	w0186	12.922352218 275945- 77.568739056 58722	7209	28/04/2022
21	EE/ OFC/pole/202 2-23/7209/W- 165/276	W0186,W024 7	w0186	12.922247647 075723- 77.569334506 98854	7209	28/04/2022

22	EE/ OFC/pole/202 2-23/7209/W- 165/277	W0188,W024 7	w0188	12.921886876 098773- 77.569227218 62793	7209	28/04/2022
23	EE/ OFC/pole/202 2-23/7209/W- 165/278	W0188	w0188	12.922247647 075723- 77.567097544 67012	7209	28/04/2022
24	EE/ OFC/pole/202 2-23/7209/W- 165/279	W0188	w0188	12.922169218 646811- 77.567558884 62068	7209	28/04/2022
25	EE/ OFC/pole/202 2-23/7209/W- 165/280	W0188	w0188	12.922069875 934833- 77.568202614 78425	7209	28/04/2022
26	EE/ OFC/pole/202 2-23/7209/W- 165/281	W0188,W024 3	w0188	12.921996676 016505- 77.568411827 08742	7209	28/04/2022
27	EE/ OFC/pole/202 2-23/7209/W- 165/282	W0188,W023 5	w0188	12.922388818 185695- 77.566641569 13759	7209	28/04/2022
28	EE/ OFC/pole/202 2-23/7209/W- 165/283	W0235	w0235	12.923047615 643606- 77.566748857 49818	7209	28/04/2022
29	EE/ OFC/pole/202 2-23/7209/W- 165/284	W0235	w0235	12.923507727 123052- 77.566893696 78499	7209	28/04/2022
30	EE/ OFC/pole/202 2-23/7209/W- 165/285	W0188,W023 3	w0188	12.922477703 65842- 77.566217780 11323	7209	28/04/2022
31	EE/ OFC/pole/202 2-23/7209/W- 165/286	W0233	w0233	12.923005787 285254- 77.566330432 891867	7209	28/04/2022
32	EE/ OFC/pole/202 2-23/7205/W- 165/287	W0233	w0233	12.923486812 98329- 77.566448450 0885	7205	28/04/2022
33	EE/ OFC/pole/202 2-23/7209/W- 165/288	W0188	w0188	12.922498617 882697- 77.565869092 9413	7209	28/04/2022
34	EE/ OFC/pole/202 2-23/7209/W- 165/289	W0188,W023 1	w0188	12.922582274 76231- 77.565718889 23646	7209	28/04/2022
35	EE/ OFC/pole/202 2-23/7205/W- 165/290	W0231	w0231	12.923120815 25388- 77.565858364 10524	7205	28/04/2022
36	EE/ OFC/pole/202 2-23/7209/W- 165/291	W0178,W023 1	w0178	12.923554783 931113- 77.565912008 28554	7209	28/04/2022
37	EE/ OFC/pole/202 2-23/7209/W- 165/292	W0231	w0231	12.923967837 754665- 77.566040754 31825	7209	28/04/2022

38	EE/ OFC/pole/202 2-23/7209/W- 165/293	W0176,W023 1	w0176	12.924176978 670552- 77.566115856 17065	7209	28/04/2022
39	EE/ OFC/pole/202 2-23/7209/W- 165/294	W0176	w0176	12.924114236 414185- 77.566410899 1623	7209	28/04/2022
40	EE/ OFC/pole/202 2-23/7209/W- 165/295	W0176	w0176	12.924061951 188488- 77.566840052 60469	7209	28/04/2022



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore"-within seven(7) days. Then only your request can be processed further.



Total No.of Poles 40

Pole Charges @ Rs 1500/- Pole	60,000	Worker Welfare Cess Amount @ Rs-7.39/- Pole	295.6
Junction Box Charges @ Rs 3000/- Pole	1,20,000	Total (C)	295.6
Supervision Charge @ Rs 100/- Pole	4,000		
Sub Total (A)	1,84,000	GST @ 18% (B)	33,120
Grand Total (A + B + C)	2,17,415.6		

Total Amount Payable Rs: 2,17,416 In words (Rupees Two Lakh Seventeen Thousand Four Hundred and Sixteen Only)

Note:The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-1395

1. Copy submitted to Commissioner for kind information.
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-1395 1/2 X @RIL.COM

OFC/Pole/2022-23/W0147/1430 10-2022-1430 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

Pole Details

10-2022-1395



OFC/Pole/2022-23/W0144/1385 10-2022-1386 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

EXECUTIVE ENGINEER

OFC CELL

BANGALURU MAHANAGARA PALIKE

BENGALURU