



BRUHAT BENGALURU MAHANAGARA PALIKE

Office of the Chief Engineer (OFC-Cell), 3rd Floor, Annexe II Building,
N.R. Square, Bangalore -560002

No: EE/OFC/PR/1400/2022-23

Date: 20-10-2022

186
Permission for Regularization for Poles

To,
M/s. Jio Digital Fibre Private Limited,
RMZ ICON, No-51, Palace Road Cross,
Vasanth Nagar, Bengaluru-52.

Sir,

Sub :- Permission for Regularization for poles.

- Ref :-**
- 1) MOU of M/s. Jio Digital Fibre Private Limited, Dated: 19-02-2014.
 - 2) M/s. Jio Digital Fibre Private Limited online application Dated: 21-05-2022
 - 3) Fee Demand Note letter No: 10-2022-1400, Date: 17-10-2022.
 - 4) Approved by Hon'ble Chief Commissioner, BBMP vide No: 2702/2022 : 15-10-2022.
 - 5) Fee Paid by M/s. Jio Digital Fibre Private Limited vide DD received on: 19-10-2022.

*_*_*_*

With reference to your application for Regularization, we have pleasure to inform you that permission given for regularized poles has been given on the roads mentioned below.

| Sl No | Name of the Road and Route | No of Poles |
|-------|--|-------------|
| 01 | Permission for Regularization for poles from 3 rd Main Road via 12 th Cross Road, 6 th Main Road, 11 th Cross Road, 3 rd Main road up to 12 th Cross Road. | 42 Poles |
| 02 | From 6 th Main Road via Street ID No-W0096, W0135 up to 11 th Cross Road. | |
| 03 | From Street ID No-W0096 via W0115 | |
| 04 | From Street ID No-W0096 via W0119 | |
| 05 | From Street ID No-W0096 via W0125 | |
| 06 | From Street ID No-W0096 via W0127 | |
| 07 | From Street ID No-W0096 via W0131 for total No of 42 Poles, in Ward No-67, West Zone. Ref: As per drawing enclosed & demand note GIS co-ordinates. | |

Special Condition:

COVID -19 guide lines to be followed without fail and all requisite permissions from Police department/Labour department/ Health department/ or any other department as applicable shall be obtained and a copy of the same to be retained at every work site without fail.

No: EE/OFC/PR/1400/2022-23, Dt: 20-10-2022


Executive Engineer (OFC), BBMP

Conditions for Regularization of Poles

1. The pole should have been installed within the stretch where OFC cable has already been installed. The permission details of OFC cable shall be uploaded in the space provided for.
2. The pole should be used only for last mile connectivity. They should not be used for overhead cable laying or for crossing the road.
3. The pole shall be at a minimum distance of 0.3 mtrs from the edge of the walk way of road (road berm) and shall be installed in concrete foundation.
4. The junction box and the OFC cable and the sag of the OFC cable shall be at a minimum height of 5 mtrs above the ground, roads or flyover and shall not interfere with the movement of the vehicles or the pedestrians.
5. The height of the pole shall be such that it doesn't interfere with the electrical cables and distribution system.
6. The minimum distance between two poles shall be 40 mtrs.
7. The rectified portion of the road shall be maintained for 2 years from the date of sanction.
8. The agency shall take all precautionary measures to maintain the eco system and aesthetics of that area, while installing the pole or the pole shall be removed from the that place.
9. The terms and conditions or guidelines issued or notified by the Department of Telecommunications, Government of India in respect of any condition applicable to the agency, as amended from time to time, shall be applicable and binding in all cases.
10. In case of any shifting or change in position of the already laid pole is necessitated due to widening of roads or construction of flyovers or public building, the agency shall be bound to do same at his own cost within the period specified by the respective authority. If the agency fails to comply with this condition to the satisfaction of the said authority, the same shall be got executed by the said authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
11. In case of removal of already laid pole on expiry of period granted, the agency shall be bound to do the same at his own cost within the period specified by the competent authority. If the agency fails to comply with this condition to the satisfaction of the competent authority, the same shall be got executed by the competent authority at the risk and cost of the agency. The charges so incurred on this account shall be recoverable from the agency.
12. The corporation shall not be responsible for any damage to pole and resultant losses, if any during performance or official duties by any employee or corporation.
13. Any dispute arising between the signatories to an agreement under these rules shall be settled or resolved in accordance with the procedures outlines in the MOU i.e, all the disputes shall be settled at the level of BBMP competent

- authority as the case may be. In case of breach of any of the clauses of the agreement, the competent authority shall be entitled to terminate the contract after giving a show cause notice of fifteen days. An officer of the rank of Deputy Commissioner shall act as an arbitrator to whom the dispute shall be referred to and the decision of the arbitrators shall be final and binding on both the parties.
14. Operation and maintenance activities in respect of poles shall be under taken with prior intimation to jurisdictional officers. No fresh permissions are necessary for purely operation and maintenance activities.
 15. The Concerned appropriate authority may, on the basis of such supervision, impose such other reasonable conditions, as it may think fit.
 16. The permission holder shall not remove or translocate poles without the prior approval of the concerned appropriate authority.
 17. In the event the local authority/Urban Local Body or any other agency of the State Government or Central Government seeks to widen or modify the roads abutting which poles of the permission holder exists, such permission holder shall coordinate with such agency for removal or shifting of poles.
 18. In case of any untoward incidences or accidents arising due to negligence on the part of permission holder in erecting poles, the jurisdictional officer shall initiate criminal proceedings against the permission holder and take necessary action as per law, in addition to levy of penalty.
 19. The buffer to be maintained from various water bodies including rivers, tanks, Kuntas, Canals, Nalas, Storm Water Drains, for installation of poles shall be as prescribed by Government from time to time.
 20. **Railways:** The distance between the Railway Property Boundary and the poles shall be 30m as per Indian Railways Works Manual or as per no objection certificate given by the Railway Authorities.
 21. **Electrical Lines:** The right-of-way widths recommended for electrical lines of various transmission voltage are as indicated in the table below:
 22. **Right-of-way(ROW) for Electrical lines.-**

| Sl No | Transmission Voltage | Width of the Right-of-way(ROW) in meters. |
|-------|----------------------|---|
| 01 | 11kV | 7.0 |
| 02 | 33kV | 15.0 |
| 03 | 66kV | 18.0 |
| 04 | 110kV | 22.0 |
| 05 | 132kV | 27.0 |
| 06 | 220kV | 35.0 |
| 07 | 400kV | 52.0 |

23. Distance of site from Electric Lines. -No pole shall be allowed to be erected or re-erected or any additions or alterations made to poles in a site within the distance quoted below in accordance with the current Electricity Rules and its amendments from time to time between the poles and any overhead electric supply line;

| | | Vertically in m. | Horizontally in m. |
|-----|---|--|--|
| i | Low and medium voltage lines and service lines | 2.5 | 1.2 |
| ii | High voltage lines upto and including 33,000 V. | 3.7 | 2.0 |
| iii | Extra high voltage lines beyond 33000 v. | 3.7 (plus 0.3m for every additional 33,000 V. or part thereof) | 2.0 (plus 0.3m for every additional 13,000 V. or part thereof) |

24. In the reserved forest or forest areas: for erecting the poles, NOC from the Forest Department shall be submitted.

25. Every pole shall be marked with permission details of the pole in bold and clearly visible form.

26. The agency shall abide by all the terms and conditions laid in these rules.

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1400 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1400

With reference to your Demand Note bearing Pole-OFC-10-2022-1400 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0405

| Application No. | Poles | Poles Charges (Rs.) | DD No. | GST (through RCM) Rs. | Total Amount |
|-----------------|-------|---------------------|------------|-----------------------|--------------|
| 10-2022-1400 | 42 | 193510 | 206153 | 34776 | 193510 |
| | | | Dated | | |
| | | | 18-10-2022 | | |


Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED

Authorized Signatory.



1400

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206153

18/10/2022
dated

PAYMENT REFERENCE



JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1400 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note:- Pole-OFC-10-2022-1400

With reference to your Demand Note bearing Pole-OFC-10-2022-1400, Please find mentioned below the details of Demand Draft drawn on AXIS Bank, payable at Bangalore towards payment to get permission for laying Poles on BGLR0405.

| Application No. | Poles | Poles Charges (Rs.) | DD No. | GST (through RCM) Rs. | Total Amount |
|-----------------|-------|---------------------|------------|-----------------------|--------------|
| 10-2022-1400 | 42 | 193510 | 206153 | 34776 | 193510 |
| | | | Dated | | |
| | | | 18-10-2022 | | |

Request you to kindly issue permission letter for the same.


Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.



MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No. **206153**
as per details mentioned below.

18/10/2022
dated

PAYMENT REFERENCE

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17012023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 18 10 2022
दिनांक 18 10 2022

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर
RUPEES One Lac Ninety Three Thousand Five Hundred Ten Only

रुपये

अदा करें

₹ 193,510.00

Payable at par at all Branches of AXIS Bank Ltd :

DD Sr. No. 206153

Client Reference 4200008920 17

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd
Rudresha B
Authorised Signatory

Rudresha B
SS No. 25182
Please sign above

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

No.51, RMZ Icon, Palace Cross Road, Vasanthanagar, Bangalore 560052

No. Pole/OFC/ 10-2022-1400 /DD

Date: 19-Oct-22

The Chief Engineer (OFC cell)
Bruhat Bengaluru Mahanagar Palike
4th floor Annex Building, N R Square
Bengaluru - 560 002

Dear Sir,

Sub: Permission to Regularise Poles.

Ref: Demand Note :- Pole-OFC-10-2022-1400

With reference to your Demand Note bearing Pole-OFC-10-2022-1400 ,Please find mentioned below the details of Demand Draft drawn on AXIS Bank,payable at Bangalore towards payment to get permission for laying Poles on BGLR0405 .

| Application No. | Poles | Poles Charges (Rs.) | DD No. | GST (through RCM) Rs. | Total Amount |
|-----------------|-------|---------------------|------------|-----------------------|--------------|
| 10-2022-1400 | 42 | 193510 | 206153 | 34776 | 193510 |
| | | | Dated | | |
| | | | 18-10-2022 | | |

Request you to kindly issue permission letter for the same.

Thanking you,

Yours faithfully,

for JIO DIGITAL FIBRE PRIVATE LIMITED



Authorized Signatory.

MAIL TO

COMMISSIONER BBMP BANGALORE

BY ORDER OF

JIO DIGITAL FIBRE PVT LTD
5TTC INDUSTRIAL AREARELIANCE CORPORATE PARK
GHANSOLITHANE BELAPUR ROAD, THANE

Thane-400701

We are pleased to send to you Demand Draft No.
as per details mentioned below.

206153

18/10/2022
dated

PAYMENT REFERENCE

- Centralised Collection and Payment Hub (CCPH)

Valid Until: 17012023

PURCHASER NAME - JIO DIGITAL FIBRE PVT LTD

DATE 18/10/2022
दिनांक 18/10/2022

ON DEMAND PAY COMMISSIONER BBMP BANGALORE

OR ORDER / या उनके आदेश पर

माँगे जाने पर
RUPEES One Lac Ninety Three Thousand Five Hundred Ten Only

रुपये

₹ 193,510.00
अदा करें

Payable at par at all Branches of AXIS Bank Ltd.

DD Sr. No. 206153

Client Reference 4200008920_17

Under CMS Arrangement
Centralised Collections & Payment Hub
Mumbai.

CODE NO.

For Axis Bank Ltd

[Signature]
5571824004
Authorised Signatory

[Signature]
Authorised Signatory
Rudresha B
SS. No. 206153
10/10/2022 sign above



ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
Bruhat Bangalore Mahanagara Palike

BBMP ENGINEERING DEPARTMENT
Pole Form

Application No. :10-2022-1400

PR Number(To be Assigned by AE/JE-
OFC, BBMP)

CE-POLE-10-2022-1400

General Information

Segment ID

OFC/Pole/2022-23/W0088/1394

Street ID

18426

Street Name

NA

Zone

West

Ward No.

67

Ward Name

Nagapura

Service Provider Category

Telecom

Organization

M/s. Jio Digital Fibre Private Limited

Year of Incorporation

2009-10

Registered Office Address

101, Saffron, Nr Centra Point, Panchwati 5
Rasta, Ambawadi, Ahmedabad, Gujarat,
India

Pin Code

380006

Official Phone No.

9845117017

Previous Relevant Exp.

10

Fax

08035485012

Official Phone No.

www.jio.com

Penalized Details

No

Vat Reg No.

0

GST

29AAECJ4213B1Z0

Turnover for Last 3 Years

60

TAN

AHMJ08610A

Application Submission Date

21/05/2022

Name of the Authorized Person

Babu Veerabhadre

Designation

DGM

Email ID

babu.veerabhadre@ril.com

Local Address

No 51, RMZ Icon, Palace Cross Road,
Vasanthanagar, Bangalore 560052

Purpose

OFC

Phone No.

9845117017

Mobile No.

9845117017

Attachments


Pole Related Information

No.of Poles

42

No.Junction Box

42




Status of My Application

| Approver Name | Designation | Date |
|------------------|-------------|------------|
| ceofc01(ceofc01) | CE | 24/05/2022 |
| ceofc01(ceofc01) | CE | 17/10/2022 |

Date : 17/10/2022

20221017072223





Office of the Chief Engineer(OFC),2nd Floor,Annex II Building,N.R. Square,Bangalore -
560002

No. : Pole-OFC-10-2022-1400

Date: 17/10/2022

Demand Notice

GST No.: 29AALBI608FIZK

To

Babu Veerabhadre

M/s. Jio Digital Fibre Private Limited

GST No.: 29AAECJ4213B1Z0

Sub:- Permission for Poles(Regularization)

Ref:- 1)MOU of M/S M/s. Jio Digital Fibre Private Limited, Dated (19/02/2014).

2)Your request letter No. : 10-2022-1400, dated : 21/05/2022

Details of Poles added on BBMP GIS Map

(Pole Id:-OFC/Pole/2022-23/W0088/1394)





| Sr No. | Unique PoleId. | Street Id | Landmark or address | Coordinates | Permission Letter No. | Permission Letter Date |
|--------|---|-----------------|---------------------|--|-----------------------|------------------------|
| 1 | EE/ OFC/pole/202 2-23/0501/W- 67/225 | W0096 | PL1002 #550 OPP | 13.002581476 638555- 77.546897828 84499 | 0501 | 05/02/2021 |
| 2 | EE/ OFC/pole/202 2-23/0501/W- 67/226 | W0137 | PL0102 #552 | 13.002206304 130505- 77.547137439 62613 | 0501 | 05/02/2021 |
| 3 | EE/ OFC/pole/202 2-23/0501/W- 67/227 | W0137 | PL0101 #559 | 13.001532416 957877- 77.547455728 4838 | 0501 | 05/02/2021 |
| 4 | EE/ OFC/pole/202 2-23/0501/W- 67/228 | W0096,W013 5 | P,0204 #HARIMALA | 13.002392479 589872- 77.546584010 55396 | 0501 | 05/02/2021 |
| 5 | EE/ OFC/pole/202 2-23/0501/W- 67/229 | W0135 | PL0203 #546 | 13.002206041 104166- 77.546680570 07848 | 0501 | 05/02/2021 |

| | | | | | | |
|-----------------|---|-----------------|---------------------------------|--|------|------------|
| 6 | EE/ OFC/pole/202 2-23/0501/W- 67/230 | W0135 | PL0201 #1495 | 13.001377938 523195- 77.547081113 40051 | 0501 | 05/02/2021 |
| 7 | EE/ OFC/pole/202 2-23/0501/W- 67/231 | W0131 | PL0304 #523 | 13.001931054 474042- 77.546402514 51974 | 0501 | 05/02/2021 |
| 8 | EE/ OFC/pole/202 2-23/0501/W- 67/232 | W0131 | PL0302 #1469 | 13.001607259 103885- 77.546563447 06065 | 0501 | 05/02/2021 |
| 9 | EE/ OFC/pole/202 2-23/0501/W- 67/233 | W0131 | PL0303 #SAPTHAGIR I | 13.001912775 714421- 77.546362281 38452 | 0501 | 05/02/2021 |
| 10 | EE/ OFC/pole/202 2-23/0501/W- 67/234 | W0131 | PL0504 #471 OPP | 13.002116453 245772- 77.546263039 65098 | 0501 | 05/02/2021 |
| 11 | EE/ OFC/pole/202 2-23/0501/W- 67/235 | W0127 | PL0402 GOWRI NIVASA | 13.001735210 550654- 77.546145022 45431 | 0501 | 05/02/2021 |
| 12 | EE/ OFC/pole/202 2-23/0501/W- 67/236 | W0127 | PL0401 VASTASA | 13.001447972 516758- 77.546279132 90506 | 0501 | 05/02/2021 |
| 13 | EE/ OFC/pole/202 2-23/0501/W- 67/237 | W0127 | PL0502 SRI LALITHA | 13.001876218 19107- 77.546048462 92978 | 0501 | 05/02/2021 |
| 14 | EE/ OFC/pole/202 2-23/0501/W- 67/238 | W0127 | PL0501 ANUGRAHA | 13.001479188 126707- 77.546229511 63412 | 0501 | 05/02/2021 |
| 15 | EE/ OFC/pole/202 2-23/0501/W- 67/239 | W0096,W012 5 | BGLRBD0011 877 #1484 | 13.001928433 74164- 77.545838803 32234 | 0501 | 05/02/2021 |
| 16 | EE/ OFC/pole/202 2-23/0501/W- 67/240 | W0119 | PL0603 #1493 | 13.001738646 184753- 77.545596957 50345 | 0501 | 05/02/2021 |
| 17 | EE/ OFC/pole/202 2-23/0501/W- 67/241 | W0119 | PL0605 #1495 | 13.001542657 400764- 77.545693517 028 | 0501 | 05/02/2021 |
| 18 [*] | EE/ OFC/pole/202 2-23/0501/W- 67/242 | W0119 | PL0601 1469 [*] OPP | 13.001256095 143212- 77.545799464 28409 | 0501 | 05/02/2021 |
| 19 | EE/ OFC/pole/202 2-23/0501/W- 67/243 | W0123,W010 6 | PL1502 #1469 OPP | 13.001205175 599505- 77.545961737 92949 | 0501 | 05/02/2021 |
| 20 | EE/ OFC/pole/202 2-23/0501/W- 67/244 | W0106,W011 5 | PL1504 #495 | 13.001152509 385468- 77.545545101 43522 | 0501 | 05/02/2021 |
| 21 | EE/ OFC/pole/202 2-23/0501/W- 67/245 | W0115 | PL0704 SHIVA KURPA | 13.001561879 757743- 77.545378804 4763 | 0501 | 05/02/2021 |

| | | | | | | |
|----|---|-----------------|-------------------------------------|---|------|------------|
| 22 | EE/ OFC/pole/202 2-23/0501/W- 67/246 | W0106,W011 3 | PL0804 #493 OPP LIFT SIDE | 13.001135394 818018- 77.545080185 17869 | 0501 | 05/02/2021 |
| 23 | EE/ OFC/pole/202 2-23/0501/W- 67/247 | W0113 | BGLRBD0151 346 #493 | 13.000954195 411625- 77.545101642 85081 | 0501 | 05/02/2021 |
| 24 | EE/ OFC/pole/202 2-23/0501/W- 67/248 | W0113 | PL1501 NAMDINI | 13.000661576 039938- 77.545132488 2545 | 0501 | 05/02/2021 |
| 25 | EE/ OFC/pole/202 2-23/0501/W- 67/249 | W0113 | PL0805 #1523 | 13.001435486 279668- 77.545036375 7375 | 0501 | 05/02/2021 |
| 26 | EE/ OFC/pole/202 2-23/0501/W- 67/250 | W0096 | PL0803 ROCKLAYN HOUSE ROAD | 13.001654901 890204- 77.544917911 45142 | 0501 | 05/02/2021 |
| 27 | EE/ OFC/pole/202 2-23/0501/W- 67/251 | W0096 | PL0903 SCISSOR HANDS | 13.001567952 534785- 77.544608563 39962 | 0501 | 05/02/2021 |
| 28 | EE/ OFC/pole/202 2-23/0501/W- 67/252 | I0106,W0100 | PL0902 #478 | 13.001264576 394233- 77.544615269 56676 | 0501 | 05/02/2021 |
| 29 | EE/ OFC/pole/202 2-23/0501/W- 67/253 | I0106 | PL0901 #SRI GURU | 13.000789291 908301- 77.544695735 1926 | 0501 | 05/02/2021 |
| 30 | EE/ OFC/pole/202 2-23/0501/W- 67/254 | W0096 | PL1004 ANIMISRA | 13.001623717 240701- 77.544591352 4783 | 0501 | 05/02/2021 |
| 31 | EE/ OFC/pole/202 2-23/0501/W- 67/255 | W0096 | PL0606 #1506 OPP | 13.001906319 229002- 77.545559853 666667 | 0501 | 05/02/2021 |
| 32 | EE/ OFC/pole/202 2-23/0501/W- 67/256 | W0096,W012 7 | PL1001 #471 | 13.002068344 700566- 77.545986771 71829 | 0501 | 05/02/2021 |
| 33 | EE/ OFC/pole/202 2-23/0501/W- 67/257 | W0096,W012 5 | PL1003 #473 | 13.001977603 752136- 77.545778229 96738 | 0501 | 05/02/2021 |
| 34 | EE/ OFC/pole/202 2-23/0501/W- 67/258 | I0106 | BGLRBD0011 005 #1368 | 13.001961235 613251- 77.544461488 9932 | 0501 | 05/02/2021 |
| 35 | EE/ OFC/pole/202 2-23/0501/W- 67/259 | I0106 | PL1102 #418 | 13.002378178 95945- 77.544232607 42671 | 0501 | 05/02/2021 |
| 36 | EE/ OFC/pole/202 2-23/0501/W- 67/260 | I0106 | PL1101 #1376 | 13.002835146 689467- 77.544020712 91452 | 0501 | 05/02/2021 |
| 37 | EE/ OFC/pole/202 2-23/0501/W- 67/261 | W0111 | PL1202 #391/A | 13.002406946 521104- 77.544600070 06175 | 0501 | 05/02/2021 |

| | | | | | | |
|----|---|-------|-------------------------------|--|------|------------|
| 38 | EE/ OFC/pole/202 2-23/0501/W- 67/262 | W0111 | PL1204 #305 | 13.002713951 151755- 77.544492334 47872 | 0501 | 05/02/2021 |
| 39 | EE/ OFC/pole/202 2-23/0501/W- 67/263 | W0111 | PL1201 #406 | 13.002787065 946176- 77.544411868 20827 | 0501 | 05/02/2021 |
| 40 | EE/ OFC/pole/202 2-23/0501/W- 67/264 | W0111 | BGLRBD0337 152 #402 | 13.003236894 591856- 77.544201761 89002 | 0501 | 05/02/2021 |
| 41 | EE/ OFC/pole/202 2-23/0501/W- 67/265 | W0111 | BGLRBD032 2163# 402 OPP | 13.003227755 260308- 77.544250041 65228 | 0501 | 05/02/2021 |
| 42 | EE/ OFC/pole/202 2-23/0501/W- 67/266 | W0094 | PL1303 JOYTHI NIVASA | 13.002599946 220185- 77.546044887 03309 | 0501 | 05/02/2021 |



In view of the above, you are hereby requested to pay the necessary fees as stipulated below, in the form of DD in favour of "Commissioner BBMP Bangalore" within seven (7) days. Then only your request can be processed further.

Total No. of Poles 42

| | | | |
|---|-------------|---|--------|
| Pole Charges @ Rs 1500/- Pole | 63,000 | Worker Welfare Cess Amount @ Rs 7.39/- Pole | 310.38 |
| Junction Box Charges @ Rs 3000/- Pole | 1,26,000 | Total (C) | 310.38 |
| Supervision Charge @ Rs 100/- Pole ³ | 4,200 | | |
| Sub Total (A) | 1,93,200 | GST @ 18% (B) | 34,776 |
| Grand Total (A + B + C) | 2,28,286.38 | | |

Total Amount Payable Rs: 2,28,286 In words (Rupees Two Lakh Twenty-Eight Thousand Two Hundred and Eighty-Six Only)

Note: The company which has got RCM facility for payment of GST, may pay the GST amount through RCM Process.

The agency must restore the pits on the same day itself to its original condition. Any delay in this regard is liable for Penalties as per order of Hon'ble Commissioner, BBMP.

Permission will be accorded after submission of Demand Draft from the Nationalized Banks, for the above mentioned amount to this office.


Yours faithfully,

Executive Engineer (OFC-Cell)
Bruhat Bangalore Mahanagara Palike

Copy to

No.: 10-2022-1400

1. Copy submitted to Commissioner for kind information
2. Copy submitted to Special Commissioner (Project) for kind information.
3. Copy submitted to CAO for information.
4. Copy to Office file.



BBMP ROAD CUTTING MANAGEMENT SYSTEM(BRCMS)

10-2022-1400

1/2

@RIL.COM

OFC/Pole/2022-23/W0115/1436 10-2022-1436 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

Pole Details



10-2022-1400

OFC/Pole/2022-23/W0145/1390 10-2022-1390 Pending ceofc01(ceofc01) Pole Work Created Demand Notice Permission Letter View/Submit

S.M.J
 EXECUTIVE ENGINEER
 OFC CELL
 BRUHAT BENGALURU MAHANAGARA PALIKE